

NEW **SKB**

Over & Unders for Target
Over & Unders for Field Hunting
Gas-operated Automatics

OVER & UNDER

Over & Unders for Target **TARGET** (5000 Series) 12Ga **MODELS**

Only 12GA. is available.

Forged barrel of High-tensile alloy steel, with higher & wider rib.

Inside of barrel can be chrome lined on request.

Box-lock type action. (Model 5000, Model 5900C, Model 6000C and Model 8000 are with side plates.)

Automatic ejector.

Single mechanical trigger.



Non-automatic safety mechanism.



Hand engraved, beautifully polished receiver with nitride finish.

Hand-checked, pistol-grip stocks and forends are made from beautifully finished French walnut.

Detachable Trigger System is available on request for 5000 Series Gun (with extra charge).

◀ Detachable Trigger System


◀ Picture shows Detachable Trigger installed



Model 6000CWD




Model 5700WD



Model 5800CW

Model 5700W



Model 5000WD (サイドプレート)

Standard Specifications for Over & Under Shotguns: Target Models

MODEL		GAUGE	CHAMBER	BARREL LENGTH	AVAILABLE CHOKES	RIB	STOCK			WEIGHT (Approx.)	
							LENGTH	COMB	HEEL		
5600DW/SW 5700DW/SW, W/SW 5000DW/SW 5800CDW/SW, CW/SW, W/SW 5900CDW/SW, CW/SW 6000DW/SW, W/SW 8000DW/SW		Trap	12	2¾"	30" 28"	Full & Full ¾ & Full	Wide-Rib(16mm) Semi Wide Rib(12mm)	14"	1¾"	2"	3.4kg
		Skeet	12	2¾"	28" 26"	Spr & Spr	Regular Ventilated Rib(9.5mm)	13¾"	1¾"	2¼"	3.6kg

Standard Specifications for Over & Under Shotguns: "ALL MIGHTY"

MODEL		GAUGE	CHAMBER	BARREL LENGTH	AVAILABLE CHOKES	RIB	STOCK			WEIGHT (Approx.)
							LENGTH	COMB	HEEL	
5500DW/SW/V	Trap	12	2 3/4"	30", 28"	Full & Full 3/4 & Full	Wide-Rib(16mm)	14"	1 3/8"	2"	3.3kg 3.6kg
	Skeet			28", 26"	Spr & Spr	Semi Wide Rib(12mm)	13 3/4"	1 5/8"	2 1/4"	
	Field			30", 28", 26"	Modified & Full Imp. Cylinder & Modified	Regular Ventilated Rib(9.5mm)	14"	1 1/2"	2 3/8"	

“ALL MIGHTY”
Shotgun 12GA

TRAP & SKEET MODEL
TRAP & FIELD MODEL
SKEET & FIELD MODEL

Combination upon request for
extra barrel
extra For-end
extra Stock
extra Detachable Trigger
System

Only 12GA. is available.


Automatic ejector.

Box-lock type action.

Hand engraved, beautifully
polished receiver with nitrided
finish.



Gun-case for “ALL MIGHTY”
SHOTGUN (Option)
(L) 850mm x (W) 300mm x (H) 90mm



Standard Specifications for Over & Under Shotguns

MODEL		GAUGE	CHAMBER	BARREL LENGTH	AVAILABLE CHOKES	RIB	STOCK			WEIGHT (Approx.)
							LENGTH	COMB	HEEL	
500	FIELD	12	2 3/4"	30"•28"•26"	Modified & Full Imp.Cylinder & Imp.Modified Imp.Cylinder & Modified	9.5mm	14 1/4"	1 1/2"	2 1/4"•2 1/2"	3.3kg
600		20	3"	28"•26"		8mm	14"	1 1/2"	2 1/2"	3.0kg
700	TRAP	12	2 3/4"	30"•28"	Imp.Modified & Full Modified & Full	16•12•9.5mm	14 1/4"	1 3/4"	2"	3.7kg
800	SKEET	12	2 3/4"	28"•26"						
880	SPORTING	12	2 3/4"	28"	Skeet & Skeet	16•12•9.5mm	14 1/8"	1 1/2"	2 1/4"	3.5kg
		12	2 3/4"	28"	Modified & Full Imp.Modified & Imp.Cylinder	9.5mm	14 1/4"	1 1/2"	2"	3.3kg
500inc.	FIELD	12	2 3/4"	30"•28"•26"	Inter Choke	9.5mm	14 1/4"	1 1/2"	2 1/2"	3.3kg
600inc.		20	3"	28"•26"		8mm	14"	1 1/2"	2 1/2"	3.0kg
500L	FIELD	12	2 3/4"	26"	Inter Choke Imp.Cylinder & Modified	7mm	14"	1 1/2"	2 1/2"	3.1kg
600L		20	3"	26"						2.8kg

Over
& Unders
for Field Hunting

TRAP -
SKEET &
SPORTING
MODELS

- Box-Look type action.
-
- Selective automatic ejectors.
-
- Non-automatic safety.
-

Hand-checked, pistol-grip stocks and forends are made from beautifully finished French walnut.

INTER CHOKE
(Interchangeable choke)
Installed with three kinds of 6 chokes out of the following six kinds for Model 500C & Model 600C upon request.
Skeet, IC, MOD, IMPMOD, Full, Extra Full.



GAS-AUTOMATIC

Interchoke
Also available for Over
& Under Guns.

Gas-Operated Automatics

12GA
20GA

TARGET & FIELD MODELS

5-shot capacity and 2 or 3 shot plug.

Forged barrel of high-tensile alloy steel, with ventilated rib or plain. Completely interchangeable.

Expertly balanced light weight permits easy handling.

Hand-checked stocks and forends are made from beautifully finished European walnut.

Features positive cross-bolt type trigger safety.

Automatic safety keeps the guns from firing until the bolt is completely closed.

System chokes (Option)



Hand engraving on receiver.



Standard Specifications for Gas-Automatic Shotguns.

MODEL		GAUGE	CHAMBER	BARREL LENGTH	AVAILABLE CHOKE	STOCK			WEIGHT (Approx.)
						LENGTH	COMB	HEEL	
G1300	Field	12	2¾"	30"	Full or Modified Imp. Cyl.	14"	1½"	2½"	3.3kg
				28"					
				26"					
G1900		20	3"	28"	Full or Modified Imp. Cyl.	14"	1½"	2½"	3.0kg
				26"					

NEW SKB ARMS COMPANY

OHTA-MACHI 941, TOMOBE-MACHI, NISHI-IBARAKI-GUN,
IBARAKI PREF. 309-17, JAPAN

TELEPHONE: (02967) 7-1111 TELEX: J27364 (WHIT STON)

CABLE ADDRESS: "ABAKAS IBARAKI-KASAMA"

Printed in Japan ('84.2)