

# ***SKB*** **SHOTGUNS**



*Built for men who know fine guns.*



SKB

CUSTOM

Over & Unders

for Competition

These CUSTOM guns are for those who appreciate quality

worksmanship in every details.

TRAP



Model 8000



Model 6000



Model 5000

SKB with 132 years of experience in producing fine guns, proudly offers you the CUSTOM GRADE Models # 6000 and # 8000. The superiority of these models is a result of SKB's advanced technology and superb craftsmanship. These two models come with a spare Detachable Trigger and have all the deluxe features. CUSTOM GRADE engravings are available for those who appreciate the value of investment.

The excellent trigger pull and this perfectly balanced gun provides you with a sense of confidence in owning a gun everyone recognizes as superior.

Models # 5000 and # 5700 are produced at a competitive price level without sacrificing quality or performance. Once

you have owned an SKB CUSTOM GRADE gun, you can experience the pride of ownership of an outstanding firearms.

Special features: Detachable Trigger; Box lock, Side Plate for Models # 5000, # 6000 & # 8000; Forged high tensile of alloy steel barrel, Chrome lined, Ventilated rib of wider width; Metal bead for front & middle; Hand engraved on nitrided receiver; Manual safety; Automatic ejector; Non-selective trigger; Open work on top lever of Model # 8000; Selected walnut, Hand checkered stock with full pistol grip cap. The spare Detachable Trigger is furnished with Models # 6000 & # 8000.



Custom grade engraving for model # 8000.



Model 5700

The moderately-priced models # 5000 and # 5700 maintain the basic high performance of the other TOP GRADE models.



The SKB's Detachable Trigger System is easily changed with an ordinary coin when necessary or desired.

Key	Model	Gauge	Chamber	Barrel length	Choke	Rib (mm)	Overall length	Weight	Stock dimension			
									A	B1	B2	C
61	5700 Trap	12	2 3/4"	30"	IM-F	12, 16	47 3/8"	8 lbs. 2 oz.	14 1/4"	1 3/8"	1 3/8"	1 3/4"
62	5700 Skeet	12	2 3/4"	26", 28"	SK-SK	12, 16	45 3/16"	7 8	14 1/8"	1 9/16"		2 3/16"
63	5000 Trap	12	2 3/4"	30"	IM-F	12, 16	47 3/8"	8 2	14 1/4"	1 3/8"	1 3/8"	1 3/4"
64	5000 Skeet	12	2 3/4"	26", 28"	SK-SK	12, 16	45 3/16"	7 8	14 1/8"	1 9/16"		2 3/16"
65	6000 Trap	12	2 3/4"	30"	IM-F	12, 16	47 3/8"	8 2	14 1/4"	1 3/8"	1 3/8"	1 3/4"
66	6000 Skeet	12	2 3/4"	26", 28"	SK-SK	12, 16	45 3/16"	7 8	14 1/8"	1 9/16"		2 3/16"
67	8000 Trap	12	2 3/4"	30"	IM-F	12, 16	47 3/8"	8 2	14 1/4"	1 3/8"	1 3/8"	1 3/4"
68	8000 Skeet	12	2 3/4"	26", 28"	SK-SK	12, 16	45 3/16"	7 8	14 1/8"	1 9/16"		2 3/16"

\* IM=Improved Modified (3/4), F=Full (1/1), SK=Skeet, A=Length of pull, B=Drop at comb, C=Drop at heel, Monte Carlo stock is available.



# SKB TRADITIONALS

*A premier line of guns built to last you a lifetime.*

TRAP



Model 885



Model 605



Model 505

SKB's continuous efforts in constant improvements over the years have resulted in the TRADITIONAL being the best selected Target Model within a reasonable price range.

SKB's TRADITIONAL Target Gun with its incredible mechanical dependability will last a lifetime and longer.

Another addition is the attractive engraving on the Side Plate of Model # 885.

A perfectly balanced gun which will feel lighter than its

actual weight in-hand.

Special features: Side Plate for Model # 885; Forged high tensil of alloy steel barrel with ventilated rib of wider width; Metal bead for front & middle for the trap model; Box lock; Beautifully engraved on nitrided receiver (deeply blued for Model # 505); Manual safety; Automatic ejector; Single selective trigger; Checkered walnut stock with full pistol grip and grip cap; Rubber recoil pad for trap model.

SKB TRAP COMBO

Key	Model	Gauge	Chamber	Barrel length	Choke	Rib (mm)	Overall length	Weight	Stock dimension			
									A	B1	B2	C
B1	505C Trap (o/u) (single)	12	2 3/4" 30", 32"	30"	INTER	9.5	47 3/8"	8 lbs. 2 oz.	14 1/4"	1 3/8"	1 3/8"	2"
B2	605C Trap (o/u) (single)	12	2 3/4" 30", 32"	34"	INTER	9.5	47 3/8"	8	14 1/4"	1 3/8"	1 3/8"	2"

\*INTER=Inter choke, A=Length of pull, B=Drop at comb, C=Drop at heel, Monte Carlo stock is available.

## Over & Unders for Target

SKEET(SPORTER)



Model 885



Model 605



Model 505



Key	Model	Gauge	Chamber	Barrel length	Choke	Rib (mm)	Overall length	Weight	Stock dimension			
									A	B1	B2	C
31	505 Trap	12	2 3/4"	30"	IM-F	9.5, 12, 16	47 3/8"	8 lbs. 2 oz.	14 1/4"	1 3/8"	1 3/8"	2"
32	505 Skeet	12	2 3/4"	26", 28"	SK-SK	9.5, 12, 16	45 3/16"	7 11	14 1/8"	1 1/2"		2 3/16"
33	505 Skeet	20	3"	26", 28"	SK-SK	8.5, 12	45 3/16"	6 6	14 1/8"	1 1/2"		2 3/16"
34	505 Skeet	28	2 3/4"	26", 28"	SK-SK	8.5	45 3/16"	6 6	14 1/8"	1 1/2"		2 3/16"
35	505 Skeet	410	3"	26", 28"	SK-SK	8.5	45 3/16"	6 6	14 1/8"	1 1/2"		2 3/16"
36	505C Sporter	12	2 3/4"	26", 28", 30"	INTER	9.5	45 3/16"	7 4	14 1/8"	1 1/2"		2"
37	605 Trap	12	2 3/4"	30"	IM-F	9.5, 12, 16	47 3/8"	8 2	14 1/4"	1 3/8"	1 3/8"	2"
38	605 Skeet	12	2 3/4"	26", 28"	SK-SK	9.5, 12, 16	45 3/16"	7 11	14 1/8"	1 1/2"		2 3/16"
39	605 Skeet	20	3"	26", 28"	SK-SK	8.5, 12	45 3/16"	6 6	14 1/8"	1 1/2"		2 3/16"
40	605 Skeet	28	2 3/4"	26", 28"	SK-SK	8.5	45 3/16"	6 6	14 1/8"	1 1/2"		2 3/16"
41	605 Skeet	410	3"	26", 28"	SK-SK	8.5	45 3/16"	6 6	14 1/8"	1 1/2"		2 3/16"
42	605C Sporter	12	2 3/4"	26", 28", 30"	INTER	9.5	45 3/16"	7 4	14 1/8"	1 1/2"		2"
43	885 Trap	12	2 3/4"	30"	IM-F	9.5, 12, 16	47 3/8"	8 2	14 1/4"	1 3/8"	1 3/8"	2"
44	885 Skeet	12	2 3/4"	26", 28"	SK-SK	9.5, 12, 16	45 3/16"	7 11	14 1/8"	1 1/2"		2 3/16"
45	885 Skeet	20	3"	26", 28"	SK-SK	8.5, 12	45 3/16"	6 6	14 1/8"	1 1/2"		2 3/16"
46	885 Skeet	28	2 3/4"	26", 28"	SK-SK	8.5	45 3/16"	6 6	14 1/8"	1 1/2"		2 3/16"
47	885 Skeet	410	3"	26", 28"	SK-SK	8.5	45 3/16"	6 6	14 1/8"	1 1/2"		2 3/16"
48	885C Sporter	12	2 3/4"	26", 28", 30"	INTER	9.5	45 3/16"	7 4	14 1/8"	1 1/2"		2"

\*IM=Improved Modified (3/4), F=Full (1/1), SK=Skeet, INTER=Inter choke, A=Length of pull, B=Drop at comb, C=Drop at heel, Monte Carlo stock is available.



# SKB TRADITIONALS

*Its incredible performance will prove that a thrill is back*

*Over & Unders for Field Hunting in the field again.*



SKB's TRADITIONAL Field Gun with its incredible mechanical dependability will last a lifetime and longer. These guns are designed to meet competitive price demands.

New SKB's INTER CHOKE (a 3-piece set) is furnished with models marked \*C. The choke is easily screwed into the barrel with the wrench supplied.

With simple change to the barrel, you can select any choke combination for your hunting and shooting desired. Extra INTER CHOKE available: EXTRA FULL, FULL, IMP.MOD, MOD, IC & SKEET. 5" choke is for semi automatic shotgun.

Special features: Basic specifications are same with SKB TRADITIONALS Over & Unders for Target.



Key	Model	Gauge	Chamber	Barrel length	Choke	Rib (mm)	Overall length	Weight	Stock dimension		
									A	B	C
01	505 Field	12	3" (2 3/4")	26", 28", 30"	IC-M, M-F	7	45 3/16"	7 lbs. 4 oz.	14 1/8"	1 1/2"	2 3/16"
02	505 Field	20	3"	26", 28"	IC-M, M-F	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
03	505 Field	28	2 3/4"	26", 28"	IC-M, M-F	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
04	505 Field	.410	3"	26", 28"	IC-M, M-F	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
05	505C Field	12	3" (2 3/4")	26", 28", 30"	INTER	7	45 3/16"	7 4	14 1/8"	1 1/2"	2 3/16"
06	505C Field	20	3"	26", 28"	INTER	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
07	605 Field	12	3" (2 3/4")	26", 28", 30"	IC-M, M-F	7	45 3/16"	7 4	14 1/8"	1 1/2"	2 3/16"
08	605 Field	20	3"	26", 28"	IC-M, M-F	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
09	605 Field	28	2 3/4"	26", 28"	IC-M, M-F	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
10	605 Field	.410	3"	26", 28"	IC-M, M-F	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
11	605C Field	12	3" (2 3/4")	26", 28", 30"	INTER	7	45 3/16"	7 4	14 1/8"	1 1/2"	2 3/16"
12	605C Field	20	3"	26", 28"	INTER	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
13	885 Field	12	3" (2 3/4")	26", 28", 30"	IC-M, M-F	7	45 3/16"	7 4	14 1/8"	1 1/2"	2 3/16"
14	885 Field	20	3"	26", 28"	IC-M, M-F	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
15	885 Field	28	2 3/4"	26", 28"	IC-M, M-F	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
16	885 Field	.410	3"	26", 28"	IC-M, M-F	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"
17	885C Field	12	3" (2 3/4")	26", 28", 30"	INTER	7	45 3/16"	7 4	14 1/8"	1 1/2"	2 3/16"
18	885C Field	20	3"	26", 28"	INTER	8.5	45 3/16"	6 6	14 1/8"	1 1/2"	2 3/16"

\*IC=Improved Cylinder (1/4), M=Modified (1/2), F=Full (1/1), INTER=Inter choke, A=Length of pull, B=Drop at comb, C=Drop at heel



# SKB GAS OPERATED AUTOMATICS

*Compare and prove to yourself why other fine automatics can not match all our features.*



Model 1900

Model 1300

Model 3000

SKB UNIVERSAL AUTOMATIC SYSTEM allows you to use either 2 3/4" light load or 3" magnum load by adjusting the screw on the forend without changing the barrel.

NEW SKB MAGAZINE CUT-OFF SYSTEM will make it simple to have the chamber empty without unloading the magazine.

SKB's long history in manufacturing and improving the quality of their gun has earned them the respect and continued high reputation among gun enthusiasts. Using the Model # 1900, the incomparable record of shooting 2,264 targets in the space of just one hour was achieved by shooter Mr. Graham Douglas Geater of New Zealand on January 17, 1981. He was recognized in the Guinness Book of World Records for this feat. Its rugged semi-automatic action represents SKB's Achievement in quality guns.

Special features: SKB UNIVERSAL AUTOMATIC and MAGAZINE CUT-OFF SYSTEM; Forged high tensile alloy steel barrel with ventilated rib of regular width; Metal bead sight; Hunting scene on forged receiver from a single block of light weight alloy (Models # 1300 & 1900); Manual safety; Hand checkered walnut stock with full pistol grip; Grip cap for Models # 1900 & 3000; Standard butt plate; Magazine capacity (5); With reducer plug, 3 rounds. Model # 1900 is available in Skeet and Trap with Monte Carlo stock.

Key	Model	Gauge	Chamber	Barrel length	Choke	Rib (mm)	Overall length	Weight	Stock dimension			
									A	B1	B2	C
101	1300 Field	12	3" (2 3/4")	26", 28", 30"	IC, M, F	7	48 1/4"	7 lbs. 4 oz.	14 1/8"	1 1/2"		2 1/2"
102	1300 Field	20	3"	26", 28"	IC, M, F	7	48 1/4"	6 6	14 1/8"	1 1/2"		2 1/2"
103	1300C Field	12	3" (2 3/4")	26", 28", 30"	INTER	7	48 1/4"	7 4	14 1/8"	1 1/2"		2 1/2"
104	1300C Field	20	3"	26", 28"	INTER	7	48 1/4"	6 6	14 1/8"	1 1/2"		2 1/2"
105	1900 Field	12	3" (2 3/4")	26", 28", 30"	IC, M, F	7	48 1/4"	7 4	14 1/8"	1 1/2"		2 1/2"
106	1900 Field	20	3"	26", 28"	IC, M, F	7	48 1/4"	6 6	14 1/8"	1 1/2"		2 1/2"
107	1900C Field	12	3" (2 3/4")	26", 28", 30"	INTER	7	48 1/4"	7 4	14 1/8"	1 1/2"		2 1/2"
108	1900C Field	20	3"	26", 28"	INTER	7	48 1/4"	6 6	14 1/8"	1 1/2"		2 1/2"
109	1900C Trap	12	2 3/4"	30"	INTER	9.5	50 11/16"	7 4	14 1/2"	1 1/2"	1 1/2"	2 1/8"
110	3000 Field	12	3" (2 3/4")	26", 28", 30"	IC, M, F	7	48 1/4"	7 4	14 1/8"	1 1/2"		2 1/2"
111	3000 Field	20	3"	26", 28"	IC, M, F	7	48 1/4"	6 6	14 1/8"	1 1/2"		2 1/2"
112	3000C Field	12	3" (2 3/4")	26", 28", 30"	INTER	7	48 1/4"	7 4	14 1/8"	1 1/2"		2 1/2"
113	3000C Field	20	3"	26", 28"	INTER	7	48 1/4"	6 6	14 1/8"	1 1/2"		2 1/2"
114	3000C Trap	12	2 3/4"	30"	INTER	9.5	50 11/16"	7 4	14 1/2"	1 1/2"	1 1/2"	2 1/8"

\*IC=Improved Cylinder (1/4), M=Modified (1/2), F=Full (1/1), INTER=Inter choke, A=Length of pull, B=Drop at comb, C=Drop at heel  
Slug Barrel 22" & 24", 5" Choke available, Monte Carlo stock is available.



# SKB 3 BARREL SKEET SET



Model 605



SKB added this small gauge combination of 3 Barrel Skeet set for the serious competitive skeet shooter.

This delicately balanced model has a forend for each barrel which fits the same action. Gauges of 20, 28 and .410 are available in 26" and 28" barrels.

Special features: Combination of 3 Barrel Skeet set in gun case; Forged high tensile alloy steel barrel with ventilated rib; Metal bead sight; Box lock; Fine engraving on nitrided receiver; Manual safety; Automatic ejector; Single selective trigger; Hand checked walnut stock with full pistol grip and grip cap; Standard butt plate.

Key	Model	Gauge	Chamber	Barrel length	Choke	Rib (mm)	Overall length	Weight	Stock dimension		
									A	B	C
91	505 Skeet set Extra barrel	20	3"	26", 28"	INTER	8.5	45 3/16"	6 lbs. 3 oz.	14 1/8"	1 1/2"	2 3/16"
		28	2 3/4"	26", 28"	SK	8.5					
		.410	3"	26", 28"	SK	8.5					
92	605 Skeet set Extra Barrel	20	3"	26", 28"	INTER	8.5	45 3/16"	6 3	14 1/8"	1 1/2"	2 3/16"
		28	2 3/4"	26", 28"	SK	8.5					
		.410	3"	26", 28"	SK	8.5					

\*INTER=Inter choke \*SK=Skeet, A=Length of pull, B=Drop at comb, C=Drop at heel