
SKI SHOTEUNS


SINCE 1855




THE AFFORDABLE CHOICE OF QUALITY



The '85 series barrel group is designed to reduce felt recoil and barrel lift. Allowing the shooter to stay on target for that second bird.





QUALITY · INNOVATION · A



FIELD SETS SKEET SKEET THREE BARREL SETS

		BARREL	OVERALL	INTER	AVE	RAGE WEIGH	T*		RIB
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS	WIDTH
12	3"	26"	43 3/8"	COMP.	7 lb. 11 oz.	7 lb. 13 oz.	8 lb. 0 oz.	MFB	3/8"
12	3"	28"	45 3/8"	COMP.	7 lb. 12 oz.	7 lb. 14 oz.	8 lb. 0 oz.	MFB	3/8"
20	3"	26"	43 3/8"	STND-B	6 lb. 10 oz.	7 lb. 2 oz.	7 lb. 3 oz.	MFB	5/16"
20	3"	28"	45 3/8"	STND-A	6 lb. 12 oz.	7 lb. 2 oz.	7 lb. 3 oz.	MFB	5/16"
28	2 3/4"	26"	43 3/8"	STND-B	6 lb. 13 oz.	7 lb. 2 oz.	7 lb. 2 oz.	MFB	5/16"
28	2 3/4"	28"	45 3/8"	STND-A	6 lb. 14 oz.	7 lb. 4 oz.	7 lb. 4 oz.	MFB	5/16"
.410	3"	26"	43 3/8"	IC-M	6 lb. 14 oz.	7 lb. 2 oz.	7 lb. 2 oz.	MFB	5/16"
.410	3"	28"	45 3/8"	M-F	7 lb. 0 oz.	7 lb. 4 oz.	7 lb. 4 oz.	MFB	5/16"

The SKB Over & Under Field and Field Sets are designed to provide the hunter with a well balanced, fast shouldering shotgun. The stocks are dimensioned for consistent point and swing control. These shotguns are available in three grades; 585, 685 and 885 with models chambered in 12, 20, 28 and .410 gauges. SKB is one of the few manufacturers of fine shotguns which still produces two-barrel sets. You have your choice of combinations of 12 and 20 gauge, new 20 and 28 gauge or 28 and .410 gauge. This is the perfect blend of quality, innovation and affordability.

		RESIDENTIAL PROPERTY.	OVERALL	INTER	AVER	RAGE WEIGH	IGHT *		RIB	
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS	WIDTH	
12	3"	28"	45 3/8"	COMP.	7 lb. 11 oz.	8 lb. 1 oz.	8 lb. 1 oz.	MFB	3/8"	
20	3"	26"	43 3/8"	STND-B	7 lb. 12 oz.	8 lb. 4 oz.	8 lb. 4 oz.	MFB	5/16"	
20	3"	26"	433/8"	STND-B	7 lb. 1 oz.	7 lb. 2 oz.	7 lb. 2 oz.	MFB	5/16"	
28	23/4"	26"	433/8"	STND-B	7 lb. 0 oz.	7 lb. 2 oz.	7 lb. 2 oz.	MFB	5/16"	
28	2 3/4"	. 28"	45 3/8"	STND-A	7 lb. 1 oz.	7 lb. 6 oz.	7 lb. 6 oz.	MFB	5/16"	
.410	3"	26"	43 3/8"	IC-M	7 lb. 0 oz.	7 lb. 5 oz.	7 lb. 5 oz.	MFB	5/16"	

*Weights may vary due to wood density. Specifications may vary. *INTERCHOKE SYSTEMS

COMP - Competition series includes Mod., Full, Imp. Cyl. STND A - Standard series includes Mod., Full, Imp. Cyl. STND B - Standard series includes Imp. Cyl., Mod., Skeet STOCK DIMENSIONS
Length of pull - 14 1/8"
Drop at Comb - 1 1/2"
Drop at Heel - 2 3/16

* MFB - Metal Front Bead



		BARREL	OVERALL	INTER	AVEF	AVERAGE WEIGHT *			RIB
GAUGE	CHAMBER	LENGTH		CHOKES*	585	685	885	SIGHTS*	WIDTH
12	3"	30"	47 1/4"	COMP.	8 lb. 1 oz.	8 lb. 6 oz.	8 lb. 9 oz.	CP/WFB	3/8"
12	3"	28"	45 1/4"	COMP.	7 lb. 12 oz.	8 lb. 2 oz.	8 lb. 5 oz.	CP/WFB	3/8"
20	3"	28"	45 1/4"	STND.	6 lb. 15 oz.	7 lb. 2 oz.	7 lb. 2 oz.	CP/WFB	5/16"
28	2 3/4"	28"	45 1/4"	STND.	6 lb. 15 oz.	7 lb. 3 oz.	7 lb. 5 oz.	CP/WFB	5/16"
.410	3"	28"	45 1/4"	SK-SK	7 lb. 0 oz.	7 lb. 4 oz.	7 lb. 5 oz.	CP/WFB	5/16"

The SKB Skeet over-unders have been favorites on the range for many years and are available in all three grades; the 585, 685 and 885. Our competition guns give the shooter the confidence and a solid sense of balance when . . . "breakin' clays is all that matters."

Our standard features which include a manual safety, single selective trigger, automatic ejectors, chrome bores, and box-locking system to insure that a SKB will last a lifetime on the Skeet Range.

Consistency in weight, balance and feel are trademarks of the SKB 3-barrel skeet set. The set is available in 20, 28 and .410 ga. in the 585, 685 and 885 models. A forend comes with each barrel and all fit smoothly on the same action. A fitted aluminum case is included to protect your shooting investment.

		BARREL		INTER	AVEF	RAGE WEIGH	T *		RIB
GAUGE	CHAMBER	TO THE REAL PROPERTY.			585	685	885	SIGHTS √	WIDTH
20	3"	28"	45 1/4"	STND.	6 lb. 15 oz.	7 lb. 2 oz.	7 lb. 2 oz.	CP/WFB	5/16"
28	2 3/4"	28"	45 1/4"	STND.	7 lb. 0 oz.	7 lb. 4 oz.	7 lb. 5 oz.	CP/WFB	5/16"
.410	3"	28"	45 1/4"	SK-SK	7 lb. 0 oz.	7 lb. 4 oz.	7 lb. 5 oz.	CP/WFB	5/16"

*Weights may vary due to wood density. Specifications may vary.
*INTERCHOKE SYSTEMS

COMP. - Competition series includes 2-SKI/SCI, 1-Mod/SC IV
STND. - Standard series includes Skeet. Skeet and Imp. CvI.


Length of Pull - 14 1/8"
Drop at Comb - 1 1/2"
Drop at Heel - 2 3/16"

**CP/WFB - Center Post/White Front Bead



MODEL 585 THREE BARREL SKEET SET

ORDABILITY



MODEL 685 SPORTING CLAY

SPORTING CLAYS

		BARREL	OVERALL	INTER	AVEF	ERAGE WEIGHT *			RIB V
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS	WIDTH
12	3"	28"	45 3/8"	COMP.	8 lb. 1 oz.	8 lb. 4 oz.	8 lb. 8 oz.	CPWFB	15/32" CH/STP
12	3"	30"	47 3/8"	COMP.	8 lb. 5 oz.	8 lb. 8 oz.	8 lb. 12 oz.	CP/WFB	15/32" CH/STP
12	3"	32"	49 3/8"	COMP.	8 lb. 7 oz.	8 lb. 10 oz.	8 lb. 14 oz.	CP/WFB	15/32" CH/STP
20	3"	28"	45 3/8"	STND.	6 lb. 14 oz.	7 lb. 4 oz.	7 lb. 6 oz.	CP/WFB	15/32" CH/STP
28	2 3/4"	28"	45 3/8"	STND.	6 lb. 14 oz.	7 lb. 2 oz.	7 lb. 4 oz.	CP/WFB	5/16" SW

Sporting Clays is a challenge to every sportsman who has ever shot a course; where targets move in every conceivable direction. Mastering this sport requires more than concentration and instinct, it requires a shotgun with responsive fit, balance and a fast sighting plane.

SKB now offers 18 spectacular Sporting Clay Over & Under Shotguns, one of the largest family of sporting clays on the market today!

As with our entire line of SKB shotguns, the sporting clay models are available in all three grades; the 585, 685, and 885 with barrel lengths of 28, 30 and 32 inches. The SKB Sporting Clay Shotgun features a low profile receiver, a wide-stepped target style rib, a radiused recoil pad and a special sporting clay stock dimensioned for the competitive edge.

SPORTING CLAY SETS

		BARREL	OVERALL	INTER	AVEF	RAGE WEIGH	T *		RIB	
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS*	WIDTH	
12	3"	32"	49 3/8"	COMP.		8 lb. 10 oz.		CP/WFB	15/32" CH/STP	
12	3"	28"	45 3/8"	COMP.		8 lb. 6 oz.		CP/WFB	15/32" CH/STP	
12	3"	30"	47 3/8"	COMP.		8 lb. 6 oz.		CP/WFB	15/32" CH/STP	
20	3"	28"	45 3/8"	STND.		8 lb. 7 oz.		CP/WFB	15/32" CH/STP	
20	3"	28"	45 3/8"	STND.		7 lb. 4 oz.		CP/WFB	15/32" CH/STP	
28	2 3/4"	28"	45 3/8"	STND.		7 lb. 2 oz.		CP/WFB	5/16" SW	

*Weights may vary due to wood density. Specifications may vary. *INTER-CHOKE SYSTEMS

COMP. - Competition series includes SK II/SC III, SK I/SC I and MOD/SC IV STND - Standard series includes Mod, Imp., Cyl., Skeet STOCK DIMENSIONS Length of Pull - 14 1/4" Drop at Comb - 1 7/16"

SW - Semi Wide Step Up Rib

Drop at Heel - 1 7/8" CP/WFB - Center Post/White Front Bead CH/STP - Center Channelled, Semi Wide Step Up Rib

MODEL 585 SPORTING CLAY

TRAP

TRAP OVE	ER/UNDERS -	STANDAR	STOCK						
		BARREL	OVERALL	RALL INTER AVERAGE WEIGHT *	T*		RIB V		
GAUGE	CHAMBER				585	685	885	SIGHTS	
12 -	3"	30"	47 3/8"	COMP.	8 lb. 7 oz.	8 lb. 9 oz.	8 lb. 14 oz.	CP/WFB	3/8" STP
12	3"	32"	49 3/8"	COMP.	8 lb. 10 oz.	8 lb. 14 oz.	9 lb. 1 oz.	CP/WFB	3/8" STP

TRAP OVER/UNDER - MONTE CARLO STOCKS

12	3"	30"	47 3/8"	COMP.	8 lb. 7 oz.	8 lb. 12 oz.	9 lb. 0 oz.	CP/WFB	3/8" STP
12	3"	32"	49 3/8"	COMP.	8 lb. 9 oz.	8 lb. 14 oz.	9 lb. 1 oz.	CP/WFB	3/8" STP

The SKB line of over-under trap guns has evolved over many years of effort to provide the serious trap shooter with an attordable shotgun that considers weight, balance, fit, feel and trigger pull. Trap combo's feature a set of over and under barrels and a single over barrel. These combinations are available in several barrel length configurations and all three grades, 585, 685, and 885; with your choice of stock, either standard trap or Monte Carlo trap.

MODEL 585 TRAP - MONTE CARLO

TRAP COMBO SETS

TRAP CO	MBO SET	- STANDAI	RD STOCK							
BARREL			BARREL	OVERALL	INTER	AVE	AVERAGE WEIGHT *			RIB
TYPE	GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS	WIDTH
Over/ Under	12	3"	30*	47 3/8*	COMP.	8 lb. 4 oz.	8 lb. 10 oz.	9 lb. 0 oz.	CP/WFB	3/8" STP
Single/ Over	12	3"	34*	51 3/8"	COMP.	8 lb. 6 oz.	8 lb. 14 oz.	9 lb. 1 oz.	CP/WFB	3/8" STP
Over/ Under	12	3*	32"	49 3/8"	COMP.	8 lb. 7 oz.	8 lb. 12 oz.	9 lb. 0 oz.	CP/WFB	3/8" STP
Single/ Over	12	3"	34*	51 3/8*	COMP.	8 lb. 8 oz.	8 lb. 14 oz.	9 lb. 1 oz.	CP/WFB	3/8* STP
Over/ Under	12	3"	30"	47 3/8*	COMP.	8 lb. 6 oz.	8 lb. 12 oz.	8 lb. 15 oz.	CP/WFB	3/8" STP
Single/ Over	12	3"	32*	49 3/8"	COMP.	8 lb. 6 oz.	8 lb. 14 oz.	9 lb. 0 oz.	CP/WFB	3/8" STP

TRAP COMBO SET - MONTE CARLO STOCK

Over/ Under	12	3"	30"	47 3/8"	COMP.	8 lb. 4 oz.	8 lb. 13 oz.	9 lb. 0 oz.	CP/WFB	3/8" STP
Single/ Over	12	3"	34"	51 3/8"	COMP.	8 lb. 6 oz.	8 lb. 14 oz.	9 lb. 1 oz.	CP/WFB	3/8" STP
Over/ Under	12	3"	32"	49 3/8"	COMP.	8 lb. 7 oz.	8 lb. 14 oz.	9 lb. 0 oz.	CP/WFB	3/8" STP
Single/ Over	12	3*	34"	51 3/8"	COMP.	8 lb. 9 oz.	8 lb. 15 oz.	9 lb. 1 oz.	CP/WFB	3/8" STP
Over/ Under	12	3*	30"	47 3/8"	COMP.	8 lb. 6 oz.	8 lb. 12 oz.	8 lb. 15 oz.	CP/WFB	3/8" STP
Single/	12	3"	32"	49 3/8"	COMP.	8 lb. 6 oz.	8 lb. 14 oz.	9 lb. 0 oz.	CP/WFB	3/8" STP

*Weights may vary due to wood density. Specifications may vary

✓ STP - Step Up

*INTER-CHOKE SYSTEM COMP - Competition series includes 2-Imp. Mod., Full, Trap Full

Lenght of Pull - 14 1/4" Drop at Comb - 1 3/8" Drop at Heel - 1 3/8" (STND)

STOCK DIMENSIONS

Performance Tune Your SKB




The SKB Interchoke System allows the sportsmen to "performance tune" their SKB's to any shooting situation!

The '85 series competition choke tubes are longer and include a wider selection of available shot patterns. These redesigned choke tubes consistently provide a more uniform distribution of shot in a selected pattern.

CON	IPETITION	SERIES - 12	GA.
RIM NOTCHES	LEAD SHOT PATTERN	CONSTRUCTION*	STEEL SHOT PATTERN
0	Trap Full	.035	**
1	Xtra Full	.030	**
2	Full	.025	**
3	Imp. Mod	.020	Xtra Full
4	Mod/SC IV	.015	Full
5	SKII/SCIII	.010	Imp. Mod.
6	IC/SCII	.005	Mod
7	SKI/SCI	+.005	Imp. Cyl.

^{**}Not recommended for use with steel shot.



NOTE: The competition series and standard series inter-choke tubes are not interchangeable.

STANDARD SERIES INTERCHOKE CONSTRICTIONS						
RIM NOTCH	0	1	2	3	4	5
PATTERN	EXTRA FULL	FULL	IMP MOD	MOD	IMP CYL	SKEET
12 Gauge	.038	.032	.023	.014	.005	+.004
20 Gauge		.032	.023	.014	.005	+.004
28 Gauge		.025	.018	.010	.004	+.004