SINCE 1855



THE AFFORDABLE CHOICE OF QUALITY

NEW MODELS FOR 1994



SPORTING CLAYS

SPORTING CLAYS OVER/UNDER

		BARREL	L OVERALL	INTER	AVE	RAGE WEIGH	1.		RIB	
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS*	WIDTH	
12	3*	30 *	47 3/8 "	COMP.	8 lb. 1 oz.	8 lb. 5 oz.	8 lb. 9 oz.	CP/WFB	3/8 " STP√	
12	3 "	28 "	45 3/8 "	COMP.	7 lb. 14 oz.	8 lb. 2 oz.	8 lb. 6 oz.	CP/WFB	3/8 * STP√	

SPORTING CLAY TWO BARREL SET

		BARREL	OVERALL	INTER	AVE	RAGE WEIGH	Τ*		RIB
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS	WIDTH
12	3 **	30 *	47 3/8 "	COMP,		8 lb. 6 oz.		CP/WFB	3/8 " STP√
20	3 "	28 "	45 3/8 "	STND.		8 lb. 4 oz.		CP/WFB	5/16 * STP-/

Weights may vary due to wood density. Specifications may vary. INTERCHOKE SYSTEMS

COMP. - Competition series includes SKII/SCIII, SKI/SCI and MOD/SCIV

STND. - Standard series includes Mod., Imp Cyl., and Skeet.

DITIONAL NARROW RIE SEMI WIDE-CHANNELED RIB

The new 85' series "Traditional Narrow Rib" Sporting Clay Over & Under features a 3/8" step up target style rib with a flat matt finish, nickel center bead, and white front bead. These guns are available in all three grades, 585, 685 and 885 in either 30" or 28" barrel lengths. Additionally, a new 685 sporting clay set in 12 ga./30" and 20 ga./28" barrels has been added to our fine line of shotguns.



STOCK DIMENSIONS Length of Pull - 14 1/4"

Drop at Comb - 1 7/16'

Drop at Heel - 1 7/8"

CP/WFB - Center Post/White Front Bead

585 "YOUTH & LADIES"

YOUTH & LADIES

			OVERALL	INTER	AVE	RAGE WEIGHT			RIB
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS*	WIDTH
12	3*	28 *	44 1/2"	COMP	7 lb. 11 oz.			MFB	3/8 "
12	3"	26 "	42 1/2 *	COMP.	7 lb. 9 oz.			MFB	3/8 *
20	3 *	26 "	42 1/2 "	STND-B	6 lb. 7 oz.		///	MFB	5/16 *

Weights may vary due to wood density. Specifications may vary

*INTERCHOKE SYSTEMS

COMP. - Competition series includes Full, Mod., Imp. Cyl.

STND, B - Standard series includes Imp Cyl., Mod. and Skeet

The new "Youth and Ladies" field model 585 field takes into consideration the shorter arm reach of these individuals by featuring a shorter length of pull of 13 1/2 inches. This new stock dimension gives these shooters a natural quick pointing fit and is well balanced for good swing control. The 12 gauge models, incorporate all the '85 series standard features; oversize bores, lengthened forcing cones and competition series choke tubes.

The Field Set features a Silver Nitride Receiver with finely engraved scroll and game scene designs. Standard features include: a low profile receiver, cross bolt locking system, single selective trigger for simple, positive barrel switchover, selective automatic ejectors and manual safety conveniently located on the top tang. Each shotgun will be fitted with a sculpted

American Walnut. Tweleve different field set models, are now available from SKB, they include 12 and 20 gauge combinations, 20 and 28 gauge combinations and 28 and 410 gauge combinations.

pistol grip stock and forend, from select

FIELD SET

Ï			BARREL	OVERALL	INTER	AVE	RAGE WEIGH			RIB
	GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS*	WIDTH
	20	3 *	28 *	45 3/8 "	STND. A	7 lb, 2 oz.	7 lb. 4 oz.	7 lb. 5 oz.	MFB	5/16 "
	28	2 3/4"	28 *	45 3/8 "	STND. A	7 lb. 1 oz.	7 lb. 4 oz.	7 lb. 5 oz.	MFB	5/16 *

*Weights may vary due to wood density. Specifications may vary. 'INTERCHOKE SYSTEMS STND, A - Standard series includes Full, Mod, Imp. Cyl.


STOCK DIMENSIONS Length of Pull - 14 1/8" Drop al Comb - 1 1/2' Drop at Heel - 2 3/16"

STOCK DIMENSIONS

Length of Pull - 13 1/2"

Drop at Comb - 1 1/2"

Drop at Heel - 2 1/4"



QUALITY · INNOVATION · A



FIELD SETS SKEET THREE BARREL SETS

		BARREL	OVERALL	INTER	AVE	RAGE WEIGH	T *		RIB
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS ~	WIDTH
12	3"	26"	43 3/8"	COMP.	7 lb. 11 oz.	7 lb. 13 oz.	8 lb. 0 oz.	MFB	3/8"
12	3*	28*	45 3/8"	COMP.	7 lb. 12 oz.	7 lb. 14 oz.	8 lb. 0 oz.	MFB	3/8*
20	3″	26*	43 3/8"	STND-B	6 lb. 10 oz.	7 lb. 2 oz.	7 lb. 3 oz.	MFB	5/16"
20	3"	28"	45 3/8"	STND-A	6 lb. 12 oz.	7 lb. 2 oz.	7 lb. 3 oz.	MFB	5/16"
28	2 3/4"	26"	43 3/8"	STND-B	6 lb. 13 oz.	7 lb. 2 oz.	7 lb. 2 oz.	MFB	5/16"
28	2 3/4"	28"	45 3/8"	STND-A	6 lb. 14 oz.	7 lb. 4 oz.	7 lb. 4 oz.	MFB	5/16"
.410	3"	26"	43 3/8"	IC-M	6 lb. 14 oz.	7 lb. 2 oz.	7 lb. 2 oz.	MFB	5/16"
.410	3"	28"	45 3/8"	M-F	7 tb. 0 oz.	7 lb. 4 oz.	7 lb. 4 oz.	MFB	5/16*

The SKB Over & Under Field and Field Sets are designed to provide the hunter with a well balanced, fast shouldering shotgun. The stocks are dimensioned for consistent point and swing control. These shotguns are available in three grades; 585, 685 and 885 with models chambered in 12, 20, 28 and .410 gauges. SKB is one of the few manufacturers of fine shotguns which still produces two-barrel sets. You have your choice of combinations of 12 and 20 gauge, new 20 and 28 gauge or 28 and .410 gauge. This is the perfect blend of quality, innovation and affordability.

		BARREL	OVERALL INTERAVERAGE WEIGHT *			Ţ.		RIB	
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS*	WIDTH
12	3"	28*	45 3/8"	COMP.	7 lb. 11 oz.	8 lb. 1 oz.	8 lb. 1 oz.	MFB	3/8"
20	3"	26*	43 3/8"	STND-B	7 lb. 12 oz.	8 lb. 4 oz.	8 lb. 4 oz.	MFB	5/16*
20	3"	26"	433/8"	STND-B	7 lb. 1 oz.	7 lb. 2 oz.	7 lb. 2 oz.	MFB	5/16*
28	2 3/4"	26"	433/8"	STND-B	7 lb. 0 oz.	7 lb. 2 oz.	7 lb. 2 oz.	MFB	5/16"
28	2 3/4"	- 28"	453/8"	STND-A	7 lb. 1 oz.	7 lb. 6 oz.	7 lb. 6 oz.	MFB	5/16"
.410	3"	26"	43 3/8"	IC-M	7 lb. 0 oz.	7 lb. 5 oz.	7 lb. 5 oz.	MFB	5/16"

*Weights may vary due to wood density. Specifications may vary.
*INTERCHOKE SYSTEMS

COMP - Competition series includes Mod., Full, Imp. Cyl. STND A - Standard series includes Mod., Full, Imp. Cyl. STND B. Standard series includes Imp. Cyl. Med. Stant STOCK DIMENSIONS Length of pull - 14 1/8" Drop at Comb - 1 1/2" Drop at Heel - 2 3/16



MODEL 885 FIELD SET

		BARREL	OVERALL	INTER	AVE	RAGE WEIGH	Τ•		RIB	
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS*	WIDTH	
12	3"	30"	47 1/4"	COMP.	8 lb. 1 oz.	8 lb. 6 oz.	8 lb. 9 oz.	CP/WFB	3/8"	
12	3"	28*	451/4*	COMP.	7 lb. 12 oz.	8 lb. 2 oz.	8 lb. 5 oz.	CP/WFB	3/8"	
20	3″	28"	45 1/4"	STND.	6 lb. 15 oz.	7 lb. 2 oz.	7 lb. 2 oz.	CP/WFB	5/16"	
28	2 3/4"	28"	45 1/4"	STND.	6 lb. 15 oz.	7 lb. 3 oz.	7 lb. 5 oz.	CP/WFB	5/16"	
.410	3*	28*	45 1/4"	SK-SK	7 lb. 0 oz.	7 lb. 4 oz.	7 lb. 5 oz.	CP/WFB	5/16"	

The SKB Skeet over-unders have been favorites on the range for many years and are available in all three grades; the 585, 685 and 885. Our competition guns give the shooter the confidence and a solid sense of balance when . . . "breakin' clays is all that matters."

Our standard features which include a manual safety, single selective trigger, automatic ejectors, and box-locking system to insure that a SKB will last a lifetime on the Skeet Range.

Consistency in weight, balance and feel are trademarks of the SKB 3-barrel skeet set. The set is available in 20, 28 and .410 ga. in the 585, 685 and 885 models. A forend comes with each barrel and all fit smoothly on the same action. A fitted aluminum case is included to protect your shooting investment.

- 1		BAHHEL	OVERALL	INTER		AGE WEIGH			RI
Œ	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS*	WID
	3"	28"	45 1/4*	STND.	6 lb. 15 oz.	7 lb. 2 oz.	7 lb. 2 oz.	CP/WFB	5/1(
	2 3/4"	28"	45 1/4"	STND.	7 lb. 0 oz.	7 lb. 4 oz.	7 lb. 5 oz.	CP/WFB	5/1
0	3*	28"	45 1/4"	SK-SK	7 lb. 0 oz.	7 lb. 4 oz.	7 lb. 5 oz.	CP/WFB	5/1
	GE 0	3" 2 3/4"	GE CHAMBER LENGTH 3" 28" 2 3/4" 28"	GE CHAMBER LENGTH LENGTH 3" 28" 45 1/4" 2 3/4" 28" 45 1/4"	3" 28" 45 1/4" STND. 2 3/4" 28" 45 1/4" STND.	GE CHAMBER LENGTH LENGTH CHOKES* 585 3" 28" 45 1/4" STND. 6 lb. 15 oz. 2 3/4" 28" 45 1/4" STND. 7 lb. 0 oz.	GE CHAMBER LENGTH LENGTH CHOKES* 585 685 3" 28" 45 1/4" STND. 6 lb. 15 oz. 7 lb. 2 oz. 2 3/4" 28" 45 1/4" STND. 7 lb. 0 oz. 7 lb. 4 oz.	GE CHAMBER LENGTH CHOKES* 585 685 885 3" 28" 45 1/4" STND. 6 lb. 15 oz. 7 lb. 2 oz. 7 lb. 2 oz. 7 lb. 2 oz. 7 lb. 5 oz. 2 3/4" 28" 45 1/4" STND. 7 lb. 0 oz. 7 lb. 4 oz. 7 lb. 5 oz.	GE CHAMBER LENGTH LENGTH CHOKES* 585 685 885 SIGHTS* 3" 28" 45 1/4" STND. 6 lb. 15 oz. 7 lb. 2 oz. 7 lb. 2 oz. CP/WFB 2 3/4" 28" 45 1/4" STND. 7 lb. 0 oz. 7 lb. 4 oz. 7 lb. 5 oz. CP/WFB

*Weights may vary due to wood density. Specifications may vary *INTERCHOKE SYSTEMS

ERCHOKE SYSTEMS

COMP. - Competition series includes 2-SKI/SCI, 1-Mod/SC IV.

STND. - Standard series includes Skeet, Skeet and Imp. Cyl.

STOCK DIMENSIONS

Length of Pull - 14 1/8"

Drop at Comb - 1 1/2"

Drop at Heel - 2 3/16"

*CP/WFB - Center Post/White Front Bea



MODEL 585 THREE BARREL SKEET SET



MODEL 685 SPORTING CLAY

SPORTING CLAYS

			OVERALL	INTER	AVE	RAGE WEIGH	IT.		RIB ✓
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS	WIDTH
12	3*	28"	45 3/8"	COMP.	8 lb. 1 oz.	8 lb. 4 oz.	8 lb. 8 oz.	CP/WFB	15/32" CH/STF
12	3"	30"	47 3/8*	COMP.	8 lb. 5 oz.	8 lb. 8 oz.	8 lb. 12 oz.	CP/WFB	15/32* CH/STP
12	3"	32"	49 3/8"	COMP.	8 lb. 7 oz.	8 lb. 10 oz.	8 lb. 14 oz.	CP/WFB	15/32" CH/STF
20	3"	28"	45 3/8"	STND.	6 lb. 14 oz.	7 lb. 4 oz.	7 lb. 6 oz.	CDAVED	15/32* CH/STP
28	2 3/4"	28"	45 3/8"	STND.	6 lb. 14 oz.	7 lb. 2 oz.	7 lb. 4 oz.		5/16*

Sporting Clays is a challenge to every sportsman who has ever shot a course; where targets move in every conceivable direction. Mastering this sport requires more than concentration and instinct, it requires a shotgun with responsive fit, balance and a fast sighting plane.

SKB now offers 18 spectacular Sporting Clay Over & Under Shotguns, one of the largest family of sporting clays on the market today!

As with our entire line of SKB shotguns, the sporting clay models are available in all three grades; the 585, 685, and 885 with barrel lengths of 28, 30 and 32 inches. The SKB Sporting Clay Shotgun features a low profile receiver, a wide-stepped target style rib, a radiused recoil pad and a special sporting clay stock dimensioned for the competitive edge.

SPORTING CLAY SETS

		BARREL	OVERALL	INTER	AVEF	RAGE WEIGH	Τ*		RIB✓
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS	WIDTH
12	3"	32"	49 3/8"	COMP.		8 lb. 10 oz.		CP/WFB	15/32" CH/STP
12	3"	28"	45 3/8"	COMP.		8 lb. 6 oz.		CP/WFB	15/32" CH/STP
12	3"	30"	47 3/8"	COMP.		8 lb. 6 oz.		CP/WFB	15/32* CH/STP
20	3"	28*	45 3/8*	STND.		8 lb. 7 oz.		CP/WFB	15/32* CH/STP
20	3"	28"	45 3/8"	STND.		7 lb. 4 oz.		CP/WFB	15/32" CH/STP
28	2 3/4"	28"	45 3/8"	STND.		7 lb. 2 oz.		CP/WFB	5/16"

*Weights may vary due to wood density. Specifications may vary. *INTER-CHOKE SYSTEMS

COMP. - Competition series includes SK II/SC III, SK I/SC I and MOD/SC IV

STND - Standard series includes Mod, Imp., Cyl., Skeet

STOCK DIMENSIONS Length of Pull - 14 1/4"

Drop at Comb - 1 7/16" Drop at Heel - 1 7/8"

> CP/WFB - Center Post/White Front Bead CH/STP - Center Channelled, Semi Wide Step Up Rib

SW - Semi Wide Step Up Rib



TRAP

TRAP OVER/UNDERS - STANDARD STOCK

		BARREL	OVERALL	INTER	AVE	RAGE WEIGH	Τ.		RIB*	
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS*	WIDTH	
12	3"	30″	47 3/8"	COMP. A	8 lb. 7 oz.	8 lb. 9 oz.	8 lb. 14 oz.	CP/WFB	3/8" STP	
12	3"	32"	49 3/8"	COMP. A	8 lb. 10 oz.	8 lb. 14 oz.	9 lb. 1 oz.	CP/WFB	3/8" STP	

TRAP OVER/UNDER - MONTE CARLO STOCKS

12	3"	30"	47 3/8"	COMP. A	8 lb. 7 oz.	8 lb. 12 oz.	9 lb. 0 oz.	CP/WFB	3/8" STP
12	3"	32"	49 3/8"	COMP. A	8 lb. 9 oz.	8 lb. 14 oz.	9 lb. 1 oz.	CP/WFB	3/8" STP

The SKB line of over-under trap guns has evolved over many years of effort to provide the serious trap shooter with an affordable shotgun that considers weight, balance, fit, feel and trigger pull. Trap combo's feature a set of over and under barrels and a single over barrel. These combinations are available in several barrel length configurations and all three grades, 585, 685, and 885; with your choice of stock, either standard trap or Monte Carlo trap.



TRAP COMBO SETS

TRAP COMBO SET — STANDARD STOCK										
BARREL				OVERALL	INTER	AVERAGE WEIGHT *			INTER	RIB
TYPE	GAUGE	CHAMBER	LENGTH	LENGTH	CHOKES*	585	685	885	SIGHTS*	WIDTH
Over/ Under	12	3"	30*	47 3/8"	COMP.	8 lb. 4 oz.	8 lb. 10 oz.	9 lb. 0 oz.		3/8" STP
Single/ Over	12	3"	34"	51 3/8"	COMP.	8 lb. 6 oz.	8 lb. 14 oz.	9 lb. 1 oz.		3/8" STP
Over/ Under	12	3*	32"	49 3/8"	COMP.	8 lb. 7 oz.	8 lb. 12 oz.	9 lb. 0 oz.		3/8" STP
Single/ Over	12	3"	34"	51 3/8"	COMP.	8 lb. 8 oz.	8 lb. 14 oz.	9 lb. 1 oz.		
Over/ Under	12_	3"	30"	47 3/8"	COMP.	8 lb. 6 oz.		8 lb. 15 oz.		
Single/ Over	12	3#	32"	49 3/8"	COMP.	8 lb. 6 oz.	8 lb. 14 oz.	9 lb. 0 oz.		3/8" STP

TRAP COMBO SET - MONTE CARLO STOCK

Over/ Under	12	3"	30"	47 3/8*	COMP.	8 lb. 4 oz.	8 lb. 13 oz.	9 lb. 0 oz	CP/WFB	3/8" STP
Single/ Over	12	3"	34"	51 3/8"	COMP.	8 lb. 6 oz.	8 lb. 14 oz.		CP/WFB	
Over/ Under	12	3"	32"	49 3/8"	COMP.	8 lb. 7 oz.	8 lb. 14 oz.	9 lb. 0 oz.		3/8" STP
Single/ Over	12	3"	34"	51 3/8"	COMP.	8 lb. 9 oz.	8 lb. 15 oz.	9 lb. 1 oz.	CP/WFB	3/8" STP
Over/ Under	12	3"	30"	47 3/8*	COMP.	8 lb. 6 oz.	8 lb. 12 oz.			
Single/ Over	12	3"	32*	49 3/8"	COMP.	8 lb. 6 oz.	8 lb. 14 oz.			


*Weights may vary due to wood density. Specifications may vary.

*INTER-CHOKE SYSTEM

COMP. - Competition series includes Imp. Mod., Full, Trap Full COMP. A - Competition series includes Imp. Mod., Full, Trap Full COMP. A - Center Post/White Front Bead ✓ STP - Step Up

STOCK DIMENSIONS Length of Pull - 14 1/4" Drop at Comb - 1 3/8" Drop at Heel - 1 3/8" (STND)

YOUR PERFORMANCE TUNED SKB



SKB INTER-CHOKE SYSTEM

COMPETITION SERIES - 12 GA. ONLY


DESCRIPTION	RIM NOTCHES	CONSTRICTION	PATTERN WITH LEAD SHOT	PATTERN WITH STEEL SHOT			
TRAP FULL	NONE	.035	TRAP FULL	**			
XTRA FULL	1	.030	XTRA FULL	**			
FULL	2	.025	FULL	**			
IMP MOD	3	.020	IMP MOD	XTRA FULL			
MOD/SC IV	4	.015	MOD/SC IV	FULL			
SK II/SC III	5	.010	SK II/SC III	IMP MOD			
IC/SC II	6	.005	IC/SK II	MOD			
SK I/SC I	7	+ .005	SK I/SC I	IMP CYL			

NOTE: Competition Series For SKB Models: 585, 685 and 885A series only.

STANDARD SERIES - 12 GA., 20 GA. & 28 GA.

DESCRIPTION	RIM NOTCHES	CON 12 ga.	NSTRICTIO 20 ga.	ONS 28 ga.	PATTERN WITH STEEL SHOT
EXTRA FULL*	NONE	.038	*	*	**
FULL	1	.032	.032	.025	**
IMP MOD	2	.023	.023	.018	FULL
MOD	3	.014	.014	.010	IMP MOD
IMP CYL	4	.005	.005	.004	MOD
SKEET	5	+ .004	+ .004	+ .004	IMP CYL

NOTE: Standard Series For SKB Models: 1300, 1900, 3000, 505, 606 and 885.



NOTE: The competition series and standard series inter-choke tubes are not interchangeable.

The SKB Interchoke System allows the sportsmen to "performance tune" their SKB's to any shooting situation!

SKB SHOTGUNS

P.O. BOX 37669 • OMAHA, NE 68137

^{*} Available in 12 gauge only

^{**} Not recommended for use with steel shot