INTRODUCING THE "785" SERIES



FEATURING:

CHROME LINED OVERSIZED BORES, WITH LENGTHENED FORCING CONES, CHROME LINED CHAMBERS, CHROME PLATED EJECTORS AND COMPETITION CHOKE TUBE SYSTEM

SKB SHOTGUNS

SINCE 1855

... distinguished by its' performance features and design refinements, the 785 Series includes oversized chrome lined bores, chrome lined chamber, chrome plated ejectors and trigger, a redesigned ventilated top rib, a non- reflective finish along the sighting plane, lengthened forcing cones and competition* inter-choke system.

The 785 Over & Under, an extraordinary SKB, inheriting its' distinctive style from the "MJ-5" Premier grade Over & Under Competition Shotgun. The MJ-5 was designed by the custom shop and handmade for Mr. Miura, President of the New SKB Arms Company.

SPECIFICATIONS

The 785 incorporates the performance features required by the professional target shooter and the artistry of handcrafted quality.

ACTION: Box-lock with Greener style cross bolt

BARREL Chrome lined & backbored, GROUP: Lengthened forcing cones,

Competition'* series choke tubes

RIB: Ventilated rib with matted sighting plane

with bead sight

SAFETY: Manual, conveniently located on the top tang

TRIGGER: Single, chrome plated equipped with

barrel selector pin

EJECTORS: Chrome plated, selective

FOREND & Hand selected American Black Walnut, BUTTSTOCK: 18 line fine checkering with high gloss finish

*Competition Series - 12 gauge models only

The 785's low profile receiver is sleek and elegant. The receiver is finely engraved with a scroll pattern and finished with a silver nitride plating. Its' design incorporates a Greener type cross bolt locking system which engages two monobloc lugs in the breech of the receiver for strength, durability and positive alignment. The barrel group is constructed utilizing a monobloc. This allows the chrome lined, backbored barrels to be fitted and precisely aligned to the sighting plane. The barrels are fitted with SKB's INTER-CHOKE system; either the 12 gauge competition series or the 20 & 28 gauge standard series. The chrome plated ejectors are selective in that they automatically throw the fired shell from the chamber, while the unfired shell is only slightly lifted for easy removal. The barrels on the 12 & 20 gauge models are equipped with ventilated side ribs for improved heat dissipation. The chrome plated trigger is equipped with a barrel selector button for simple and dependable switchover. The 12 & 20 gauge models are equipped with inertial trigger systems. The 28 & 410 gauge models and also the 3 Barrel Skeet Sets utilize a mechanical trigger system.

The top portion of the receiver has been bead blasted to a matte grey finish, along with the manual safety and top lever to reduce glare along the sighting plane. The height, shape and texture of the ventilated rib all contribute to the effectiveness of the shotgun and the shooters ability to quickly pick-up and acquire the target. SKB's are known for their pointability; that natural instinctive feel of a shouldered over & under. This is

attributed to the overall weight distribution, and a properly dimensioned stock for correct alignment to the sighting plane. The semi-beavertail forend and pistol grip buttstock are hand selected from fancy American Black Walnut, then finished to a high gloss for richness and lasting durability. The stock and forend are hand fitted to insure precise wood to metal contact. The distinctive fine line checkering insures a positive grip and quick handling in any shooting situation. The NEW 785's are manufactured with an ATTITUDE!

QUALITY, INNOVATION AND AFFORDABILITY.



ALSO INTRODUCING . . . THE " WATERFOWLER" . . .

... featuring a distinctly different and proud new look for SKB. The receiver and barrel assembly are prepared by a bead blasting process. This produces a metal surface with a satiny, non-glare appearance. Then, the receiver is plated with highly durable silver nitride and the barrel assembly blued, resulting in an attractive, yet functional finish.

The "WATERFOWLER" was designed for steel shot and the inclimate conditions of waterfowl hunting. Factory performance tuned with chrome lined back bored barrels and lengthened forcing cones, chrome lined chamber, and chrome plated ejectors, along with the competition series choke tube system. (Specification on page 10).





The new 785 series inherits its distinctive styling, engraving and finish from SKB's "MJ - 5" premium grade competition over & under. The "MJ - 5" was designed and handmade specifically for Mr. Miura, the president of the NEW SKB ARMS COMPANY, a distinguished shooter in his own right. This beautiful design incorporates the performance features required by a professional target shooter and the artistry of handcrafted quality found only in the premium grade shotguns.



PERFORMANCE TUNED: OVERSIZED DIAMETER BORES LENGTHENED FORCING CONES COMPETITION SERIES CHOKES

					FIELD I	MODEL	S			
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS	RIB WIDTH	AVERAGE 785	WEIGHT *	MANUFAC 785	TURES ID #
12	3*	28	45 3/8"	COMP.	MFB	3/8 *	8 lb. 0 oz.	7 lb, 12 oz,	A7828CF	585 A5828CF
12	3	26 *	43 3/8"	COMP.	MFB	3/8 *	8 lb. 0 oz	7 lb. 11 oz.	A7826CF	A5826CI
20	3"	28 "	45 3/8 *	STND-A	MFB	5/16 "	7 ib. 4 oz	6 lb. 12 oz	A7808CF	A5808CI
20	3"	26 *	43 3/8"	STND-B	MFB	5/16 "	7 lb. 3 oz.	6 lb 10 oz.	A7806CF	A5806CI
28	2 3/4 *	28 *	45 3/8	STND-A	MFB	5/16 "	7 lb. 4 oz.	6 lb. 14 oz	A7888CF	A5888C
28	2 3/4"	26 "	43 3/8"	STND-B	MFB	5/16 "	7 lb 3 oz.	6 lb. 13 oz.	A7886CF	A5886CI
410	3"	28 "	45 3/8"	M/F	MFB	5/16 "	7 lb. 4 oz.	7 lb. 0 oz.	A7848F	A5848F
410	3"	26 "	43 3/8"	IC / M	MFB	5/16 "	7 lb. 3 oz.	6 lb. 14 oz.	A7846F	A5846F

Weights may vary due to wood density. Specifications may vary. *Wegits may vary use a wood unitary, agrant of the North-Kerner of

The Field and Field Sets are designed to provide the hunter with a well balanced, fast shouldering shotgun. The guns are dimensioned for consistent point and swing control, and are chambered in 12, 20, 28, & 410 gauge. Our standard features include: a finely engraved low profile receiver, Greener cross-bolt, box lock action, manual safety conveniently located on the top tang, single selective trigger, and selective automatic ejectors. Each shotgun is fitted with a sculpted pistol grip stock & forend, finished to a high gloss for richness and lasting durability.

The 785 & 585 series 12 gauge models feature an oversized .735 diameter bore, lengthened forcing cones, and the competition series inter-choke system. These performance features greatly enhance the overall effectiveness of the shotgun by reducing shot pellet deformation, reducing perceived recoil, and by producing more uniform pellet patterns.



The SKB receivers are milled from a solid block of steel by a multi-head Hitachi robotic machine tool. This state-of-the-art equipment insures precise tolerance in critical components.

				2 B	ARREL	FIELD	SETS			
		BARREL	OVERALL	INTER	,	RB		WEIGHT *	MANUFAC	TURES ID #
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS	WIDTH	785	585	785	585
12	3*	28*	45 3/8"	COMP.	MFB	3/8 *	8 lb. 1 oz.	7 lb. 11 oz.	A7828C /	A5828C 7
20	3*	26 *	43 3/8"	STND-B	MFB	3/8 *	8 lb, 4 oz	7 lb. 12 oz.	7806CF	5806CF
20	3"	28 *	45 3/8"	STND-A	MFB	5/16 "	7 lb. 5 oz.	7 lb. 2 oz.	A7808C /	A5808C
28	2 3/4 "	28 *	45 3/8 "	STND-A	MFB	5/16 *	7 lb. 5 oz.	7 lb. 1 oz.	7888CF	5888CF
20	3*	26 *	43 3/8"	STND-B	MFB	5/16 "	7 lb. 3 oz.	7 lb. 1 oz.	A7806C /	A5806C /
28	2 3/4 "	26 *	43 3/8"	STND-B	MFB	5/16 "	7 lb. 3 oz	7 b. 0 oz	7886CF	5886CF
28	2 3/4 *	28 *	45 3/8"	STND-A	MFB	5/16 *	7 lb. 6 oz.	7 lb 1 oz.	A7888C	A5888C /
410	3*	26	43 3/8"	IC M	MFB	5/16 "	7 (b. 5 oz.	7 lb 0 oz	7846F	5846F

"Weights may vary due to wood density. Specifications may vary

*INTER-CHOKE SYSTEMS

COMP - Competition series includes Mod , Full, Imp Cyl

STND A - Standard series includes Mod , Full, Imp Cyl

STND B - Standard series includes Imp Cyl , Mod , Skeel

Drop at Comb - 112" ✓ MFB - Metal Front Bead

NOTE: 785's Are Equipped With Step-Up Style Ribs

THE NEW 785 SPORTING CLAY . . . THE AFFORDABLE CHOICE OF QUALITY!



The distinguishing performance features of the 785 series include: oversized hard chrome lined bores, hard chromed ejectors and monobloc, a redesigned ventilated top rib, a non-reflective finish on the sighting plane, lengthened forcing cones, and competition* series inter-choke system.







PERFORMANCE TUNED: OVERSIZED DIAMETER BORES - LENGTHENED FORCING CONES - COMPETITION SERIES CHOKE TUBES

				SPOR	TING C	LAY N	10DELS			
041105	OULLANDED	BARREL	OVERALL	INTER		RIB	AVERAGE			TURES ID #
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS	WIDTH	785	585	785	585
12	3*	32 *	49 3/8"	COMP.	CP/WFB	15/32 " CH/STP	8 lb, 14 oz.	8 lb. 7 oz.	A7822CVSP	A5822CVSP
12	3"	30 *	47 3/8 "	COMP.	CP/WFB	15/32 ° CH/STP	8 lb. 12 oz	8 lb. 5 oz.	A7820CVSP	A5820CVSP
12	3*	30 *	47 3/8"	COMP	CP/WFB	3/8 " SW	8 lb, 9 oz,	8 lb. 1 oz.		A5820CVSPN
12	3*	28 *	45 3/8"	COMP	CP/WFB	15/32 " CH/STP	8 lb. 8 oz.	8 lb. 1 oz.	A782BCVSP	A5828CVSP
12	3*	28 *	45 3/8"	COMP.	CP/WFB	3/8 " SW	8 lb. 5 oz.	7 lb. 14 oz.		A5828CVSPN
20	3"	28 "	45 3/8"	STND-B	CP/WFB	15/32 " CH/STP	7 fb. 6 oz.	6 lb 14 oz.	A7808CVSP	A5808CVSP
28	2 3/4 "	28 *	45 3/8"	STND-B	CP/WFB	5/16 " SW	7 lb. 4 oz.	6 lb. 14 oz.	A7888CVSP	A5888CVSP

			2	BARRE	L SPO	RTING	CLAY S	SET		
12	3	30 *	47 3/8"	COMP.	CP/WFB	15/32 " CH/STP	8 lb. 14 oz.		A7820C /	
20	3"	28 "	45 3/8	STND-B	CP/WFB	15/32 " CH/STP	8 lb. 10 oz.		7808SP	

"Weights may vary due to wood density. Specifications may vary.

"INTER-CHOKE SYSTEMS

COMP. - Competition series includes SK II/SC III,

SK I/SC I and MOD/SC IV.

STNIN B. - Standard series includes Mcd. Imp. Cut. Skeet

STOCK DIMENSIONS Length of Pull. 14 11/4"
Brop at Comb - 17/16"
Drop at Heel - 1 7/8 "
Or Pow/FB - Center Post White Front Bead
"CH/STP - Center Channeled, Semi Wide Step Up Rib
SW - Semi Wide Step Up Rib

585 SERIES RIB OPTIONS SEMI-WIDE OR TRADITIONAL



The 585 Series Sporting Clay is now available with your choice of ventilated rib styles. Both are equipped with a nickel center bead and a white front bead providing a guide for quick target acquisition along a broad sighting surface. The "TRADITIONAL" narrow rib features a 3/8" (9.5mm) wide step up target style rib with a flat matte finish. The "SEMI-WIDE" CHANNELED" rib features a 15/32" (12mm) wide step up target style rib with center channel and matte finished outer edges.

Sporting Clays is a challenge to every sportsman who has ever shot a course; where targets move in every conceivable direction. Mastering this sport requires more than concentration and instinct. It requires a shotgun with responsive fit, balance and a fast sighting plane.

As with our entire line of SKB shotguns, the Sporting Clay models are available in two grades; the 785 and 585, with barrel lengths of 28, 30, and 32 inches. The SKB Sporting Clay Shotgun features a low profile receiver, a stepped target style rib, a radiused recoil pad and a special sporting clay stock dimensioned for the competitive edge.

Practice. Practice. Practice. . . are the requirements of being a successful Sporting Clays shooter and field hunter alike. The SKB Sporting Clays Over & Under gives the sportsman the advantage of having a shotgun equipped with 3" chambers. This allows the shooter to practice hunting style shots on the sporting clays course with 2 3/4" target loads developing a comfortable and instinctive style of shooting. These skills are easily taken to the field with the same shotgun using heavier 3" field loads. That's the beauty of the 3" chambered SKB Sporting Clay Over & Under, particularly the 585 "narrow rib" version. The ventilated rib is shaped just like the Field Over & Under, and designed to get on target fast.



Each SKB reflects the traditions and pride of workmanship of the master gunsmith.



The sighting plane is a re-designed high profile rib with larger trussel type posts, a semi-wide (12mm) top surface, with center channels and matte finished outer edges.

TRAP & TRAP COMBO'S





					TR	AP M	ODELS				
		BARREL*	OVERALL	INTER		785 RIB	585 RIB	AVERAGE	WEIGHT *	MANUFACT	TURES ID #
GAUGE	STOCK	LENGTH	LENGTH	CHOKE	SIGHTS	HTDIW	WIDTH	785	585	785	585
12	STND	30 *	47 3/8 *	COMP-A	CP/WFB	15/32 " CH/STP	3/8 ° STP	8 lb. 15 oz.	8 lb. 7 oz.	A7820CVTN	A5820CVTN
12	MONTE	30 "	47 3/8 *	COMP-A	CP/WFB	15/32 * CH/STP	3/8 " STP	9 lb. 0 az.	8 lb. 7 oz.	A7820CVTM	A5820CVTM
12	STND	32 *	49 3/8 "	COMP-A	CP/WFB	15/32 " CH/STP	3/8 " STP	9 lb. 1 oz.	8 lb. 10 oz	A7822CVTN	A5822CVTN
12	MONTE	32 "	49 3/8 *	COMP-A	CP/WFB	15/32 ° CH/STP	3/8 " STP	9 lb. 1 oz.	8 fb. 9 oz.	A7822CVTM	A5822CVTM

The SKB line of Over & Under Trap Guns has evolved over many years of

effort to provide the serious trap shooter with an affordable shotgun that

considers weight, balance, fit, feel and trigger pull. Trap Combo's feature a set of over & under barrels and a single over barrel that utilizes an interchangeable

forend. These combinations are available in both the 585 and 785 grade, with

a choice of three barrel length configurations and a choice of either a Standard

Weights may vary due to wood density. Specifications may vary.

*INTER-CHOKE SYSTEMS
COMP - Competition series includes 2-Imp. Mod., Full, Trap Full
COMP. A - Competition series includes Imp. Mod., Full, Trap Full ✓ CP. WFB - Center Post/White Front Bead

trap stock or a Monte Carlo trap stock.

STP - Step Up Rib

CH STP - Center Channelled, Serni Wide Step Up Rib

The 785 Series Trap Models are factory performance tuned with chrome plated back bored barrels, chrome plated chambers, lengthened forcing cones, a jeweled monobloc and chrome plated ejectors. The sighting plane starts with a non-reflective finish along the top of the receiver and transitions into a 12mm wide center channeled, step up target style ventilated rib equipped with a nickel center post and a white bead front sight.

The 585 Series Trap Models also feature the factory performance tuning which includes oversized bore diameters and lengthened forcing cones to reduce recoil and deformation of shot pellets. The sighting plane on the 585 is a 9.5mm wide step up target style ventilated rib equipped with nickel center post and a white front bead. Both the 785 and 585 are equipped with the competition series choke tubes.

Performance Tuned: OVERSIZED DIAMETER BORES LENGTHENED FORCING CONES **COMPETITION SERIES CHOKE TUBES**



CHAMBERS, EJECTORS AND BORES ARE CHROME PLATED ON ALL 785 SERIES MODELS

STANDARD STOCK **MONTE CARLO STOCK**



Once the initial phase is completed by the computer operated milling machines, the master gunsmiths begin their work of fitting, assembling and polishing the critical components of the receiver, barrel group and forend iron. The engraving is then rolled onto the polished metal prior to hardening and final finish.

				TRA	P CON	BO'S	— ST	ANDARI)		
		BARREL*	OVERALL	INTER		785 RIB	585 RIB	AVERAGE	WEIGHT *	MANUFAC	TURES ID#
GAUGE	STOCK	LENGTH	LENGTH	CHOKE	SIGHTS*	WIDTH	WIDTH	785	585	785	585
12	STND	O/U-30 "	47 3/8 "	COMP.	CP/WFB	15/32 " CH/STP	3/8 " STP	8 lb. 15 oz.	8 lb. 6 oz	A7820TN /	A5820TN /
12	STND	S/O-32 "	49 3/8 "	COMP.	CP/WFB	15/32 " CH/STP	3/8 " STP	9 lb. 0 oz.	8 lb, 6 oz	7822	5822
12	STND	O/U-30 "	47 3/8"	COMP.	CP/WFB	15/32 ° CH/STP	3/8 " STP	9 lb. 0 oz	8 lb. 4 oz.	A7820TN /	A5820TN /
12	STND	S/O-34 *	51 3/8 *	COMP.	CP/WFB	15/32 * CH/STP	3/8 " STP	9 lb. 1 oz.	8 lb 6 oz.	7824	5824
12	STND	O/U-32 "	49 3/8"	COMP.	CP/WFB	15/32 " CH/STP	3/8 " STP	9 lb. 0 oz	8 lb. 7 oz.	A7822TN /	A5822TN /
12	STND	S/O-34 *	51 3/8*	COMP	CP/WFB	15/32 " CH/STP	3/8 " STP	9 lb. 1 oz	8 lb. 8 oz.	7824	5824

				TRAP	Combe	D'S —	MON	TE CARI	LO		
12	MONTE	O/U-30 "	47 3/8 *	COMP	CP/WFB	15/32 * CH/STP	3/8 " STP	8 lb. 15 oz.	8 lb. 6 oz.	A7820TM /	A5820TM /
12	MONTE	S/0-32 "	49 3/8 *	COMP.	CP/WFB	15/32 " CH/STP	3/8 " STP	9 lb. 0 oz.	8 lb. 6 oz.	7822	5822
12	MONTE	O/U-30 "	47 3/8	COMP	CP/WFB	15/32 " CH/STP	3/8 " STP	8 lb. 15 oz.	8 lb. 4 oz.	A7820TM /	A5820TM /
12	MONTE	S/0-34 "	51 3/8	COMP.	CP/WFB	15/32 " CH/STP	3/8 " STP	9 lb, 1 oz.	8 lb. 6 oz.	7824	5824
12	MONTE	O/U-32 *	49 3/8 *	COMP,	CP/WFB	15/32 " CH/STP	3/8 " STP	9 lb. 0 oz.	8 fb. 7 oz.	A7822TM /	A5822TM /
12	MONTE	S/O-34 °	51 3/8	COMP	CP/WFB	15/32 * CH/STP	3/8 " STP	9 lb. 1 oz.	8 lb. 9 oz.	7824	5824

"Weights may vary due to wood density. Specifications may vary

INTER-CHOKE SYSTEMS COMP. - Competition series includes 2-lmp. Mod., Full, Trap Full COMP. A - Competition series includes Imp. Mod., Full, Trap Full

CP WFB - Center Post White Front Bead

SKEET & 3 BBL SETS





The SKB Skeet Over & Unders have been favorites on the range for many years and are available in both the 585 and 785 series. Our competition guns give the shooter the confidence and a solid sense of balance when . . . "breakin' clays is all that matters".

Our standard features include low profile receiver with a box-lock action, manual safety, single selective trigger, automatic ejectors, a matte sighting plane equipped with a nickel center post and white front bead. All Skeet style buttstocks, regardless of gauge, are fitted with a radius butt pad for a fast sure mount. The 12 gauge models are performance tuned which includes oversized diameter bores (.735 approx.), lengthened forcing cones and the competition series choke tube system.

Consistency in weight, balance and feel are trademarks of the SKB 3-Barrel Set. The set is available in 20, 28 & 410 gauge in both the 585 and 785 series. Each barrel set is furnished with its' own forend, and all fit precisely to the same action. An airline approved fitted aluminum case is inc investment.

				8	KEET	MODE	LS			
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS	RIB WIOTH	AVERAGE 785	WEIGHT *	MANUFAC 785	TURES ID #
12	3"	30 *	47 1/4"	COMP.	CP/WFB	3/8 "	8 lb. 9 oz.	8 lb. 1 oz	A7820CV	A5820CV
12	3"	28 *	45 1/4 *	COMP.	CP/WFB	3/8 "	8 lb. 6 oz.	7 lb. 12 oz.	A7828CV	A5828CV
20	3"	28 *	45 1/4 "	STND.	CP/WFB	5/16 "	7 lb. 2 oz.	6 lb. 15 oz.	A7808CV	A5808CV
28	2 3/4 "	28 *	45 1/4 "	STND.	CP/WFB	5/16"	7 lb. 5 oz.	6 lb. 15 oz.	A7888CV	A5888CV
410	3"	28*	45 1/4 "	SK/SK	CP/WFB	5/16 "	7 lb. 5 oz.	7 lb. 0 oz.	A7848V	A5848V

				3 BA	IRREL	SKEET	SETS			
20	3"	28 *	45 1/4"	STND	CP/WFB	5/16 *	7 b. 2 oz	6 lb. 15 oz.		
28	2 3/4 "	28*	45 1/4"	STND.	CP/WFB	5/16 "	7 lb. 5 oz.	7 lb. 0 oz	A78088	A58088
410	3*	28 "	45 1/4*	SK/SK	CP/WFB	5/16 *	7 (b. 5 oz.	7 lb. 0 oz.	H. Fr	

"Weights may vary due to wood density. Specifications may vary.

"INTER-CHOKE SYSTEMS


COMP. - Competition series includes 2-SKI/SCI, 1-Mod/SCJV

STND. - Standard series includes Skeet. Skeet and Inno. CvI.

STOCK DIMENSIONS
Length of Pull - 14 1/8 *
Drop at Comb - 1 1/2 *
Drop al Heel - 2 3/16 *

**CP/WFB - Center Post/White Front Bead





Ventilated ribs are attached and aligned with precision computer controlled equipment for correct point of impact.

WATERFOWLER



The NEW WATERFOWLER features a distinctly different and proud new look for SKB. The receiver and barrel assembly are prepared by a bead blasting process. This produces a metal surface with a satiny, non-glare appearance. Then, the receiver is plated with highly durable silver nitride and the barrel assembly blued, resulting in an attractive, yet functional finish. The stock and forend have an oil finish to reduce glare.

					WATER	RFOWL	ER			
		BARREL	OVERALL	INTER		RIB	AVERAGE	WEIGHT *	MANLIFACT	TURES ID #
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS*	WIDTH	785	585	785	585
12	3"	30"	47 3/8"	COMP.	MFB	3/8"		8 lb, 1 oz.		A5820CFW
12	3"	28"	45 3/8"	COMP.	MFB	3/8"		7 lb. 14 oz.		A5828CFW

*Weights may vary due to wood density. Specifications may vary.

*INTER-CHOKE SYSTEMS

COMP, - Competition series includes Mod, lmp. Cyl, SK I

STOCK DIMENSIONS Length of Pull - 14 1/8* Drop at Comb - 1 1/2* Drop at Heel - 2 3/16*

585 YOUTH & LADIES





Final assembly requires many years of skill and judgement, to insure that all parts have proper fit, alignment, engagement and timing.

The new "Youth and Ladies" model 585 Field takes into consideration the shorter arm reach of these individuals by featuring a shorter length of pull of 13 1/2 inches. This new stock dimension gives these shooters a natural quick pointing fit and is well balanced for good swing control. The 12 gauge models incorporate all the '85 series standard features: oversize bores, lengthened forcing cones and competition series choke tubes.

				Y	OUTH &	& LAD	IES			
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS√	RIB WIDTH	AVERAGE 785	WEIGHT *	MANUFACT 785	URES ID #
12	3"	28 *	44 1/2"	COMP.	MFB	3/8 "		7 lb. 11 oz.		A5828CFY
12	3"	26 "	42 1/2"	COMP.	MFB	3/8 *		7 lb. 9 oz.		A5826CFY
20	3"	26 *	42 1/2"	STND-B	MFB	3/8*		6 lb. 7 oz		A5806CFY

"Weights may vary due to wood density. Specifications may vary.
"INTER-CHOKE SYSTEMS
COMP: - Competition series includes Full, Mod, Imp. Cyl
STND. B. - Standard series includes Imp. Cyl. Mod and Skeet

STOCK DIMENSIONS Length of Pull - 13 1/2 * Drop at Comb - 1 1/2 * Drop at Heel - 2 1/4 *

505 FIELD MODELS . .



... OUR MOST AFFORDABLE, WITH AN EMPHASIS ON QUALITY!

	505 FIELD OVER AND UNDERS											
GALIGE	CHAMBER	BARREL	OVERALL LENGTH	INTER CHOKE	SIGHTS	RIB WIDTH	AVERAGE WEIGHT*	MANUFACTURES ID NUMBER				
12	3*	28 "	45 3/8"	STND-A	MFB	3/8	7 lb. 12 oz.	N528CFP				
12	3"	26 *	43 3/8*	STND-B	MFB	3/8*	7 lb 11 oz	N526CFP				
20	3*	26 *	43 3/8 "	STND-B	MFB	3/8*	6 lb. 10 oz.	N506CFP				

*Weights may vary due to wood density. Specifications may vary,

INTER-CHOKE SYSTEMS

STND A - Standard series includes Full, Mod, Imp. Cyl. STND B - Standard series includes Imp. Cyl., Mod., Skeet Length of Pull - 14 1/8 " Drop at Comb - 1 1/2 " Drop at Heel - 2 3/16 "

SKB's 505 Field Over & Unders are designed with an emphasis toward Quality and Affordability. These models are an extraordinary value, equipped with standard features which include a finely engraved receiver with a deep blue finish, a single selective trigger, automatic selective ejectors, manual safety, a finely checkered American Walnut stock and forend and the standard series choke tube system.

SKB INTER-CHOKE SYSTEM

COMPETITION SERIES - 12 GA. ONLY

DESCRIPTION	RIM NOTCHES	CONSTRICTION	PATTERN WITH LEAD SHOT	PATTERN WITH STEEL SHOT			
TRAP FULL	NONE	,035	TRAP FULL	**			
XTRA FULL	1	.030	XTRA FULL	**			
FULL	2	.025	FULL	**			
IMP MOD	3	.020	IMP MOD	XTRA FULL			
MOD/SC IV	4	.015	MOD/SC ĮV	FULL			
SK II/SC III	5	.010	SK II/SC III	IMP MOD			
IC/SC II	6	.005	IC/SC II MOD				
SK I/SC I	7	+ .005	SK I/SC I IMP CYL				


NOTE: Competition Series For SKB Models: 585, 685, 785 and 885 A series only.

STANDARD SERIES - 12 GA., 20 GA. & 28 GA.

DESCRIPTION	RIM NOTCHES	CONSTRICTIONS 12 ga. 20 ga. 28 ga.		PATTERN WITH STEEL SHOT	
EXTRA FULL*	NONE	.038	*	*	**
FULL	1	.032	.032	.025	**
IMP MOD	2	.023	.023	.018	FULL
MOD	3	.014	.014	.010	IMP MOD
IMP CYL	4	.005	.005	.004	MOD
SKEET	5	+ .004	+ .004	+ .004	IMP CYL

NOTE: Standard Series For SKB Models: 1300, 1900, 505, 605 and 885.

** Not recommended for use with steel shot



NOTE: The competition series and standard series inter-choke tubes are not interchangeable.

The SKB Interchoke System allows the sportsman to "performance tune" their SKB's to any shooting situation!

P.O. BOX 37669 OMAHA, NE 68137-0669

^{*} Available in 12 gauge only