



	FIELD MODELS													
		BARREL	OVERALL	INTER		RIB		AVERAGE	WEIGHT*	MANUFACT	URERS ID#			
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS	WIDTH	STOCK	385	485	385	485			
20	3*	26"	42 1/2"	STND	MFB	5/16"	PISTOL	6 lb. 10 oz.	6 lb. 14 oz.	A3806CFP	A4806CFP			
20	3"	26"	42 1/2"	STND	MFB	5/16"	ENGLISH	6 lb. 10 oz.	6 lb. 14 oz.	A3806CFE	A4806CFE			
28	2 3/4"	26"	42 1/2"	STND	MFB	5/16"	PISTOL	6 lb. 13 oz.	7 lb, 2 oz.	A3886CFP	A4886CFP			
28	2 3/4"	26"	42 1/2"	STND	MFB	5/16"	ENGLISH	6 lb. 13 oz.	7 lb. 2 oz.	A3886CFE	A4886CFE			

				2	BARRI	el file	LD SET	S			
		BARREL	OVERALL	INTER		RIB		AVERAGE	WEIGHT*	MANUFACT	TURERS ID#
GAUGE	CHAMBER		LENGTH		SIGHTS	WIDTH	STOCK	385	485	385	485
20	3*	26"	42 1/2"	STND	MF8	5/16"	PISTOL	6 lb. 10 oz.		A3806C/	
28	2 3/4"	26"	42 1/2°	STND	MFB	5/16°	PISTOL	6 lb. 13 oz.		3886CFP	
20	3"	26"	42 1/2"	STND	MFB	5/16"	ENGLISH	6 lb. 10 oz.		A3806C/	
28	2 3/4*	26°	42 1/2"	STND	MFB	5/16"	ENGLISH	6 lb. 13 oz.		3886CFE	

"Weights may vary due to wood density. Specifications may vary.

'INTER-CHOKE SYSTEMS
STANDARD SERIES
Imp. Cyl., Mod., Skeel

STOCK DIMENSIONS Length of Pull - 14 1/8" Drop at Comb - 1 1/2" Drop at Heel - 2 1/2" For those shooters who prefer the traditional fine double, SKB offers the 385 Series and 485 Series in 20 ga and 28 ga with either a pistol grip or English style stock.

#### 385 SERIES

The 385 Series features a silver nitride receiver with a finely engraved scroll and game scene design. The solid boxlock action with double locking lugs will provide years of dependable service. The 26" barrels are fitted with a solid rib with a flat matte finish.

#### **485 SERIES**

The 485 Series is a side plated boxlock which features a beautifully engraved upland game scene. The 485 is hand fitted with a semi fancy American Walnut stock & beavertail forend. The 26" barrel group is fitted with a raised ventilated rib with a flat matte finish.


#### STANDARD FEATURES

The SKB Side By Side is equipped with an automatic safety and selective automatic ejectors ensuring fast and easy reloading in the field. The single selective trigger allows for simple, positive barrel switch over. The barrels have lengthened forcing cones and are fitted with the standard series inter-choke tube system which is suitable for steel shot. The stock and forend are sculpted from semi-fancy American Walnut, finished with 17 line checkering and protected with a high gloss lacquer for richness and lasting durability.

The 385 Series is also offered as a two barrel set, with 20ga/26" & 28ga/26" barrels.



485 Series Raised Ventilated Rib



# FIELD MODELS & FIELD MODEL SETS





The new 785 series inherits its distinctive styling, engraving and finish from SKB's "MJ - 5" premium grade competition over & under. The "MJ - 5" was designed and handmade specifically for Mr. Miura, the president of the NEW SKB ARMS COMPANY, a distinguished shooter in his own right. This beautiful design incorporates the performance features required by a professional target shooter and the artistry of handcrafted quality found only in the premium grade shotguns.



585 & 785 FIELD SETS

MODEL 585 FIELD SET (SHOWN)

#### COMPETITION SERIES CHOKES LENGTHENED FORCING CONES • PERFORMANCE TUNED: OVERSIZED DIAMETER BORES

				585 &	785 I	FIELD I	MODELS			
		BARREL	OVERALL	INTER		RIB	AVERAGE	WEIGHT*	MANUFACT	URERS ID#
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS	WIDTH	785	585	785	585
12	3"	28"	45 3/8"	COMP.	MFB	3/8"	8 lb. 0 oz.	7 lb. 12 oz.	A7828CF	A5828CF
12	3*	26"	43 3/8"	COMP.	MFB	3/8*	8 lb. 0 oz.	7 lb. 11 oz	A7826CF	A5826CF
20	3*	28"	45 3/8"	STND-A	MFB	5/16"	7 lb. 4 oz.	6 lb. 12 oz.	A7808CF	A5808CF
20	3"	26"	43 3/8°	STND-B	MFB	5/16"	7 lb. 3 oz.	6 lb. 10 oz.	A7806CF	A5806CF
28	2 3/4"	28"	45 3/8"	STND-A	MFB	5/16"	7 lb. 4 oz.	6 lb. 14 oz.	A7888CF	A5888CF
28	2 3/4"	26"	43 3/8"	STND-B	MFB	5/16°	7 lb. 3 oz.	6 lb. 13 oz.	A7886CF	A5886CF
410	3"	28"	45 3/8"	M/F	MFB	5/16"	7 lb. 4 oz.	7 lb. 0 oz.	A7848F	A5848F
410	3"	26"	43 3/8°	IC/M	MFB	5/16°	7 lb. 3 oz.	6 lb. 14 oz.	A7846F	A5846F

\*Weights may vary due to wood density. Specifications may vary.

\* INTER-CHOKE SYSTEMS

NOTE: 785's Are Equipped With Step-Up Style Ribs

COMP. - Competition series includes Mod., Full, Imp. Cyl. STND-A - Standard series includes Mod., Full, Imp. Cyl. STND-B - Standard series includes Imp. Cyl., Mod. Skeet

STOCK DIMENSIONS Length of Pull - 14 1/8\* Drop at Comb - 1 1/2 " Drop at Heel - 2 3/16"

The Field and Field Sets are designed to provide the hunter with a well balanced, fast shouldering shotgun. The guns are dimensioned for consistent point and swing control, and are chambered in 12, 20, 28, & 410 gauge. Our standard features include: a finely engraved low profile receiver, Greener cross-bolt, box lock action, manual safety conveniently located on the top tang, single selective trigger, and selective automatic ejectors. Each shotgun is fitted with a sculpted pistol grip stock & forend, finished to a high gloss for richness and lasting durability.

The 785 & 585 series 12 gauge models feature an oversized .735 diameter bore, lengthened forcing cones, and the competition series inter-choke system. These performance features greatly enhance the overall effectiveness of the shotgun by reducing shot pellet deformation, reducing perceived recoil, and by producing more uniform pellet patterns.



The SKB receivers are milled from a solid block of steel by a multi-head Hitachi robotic machine tool. This state-of-the-art equipment insures precise tolerance in critical components.

			585	& 78	5 2 BA	IRREL	FIELD St	78		
		BARREL	OVERALL	INTER		RIB	AVERAGE	WEIGHT*	MANUFACT	URERS ID#
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS	WIDTH	785	585	785	585
12	3"	28"	45 3/8"	COMP.	MFB	3/8"	8 lb. 1 oz.	7 lb. 11 oz.	A7828C/	A5828C/
20	3"	26"	43 3/8"	STND-B	MFB	3/8"	8 lb. 4 oz.	7 lb. 12 oz.	7806CF	5806CF
20	3"	28*	45 3/8°	STND-A	MFB	5/16"	7 lb. 5 oz.	7 lb. 2 oz.	A7808C/	A5808C/
28	2 3/4"	28"	45 3/8"	STND-A	MFB	5/16"	7 lb. 5 oz.	7 lb. 1 oz.	7888CF	5888CF
20	3"	26"	43 3/8"	STND-B	MFB	5/16"	7 lb. 3 oz.	7 lb. 1 oz.	A7806C/	A5806C/
28	2 3/4"	26"	43 3/8"	STND-B	MFB	5/16"	7 lb. 3 oz.	7 lb. 0 oz.	7886CF	5886CF
28	2 3/4"	28"	45 3/8"	STND-A	MFB	5/16°	7 lb. 6 oz.	7 lb. 1 oz.	A7888C/	A5888C/
410	3°	26"	43 3/8"	IC/M	MFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.	7846F	5846F

\*Weights may vary due to wood density, Specifications may vary. 
\*INTER-CHOKE SYSTEMS

. COMP. - Competition series includes Mod., Full, Imp. Cyl. STND-A - Standard series includes Mod., Full, Imp. Cyl. STND-B - Standard series includes Imp. Cyl., Mod. Skeet

Length of Pull - 14 1/8" Drop at Comb - 1 1/2 " Drop at Heel - 2 3/16

NOTE: 785's Are Equipped With Step-Up Style Ribs

# ADDITIONAL FIELD MODELS . . NEW, UNIQUE & AFFORDABLE



The 585 Upland features an English style straight grip stock with wrap around checkering. A schnabel forend provides the shooter with a distinct responsive feel. The Upland is available in three gauges: 12, 20, & 28 with 26" barrels.

					585 U	PLANE	)			
		BARREL	OVERALL	INTER		RIB	AVERAGE	WEIGHT*	MANUFACT	URERS ID#
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS√	WIDTH	785	585	785	585
12	3"	26"	42 1/2"	COMP.	MFB	3/8"		7 lb. 10 oz.		A5826CFE
20	3*	26"	42 1/2"	STND-B	MFB	3/8"		6 lb. 10 oz.		A5806CFE
28	2 3/4"	26"	42 1/2"	STND-B	MFB	3/8"		6 lb. 12 oz.		A5886CFE

'Weights may vary due to wood density. Specifications may vary 'INTER-CHOKE SYSTEMS COMP. - Competition series includes Full, Mod., Imp. Cyl. STND-B - Standard series includes Imp. Cyl., Mod. and Skee Drop at Comb - 1 1/2



New Schnabel Forend is standard on the Upland Models and the 505 Sporting Clay Models.

# OUR MOST AFFORDABLE,

SKB'S 505 Field Over & Unders are designed with an emphasis toward Quality and Affordability. These models are an extraordinary value, equipped with standard features which include a finely engraved receiver with a deep blue finish, a single selective trigger, automatic selective ejectors, manual safety, a finely checkered American Walnut stock and forend and the standard series choke tube system.

	505 FIELD OVER AND UNDERS													
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS∜	RIB WIDTH	AVERAGE WEIGHT*	MANUFACTURERS ID NUMBER						
12	3"	28"	45 3/8"	STND-A	MFB	3/8"	7 lb. 12 oz.	N528CFP						
12	3"	26"	43 3/8°	STND-B	MFB	3/8"	7 lb., 11 oz.	N526CFP						
20	3"	26"	43 3/8"	STND-B	MFB	3/8"	6 lb. 10 oz	N506CFP						

WITH AN EMPHASIS ON QUALITY!

\*Weights may vary due to wood density. Specifications may vary INTER-CHOKE SYSTEMS STND-A - Standard series includes Full, Mod, Imp. Cyl. STND-B - Standard series includes Imp. Cyl., Mod, Skeet STOCK DIMENSIONS Drop at Comb - 1 1/2

505 FIELD




The WATERFOWLER was designed for steel shot and the inclimate conditions of waterfowl hunting. Factory performance tuned with chrome lined back bored barrels and lengthened forcing cones, chrome lined chamber, and chrome plated ejectors, along with the competition series choke tube system.

The WATERFOWLER features a distinctively different and proud new look for SKB. The receiver and barrel assembly are prepared by a bead blasting process.

				588	5 WAT	ERFOV	VLER			
		BARREL	OVERALL	INTER		RIB	AVERAGE	WEIGHT*	MANUFACT	URERS ID#
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS√	WIDTH	785	585	785	585
12	3	30"	47 3/8"	COMP.	MFB	3/8"		8 lb. 1 oz.		A5820CFW
12	3"	28"	45 3/8"	COMP.	MFB	3/8"		7 lb. 14 oz.		A5828CFW

Weights may vary due to wood density. Specifications may vary COMP. - Competition series includes Mod., Imp. Cyl., SKI STOCK DIMENSIONS Length of Pull - 14 1/8



This produces a metal surface with a satiny, nonglare appearance. Then, the receiver is plated with highly durable silver nitride and the barrel assembly blued, resulting in an attractive, yet functional finish. The stock and forend have an oil finish to reduce glare.





Once the initial phase is completed by the computer operated milling machines, the master gunsmiths begin their work of fitting, assembling and polishing the critical components of the receiver, barrel group and forend iron. The engraving is then rolled onto the polished metal prior to hardening and final finish.

The new "Youth and Ladies" model 585 Field takes into consideration the shorter arm reach of these individuals by featuring a shorter length of pull of 13 1/2 inches. This new stock dimension gives these shooters a natural quick pointing fit and is well balanced for good swing control. The 12 gauge models incorporate all the '85 Series standard features: oversize bores, lengthened forcing cones and competition series choke tubes.


585 YOUTH & LADIES

				585	YOUT	H & L	ADIES			
		BARREL	OVERALL	INTER		RIB	AVERAGE	WEIGHT*	*MANUFACT	URERS ID#
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS	WIDTH	785	585	785	585
12	3	28"	44 1/2"	COMP.	MFB	3/8"		7 lb. 11 oz.		A5828CFY
12	3"	26"	42 1/2"	COMP.	MFB	3/8"		7 lb. 9 oz.		A5826CFY
20	3	26"	42 1/2"	STND-B	MFB	3/8"		6 lb. 7 oz.		A5806CFY

\*Weights may vary due to wood density. Specifications may vary. 
\*INTER-CHOKE SYSTEMS COMP. - Competition series includes Full, Mod., Imp. CVI. STND-B - Standard series includes Imp. Cyl., Mod. and Skee Drop at Comb - 1 1/2

# SPORTING CLAYS & SPORTING CLAY SETS







STOCK DIMENSIONS Length of Pull - 14 1/4" Drop at Comb - 1 7/16 "

Drop at Heel - 1 7/8"

CP/WFB - Center Post White Front Bead

CH/STP - Center Channeled Semi Wide Step Up Rib

### 785 SERIES & 585 SERIES TWO BARREL SETS AVAILABLE



12ga/30" & 20ga/28"

## PERFORMANCE TUNED: OVERSIZED DIAMETER BORES • LENGTHENED FORCING CONES • COMPETITION SERIES CHOKE TUBES

37		_			SPO	RTING	CLAY	MODEL	S			
		BARREL	OVERALL	INTER		RIB	AVE	RAGE WEI	GHT'	MAN	NUFACTURERS	ID#
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS!	WIDTH	785	585	505	785	585	505
12	3*	32"	49 3/8"	COMP.	CP/WFB	CH/51P	8 lb. 14 oz	8 lb. 7 oz.		A7822CVSP	A5822CVSP	
12	3"	30"	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	8 lb. 12 oz	8 lb. 5 oz.		A7820CVSP	A5820CVSP	
12	3"	30"	47 3/8"	STND-B	CP/WFB	CH/STP		$\setminus \setminus$	8 lb. 5 oz.			N520CVSP
12	3"	28°	45 3/8"	COMP.	CP/WFB	CH/STP	8 lb. 8 oz.	8 lb. 1 oz.		A7828CVSP	A5828CVSP	
12	3	28"	45 3/8"	STND-B	CP/WFB	CH/STP		$\setminus \setminus$	8 lb. 1 oz.			N528CVSP
20	3"	28°	45 3/8"	STND-B	CP/WFB	15/32° CH/STP	7 lb. 6 oz.	6 lb. 14 oz		A7808CVSP	A5808CVSP	
28	2 3/4"	28"	45 3/8"	STND-B	CP/WFB	15/16" SW	7 lb. 4 oz.	6 lb. 14 oz		A7888CVSP	A5888CVSP	

				2	BARI	REL SI	PORTIN	G CLAY	SET			
		BARREL	OVERALL	INTER		RIB	AVE	RAGE WEI	GHT'	MAN	IUFACTURERS	3 ID#
GAUGE	CHAMBER		LENGTH		SIGHTS	WIDTH	785	585	505	785	585	505
12	3"	30"	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	8 lb. 14 oz.	8 lb. 3 oz.	=	A7820C/	A5820C/	
20	3"	28"	45 3/8"	STND-B	CP/WFB	15/32° CH/STP	8 lb. 10 oz	8 lb. 5 oz.		7808SP	5808SP	

Weighls may vary due to wood densily. Specifications may vary.

INTER-CHOKE SYSTEMS

COMP - Competition series includes SKII/SCIII,

SKI/SCI AND MOD/SCIV

STND-B - Standard series includes Mod., Imp. Cyl., SKeet



SEMI-WIDE RIB

"SEMI-WIDE" CHANNELED rib features a 15/32" (12mm) wide step up target style rib with center channel and matte finished outer edges, equipped with a nickel center bead and a white front bead providing a guide for quick target acquisition along a broad sighting surface.

Sporting Clays is a challenge to every sportsman who has ever shot a course; where targets move in every conceivable direction. Mastering this sport requires more than concentration and instinct. It requires a shotgun with responsive fit, balance and a fast sighting plane.

The Sporting Clay models are available in three grades; the 785, 585, and 505 with barrel lengths of 28, 30 and 32 inches.

The 505 Sporting Clays model is available in 12 gauge with barrel lengths of 30" and 28". The 505 features a schnabel forend and the standard series choke tube system.

The SKB Sporting Clay Shotgun features a low profile receiver, a stepped target style rib, a radiused recoil pad and a special sporting clay stock dimensioned for the competitive edge.

Practice. Practice. Practice...are the requirements of being a successful Sporting Clays shooter and field hunter alike. The SKB Sporting Clays Over & Under gives the sportsman the advantage of having a shotgun equipped with 3" chambers. This allows the shooter to practice hunting style shots on the sporting clays course with 2 3/4" target loads developing a comfortable and instinctive style of shooting. These skills are easily taken to the field with the same shotgun using heavier 3" field loads. That's the beauty of the 3" chambered SKB Sporting Clay Over & Under.



Final assembly requires many years of skill and judgement, to insure that all parts have proper fit, alignment, engagement and timing.

# SKEET & 3 BBL SETS





STOCK DIMENSIONS

Length of Pull - 14 1/8

Dron at Comb - 1 1/2

The SKB Skeet Over & Unders have been favorites on the range for many years and are available in both the 585 and 785 series. Our competition guns give the shooter the confidence and a solid sense of balance when ... "breakin' clays is all that matters".

Our standard features include low profile receiver with a box-lock action, manual safety, single selective trigger, automatic ejectors, a matte sighting plane equipped with a nickel center post and white front bead. All Skeet style buttstocks, regardless of gauge, are fitted with a radius butt pad for a fast sure mount. The 12 gauge models are performance tuned which includes oversized diameter bores (.735 approx.), lengthened forcing cones and the competition series choke tube system.

Consistency in weight, balance and feel are trademarks of the SKB Skeet 3-Barrel Set. The set is available in 20, 28 & 410 gauge in both the 585 and 785 series. Each barrel set is furnished with its' own forend, and all fit precisely to the same action. An airline approved fitted aluminum case is included to protect your investment.

	SKEET MODELS													
		BARREL	OVERALL	INTER		RIB	AVERAGE	E WEIGHT*	MANUFACT	URERS ID#				
GAUGE	CHAMBER	LENGTH	LENGTH	CHOKE	SIGHTS*	WIDTH	785	585	785	585				
12	3*	30"	47 1/4"	COMP.	CP/WFB	3/8"	8 lb. 9 oz.	8 lb. 1 oz.	A7820CV	A5820CV				
12	3"	28"	45 1/4"	COMP.	CP/WFB	3/8"	8 lb. 6 oz.	7 lb. 12 oz.	A7828CV	A5828CV				
20	3*	28"	45 1/4"	STND.	CP/WFB	5/16"	7 lb. 2 oz.	6 lb. 15 oz.	A7808CV	A5808CV				
28	2 3/4"	28*	45 1/4"	STND.	CP/WFB	5/16"	7 lb. 5 oz.	6 lb. 15 oz.	A7888CV	A5888CV				
410	3*	28"	45 1/4"	SK/SK	CP/WFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.	A7848V	A5848V				

		بلسير		3 BA	RREL	SKEET	SETS			
20	3"	28"	45 1/4°	STND.	CP/WFB	5/16"	7 lb. 2 oz.	6 lb. 15 oz.		
28	2 3/4"	28"	45 1/4"	STND.	CP/WFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.	A78088	A58088
410	3"	28"	45 1/4"	SK/SK	CP/WFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.		


\*Weights may vary due to wood density. Specifications may vary.
\* INTER-CHOKE SYSTEMS

COMP. - Competition series includes 2-SKI/SCI, 1-Mod/SCIV STND, - Standard series includes Skeet, Skeet and Imp. Cyl.

NOTE: 785's Are Equipped With Step-Up Style Ribs

585 & 785 SKEET SETS





Ventilated ribs are attached and aligned with precision computer controlled equipment for correct point of impact.

# TRAP & TRAP COMBO'S



#### CHAMBER, EJECTORS AND BORES ARE CHROME PLATED ON ALL 785 MODELS

Drop at Heel - 1 3/8" (STND) Drop at Heel - 2" (MONTE)

### 585 & 785 Trap over & under's & combo's

	TRAP MODELS										
		BARREL√	OVERALL				585 RIB	AVERAGE	WEIGHT*	MANUFAC	TURERS ID#
GAUGE	STOCK	LENGTH	LENGTH	CHOKE	SIGHTS	WIDTH	WIDTH	785	585	785	585
12	STND	30"	47 3/8"	COMP-A	CP/WFB	15/32* CH/STP	3/8" STP	8 lb. 15 oz	8 lb. 7 oz.	A7820CVTN	A5820CVTN
12	MONTE	30"	47 3/8"	COMP-A	CP/WFB	15/32" CH/STD	3/8° STP	9 lb. 0 oz.	8 lb. 7 oz.	A7820CVTM	
12	STND	32"	49 3/8"	COMP-A	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 10 oz.	A7822CVTN	A5822CVTN
12	MONTE	32"	49 3/8"	COMP-A	CP/WFB	15/32" CH/STP	3/8° STP	9 lb. 1 oz.		A7822CVTM	

	Trap combo's — Standard										
		BARREL√	OVERALL	INTER	-	785 RIB	585 RIB	AVERAGE	WEIGHT*	MANUFAC	TURERS ID#
GAUGE	STOCK	LENGTH	LENGTH	CHOKE	SIGHTS	WIDTH	WIDTH	785	585	785	585
12	STND	O/U-30"	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 6 oz.	A7820TN/	A5820TN/
12	STND	S/O-32"	49 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 6 oz.	7822	5822
12	STND	O/U-30°	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.		A7820TN/	A5820TN/
12	STND	S/O-34*	51 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 6 oz.	7824	5824
12	STND	O/U-32"	49 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	-2	A7822TN/	A5822TN/
12	STND	S/O-34"	51 3/8°	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 8 oz.	7824	5824

Trap combo's — monte carlo											
		BARREL	OVERALL	INTER		785 RIB	585 RIB	AVERAGE	WEIGHT*	MANUFAC	TURERS ID#
GAUGE	STOCK	LENGTH	LENGTH		SIGHTS	WIDTH	WIDTH	785	585	785	585
12	MONTE	O/U-30"	47 3/8"	COMP.	CP/WFB	15/32* CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 6 oz.	A7820TM/ 7822	A5820TM/ 5822
12	MONTE	S/O-32"	49 3/8"	COMP.	CP/WFB		3/8" STP		8 lb. 6 oz.		
12	MONTE	O/U-30°	47 3/8"	сомр.	CP/WFB	15/32* CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 4 oz.	A7820TM/	A5820TM/
12	MONTE	S/O-34°	51 3/8"	COMP.	CP/WFB		3/8" STP		8 lb. 6 oz.	7824	5824
12	MONTE	O/U-32"	49 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 7 oz.	A7822TM/	A5822TM/
12	MONTE	S/O-34"	51 3/8"	COMP.	CP/WFB	15/32* CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 9 oz.	7824	5824

"Weights may vary due to wood density. Specifications may vary.

INTER-CHÓKE SYSTEMS

COMP - Competition series includes 2 Imp. Mod., Full, Trap Full

COMP - A - Competition series includes 1 Imp. Mod., Full, Trap Full

COMPTE - Center Post White Front Bead

STP - Step Up Rib

CH/STP - Center Channeled Semi Wide Step Up Rib

The SKB line of Over & Under Trap Guns has evolved over many years of effort to provide the serious trap shooter with an affordable shotgun that considers weight, balance, fit, feel and trigger pull. Trap Combo's feature a set of over & under barrels and a single over barrel that utilize an interchangeable forend. These combinations are available in both the 585 and 785 grade, with a choice of three barrel length configurations and a choice of either a Standard trap stock or a Monte Carlo trap stock.

The 785 Series Trap Models are factory performance tuned with chrome plated back bored barrels, chrome plated chambers, lengthened forcing cones, a jeweled monobloc and chrome plated ejectors. The sighting plane starts with a non-reflective finish along the top of the receiver and transitions into a 12mm wide center channeled, step up target style ventilated rib equipped with a nickel center post and a white bead front sight.

The 585 Series Trap Models also feature the factory performance tuning which includes oversized bore diameters and lengthened forcing cones to reduce recoil and deformation of shot pellets. The sighting plane on the 585 is a 9.5mm wide step up target style ventilated rib equipped with nickel center post and a white front bead. Both the 785 and 585 are equipped with the competition series choke tubes.

# SKB EXTENDED CHOKE SYSTEM



### STAINLESS STEEL EXTENDED CHOKES "PORTED" or "KNURLED"

#### COMPETITION SERIES - 12 GA. ONLY

MANUFAC PORTED	MANUFACTURERS ID# PORTED KNURLED		CONSTRICTION	PATTERN WITH LEAD SHOT	PATTERN WITH STEEL SHOT
SPCST12TF	SCST12TF	NONE	.035	TRAP FULL	**
SPCST12XF	SCST12XF	1	.030	XTRA FULL	**
SPCST12F	SCST12F	2	.025	FULL	**
SPCST12IM	SCST12IM	3	.020	IMP MOD	XTRA FULL
SPCST12M	SCST12M	4	.015	MOD/SC IV	FULL
SPCST12SKII	SCST12SKII	5	.010	SK II/SC III	IMP MOD
SPCST12IC	SCST12IC	6	.005	IC/SC II	MOD
SPCST12SKI	SCST12SKI	7	+ .005	SK I/SC I	IMP CYL

NOTE: Competition Series For SKB Models: 585, 685, 785 and 885 A series only.

The new stainless extended tubes are designed for the 12 gauge "Backbored Barrels". The laser cut elliptical "ported" choke tube and the "knurled" choke tube allow the shooter a quick and effective means to adjust the pellet pattern for the target being presented.



Backbored Barrels and a longer choke taper produce more uniform pellet pattern densities.

# SKB INTER-CHOKE SYSTEM

#### COMPETITION SERIES - 12 GA. ONLY


MANUFACTURERS ID#	RIM NOTCHES	CONSTRICTION	PATTERN WITH LEAD SHOT	PATTERN WITH STEEL SHOT	
CST12TF	NONE	.035	TRAP FULL	**	
CST12XF	1	.030	XTRA FULL	**	
CST12F	2	.025	FULL	**	
CST12IM	3	.020	IMP MOD	XTRA FULL	
CST12M	4	.015	MOD/SC IV	FULL	
CST12SKII	5	.010	SK II/SC III	IMP MOD	
CST12IC	6	.005	IC/SC II	MOD	
CST12SKI	7	+ .005	SK I/SC I	IMP CYL	

NOTE: Competition Series For SKB Models: 585, 685, 785 and 885 A series only.

#### STANDARD SERIES - 12 CM 20 CA & 22 CM

STANDAND SLINES - 12 da., 20 da. de 20 da.									
DESCRIPTION	RIM NOTCHES	CO! 12 ga.	NSTRICTI 20 ga.	PATTERN WITH STEEL SHOT					
EXTRA FULL*	NONE	.038	*	*	**				
FULL	1	.032	.032	.025	**				
IMP MOD	2	.023	.023	.018	FULL				
MOD	_ 3	.014	.014	.010	IMP MOD				
IMP CYL	4	.005	.005	.004	MOD				
SKEET	5	+ .004	+ .004	+ .004	IMP CYL				

NOTE: Standard Series For SKB Models: 1300, 1900, 505, 605, 385, 485 and 885.



NOTE: The competition series and standard series inter-choke tubes are not interchangeable.

# **5KB** SHOTGUNS

P.O. BOX 37669 • OMAHA, NE 68137 1-800-752-2767

<sup>\*</sup> Available in 12 gauge only \*\* Not recommended for use with steel shot