

\$200

OVER AND UNDERS

"NEW" 585G SERIES
Gold Package

"NEW" 485 SERIES

SIDE BY SIDES



SKB SHOT GUNS

SIDE BY SIDES

485 SERIES

385 SERIES



SKB is derived from the Samurai family name SAKABA. The company was formed in the Ibaraki province, Japan in 1855.

For those shooters who prefer the traditional fine double, SKB offers two models to choose from: the 385 Series and the 485 Series.

New for 1998; SKB is introducing a 12 gauge Side by Side, in both the 385 and 485 Series. The new 12 gauge models have 3 inch chambers and are available with either 28" or 26" barrels. These barrels are equipped with the SKB inter-choke tube system which is suitable for steel shot. The new 385 Sporting Clay model features a raised ventilated rib equipped with a middle metal bead and a white front sight.

385 SPORTING CLAY



NEW
1998

385 TWO BARREL FIELD SET



FIELD MODELS										
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	STOCK	AVERAGE WEIGHT*		MANUFACTURERS ID#
								385	485	
12	3"	28"	44 1/2"	STND-A	MFB	5/16"	PISTOL	7 lb. 3 oz.	7 lb. 1oz.	A3828CFP A4828CFP
12	3"	28"	44 1/2"	STND-A	MFB	5/16"	ENGLISH	7 lb. 1oz.	7 lb. 5 oz.	A3828CFE A4828CFE
12	3"	26"	42 1/2"	STND-A	MFB	5/16"	PISTOL	7 lb. 1 oz.	7 lb. 5 oz.	A3826CFP A4826CFP
12	3"	26"	42 1/2"	STND-A	MFB	5/16"	ENGLISH	7 lb. 0 oz.	7 lb. 4 oz.	A3826CFE A4826CFE
20	3"	26"	42 1/2"	STND-B	MFB	5/16"	PISTOL	6 lb. 10 oz.	6 lb. 14 oz.	A3806CFP A4806CFP
20	3"	26"	42 1/2"	STND-B	MFB	5/16"	ENGLISH	6 lb. 10 oz.	6 lb. 14 oz.	A3806CFE A4806CFE
28	2 3/4"	26"	42 1/2"	STND-B	MFB	5/16"	PISTOL	6 lb. 13 oz.	7 lb. 2 oz.	A3886CFP A4886CFP
28	2 3/4"	26"	42 1/2"	STND-B	MFB	5/16"	ENGLISH	6 lb. 13 oz.	7 lb. 2 oz.	A3886CFE A4886CFE

2 BARREL FIELD SETS										
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	STOCK	AVERAGE WEIGHT*		MANUFACTURERS ID#
								385	485	
20	3"	26"	42 1/2"	STND-B	MFB	5/16"	PISTOL	6 lb. 10 oz.		A3806C/3886CFP
28	2 3/4"	26"	42 1/2"	STND-B	MFB	5/16"	PISTOL	6 lb. 13 oz.		
20	3"	26"	42 1/2"	STND-B	MFB	5/16"	ENGLISH	6 lb. 10 oz.		A3806C/3886CFE
28	2 3/4"	26"	42 1/2"	STND-B	MFB	5/16"	ENGLISH	6 lb. 13 oz.		

*Weights may vary due to wood density. Specifications may vary.

¹ INTER-CHOKE SYSTEMS

COMP - Compellion series includes Mod., Full, Imp. Cyl.

STND-A - Standard series includes Mod., Full, Imp. Cyl.

STND-B - Standard series includes Imp. Cyl., Mod. Skeet

² MFB - Metal Front Bead

STOCK DIMENSIONS

Length of Pull - 14 1/8"

Drop at Comb - 1 1/2"

Drop at Heel - 2 3/4"

SPORTING CLAY MODEL										
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	STOCK	AVERAGE WEIGHT*		MANUFACTURERS ID#
								385	485	
12	3"	28"	44 1/2"	STND-B	CP/WFB	5/16"	PISTOL	7 lb. 6 oz.		A3828CVSP

*Weights may vary due to wood density. Specifications may vary.

¹ INTER-CHOKE SYSTEMS

STND-B - Standard series includes Imp. Cyl., Mod. Skeet

² CP/WFB - Center Post, White Front Bead

STOCK DIMENSIONS

Length of Pull - 14 1/4"

Drop at Comb - 1 7/16"

Drop at Heel - 1 7/8"

The SKB Side By Side Shotgun features a low profile box lock action with double locking lugs designed to provide years of dependable service. The silver nitrided receiver is embellished with finely engraved game scenes and scroll designs. Enhanced performance features of the SKB Side by Side include; a single selective trigger, automatic safety, selective automatic ejectors, inter-choke tubed barrels and the lengthened forcing cones.

The semi-fancy American Black walnut stock is offered in either a traditional pistol grip or English straight grip with a semi-beavertail forend. The stock and forend are finished with hand cut 17 line fine checkering and protected with a high gloss lacquer for richness and lasting durability.

The side plated box lock action of the 485 Series features two beautifully engraved Upland game scenes. The 485 Barrel group is fitted with a distinctive raised ventilated rib with a flat matte finish. The 385 Series features a traditional low profile box lock action and solid rib with a matte finish. The 385 Series is available in several configurations: the Field Model, the Two Barrel Field Set (20ga. and 28ga.), and the Sporting Clay Model.



Raised Ventilatted Rib

OVER & UNDERS

785 SERIES



785 SPECIFICATIONS

STOCK & FOREND	ACTION	BARREL GROUP
<ul style="list-style-type: none"> • Hand Selected Semi-Fancy American Walnut • 17Line/Inch Cut Checkering • Full Finger Groove Forend • Fitted Grip Cap • Fitted Butt Pad (12ga & all small gauge Target Models) • Fitted Butt Plate (small gauge Field Models) 	<ul style="list-style-type: none"> • Single Selective Trigger • Manual Safety • Rolled Engraving Pattern • Silver Nitride Finish • Non-Reflective Finish Along Top of Receiver • Jeweled Mono Bloc • Inertia Triggers (12 & 20ga) • Mechanical Trigger (28 & 410ga) • Low Profile Receiver with Box Lock (Greener Style Cross Bolt) 	<ul style="list-style-type: none"> • Selective Ejectors Chrome Plated • Ventilated Top Rib • Ventilated Side Ribs (12ga Only) • Chrome Lined Barrels • Back Bored 12ga Barrels • Lengthened Forcing Cones • Competition Series Choke Tube System on 12ga Models • Standard Series Choke Tube System on 20ga and 28ga Models

585 SERIES



585G SERIES "GOLD PACKAGE"

585 SPECIFICATIONS

STOCK & FOREND	ACTION	BARREL GROUP
<ul style="list-style-type: none"> • Select American Walnut • 17Line/Inch Cut Checkering • Fitted Grip Cap • Fitted Butt Pad (12ga & all small gauge Target Models) • Fitted Butt Plate (small gauge Field Models) 	<ul style="list-style-type: none"> • Single Selective Trigger • Manual Safety • Rolled Engraving Pattern • Silver Nitride Finish • Inertia Triggers (12 & 20ga) • Mechanical Trigger (28 & 410ga) • Low Profile Receiver with Box Lock (Greener Style Cross Bolt) 	<ul style="list-style-type: none"> • Selective Ejectors • Ventilated Top Rib • Full Side Ribs • Back Bored Barrels (12ga Only) • Lengthened Forcing Cones • Competition Series Choke Tube System on 12ga Models • Standard Series Choke Tube System on 20ga and 28ga Models

Features: Gold plated trigger, 2 gold plated game scenes and a hand finished schnabel forend.

505 SERIES



505 SPECIFICATIONS

STOCK & FOREND	ACTION	BARREL GROUP
<ul style="list-style-type: none"> • Select American Walnut • 17Line/Inch Cut Checkering • Fitted Grip Cap • Fitted Butt Pad (12ga) • Fitted Butt Plate (20ga) 	<ul style="list-style-type: none"> • Single Selective Trigger • Manual Safety • Rolled Engraving Pattern • Deep Luster Blueing • Inertia Triggers • Low Profile Receiver with Box Lock (Greener Style Cross Bolt) 	<ul style="list-style-type: none"> • Selective Ejectors • Ventilated Top Rib • Full Side Ribs • Standard Diameter Bore • Lengthened Forcing Cones • Inter-Choke System on 12ga and 20ga Models

FIELD MODELS

785 SERIES



785 Series Features:

- CHROME LINED BORES
- CHROME LINED CHAMBERS
- CHROME PLATED EJECTORS

The new 785 series inherits its distinctive styling, engraving and finish from SKB's "MJ-5" premium grade competition over & under. The "MJ-5" was designed and handmade specifically for Mr. Miura, the president of the NEW SKB ARMS COMPANY, a distinguished shooter in his own right. This beautiful design incorporates the performance features required by a professional target shooter and the artistry of handcrafted quality found only in the premium grade shotguns.

585 SERIES



NEW 585 GOLD PACKAGE



- Gold Plated Trigger
- 2 Gold Plated Game Scenes
- Hand Finished Schnabel Forend

The 785 & 585 series 12 gauge models feature an oversized .735 diameter bore, lengthened forcing cones, and the competition series inter-choke system. These performance features greatly enhance the overall effectiveness of the shotgun by reducing shot pellet deformation, reducing perceived recoil, and by producing more uniform pellet patterns.

The Field Model is designed to provide the hunter with a well balanced, fast shouldering shotgun. The guns are dimensioned for consistent point and swing control, and are available in 12, 20, 28, & 410 gauge. Our standard features include: a finely engraved low profile receiver, Greener cross-bolt, box lock action, manual safety conveniently located on the top tang, single selective trigger, and selective automatic ejectors. Each shotgun is fitted with a sculpted pistol grip stock & forend, finished to a high gloss for richness and lasting durability.

505 FIELD



505 FIELD OVER AND UNDERS

GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	AVERAGE WEIGHT*	MANUFACTURERS ID NUMBER
12	3"	28"	45 3/8"	STND-A	MFB	3/8"	7 lb. 12 oz.	N528CFP
12	3"	26"	43 3/8"	STND-B	MFB	3/8"	7 lb. 11 oz.	N526CFP
20	3"	26"	43 3/8"	STND-B	MFB	3/8"	6 lb. 10 oz.	N506CFP

*Weights may vary due to wood density. Specifications may vary.
¹ INTER-CHOKE SYSTEMS
 STND-A - Standard series includes Full, Mod, Imp. Cyl.
 STND-B - Standard series includes Imp. Cyl., Mod, Skeet

STOCK DIMENSIONS
 Length of Pull - 14 1/8"
 Drop at Comb - 1 1/2"
 Drop at Heel - 2 3/16"
¹ MFB - Metal Front Bead

SKB'S 505 Field Over & Unders are designed with an emphasis toward *Quality and Affordability*. These models are an extraordinary value, equipped with standard features which include a finely engraved receiver with a deep blue finish, a single selective trigger, automatic selective ejectors, manual safety, a finely checkered American Walnut stock and forend and the standard series choke tube system.

585 & 785 FIELD MODELS

GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	AVERAGE WEIGHT*		MANUFACTURERS ID#		
							785	585	785	585	585 GOLD
12	3"	28"	45 3/8"	COMP.	MFB	3/8"	8 lb. 0 oz.	7 lb. 12 oz.	A7828CF	A5828CF	G5828CF
12	3"	26"	43 3/8"	COMP.	MFB	3/8"	8 lb. 0 oz.	7 lb. 11 oz.	A7826CF	A5826CF	G5826CF
20	3"	28"	45 3/8"	STND-A	MFB	5/16"	7 lb. 4 oz.	6 lb. 12 oz.	A7808CF	A5808CF	G5808CF
20	3"	26"	43 3/8"	STND-B	MFB	5/16"	7 lb. 3 oz.	6 lb. 10 oz.	A7806CF	A5806CF	G5806CF
28	2 3/4"	28"	45 3/8"	STND-A	MFB	5/16"	7 lb. 4 oz.	6 lb. 14 oz.	A7888CF	A5888CF	G5888CF
28	2 3/4"	26"	43 3/8"	STND-B	MFB	5/16"	7 lb. 3 oz.	6 lb. 13 oz.	A7886CF	A5886CF	G5886CF
410	3"	28"	45 3/8"	M / F	MFB	5/16"	7 lb. 4 oz.	7 lb. 0 oz.	A7848F	A5848F	G5848F
410	3"	26"	43 3/8"	IC / M	MFB	5/16"	7 lb. 3 oz.	6 lb. 14 oz.	A7846F	A5846F	G5846F

*Weights may vary due to wood density. Specifications may vary.
¹ INTER-CHOKE SYSTEMS
 COMP. - Competition series includes Mod., Full, Imp. Cyl.
 STND-A - Standard series includes Mod., Full, Imp. Cyl.
 STND-B - Standard series includes Imp. Cyl., Mod. Skeet

STOCK DIMENSIONS
 Length of Pull - 14 1/8"
 Drop at Comb - 1 1/2"
 Drop at Heel - 2 3/16"
¹ MFB - Metal Front Bead

NOTE: 785's Are Equipped With Step-Up Style Ribs

MULTI-GAUGE FIELD SETS

Choose From

12 & 20
GAUGE SETS

20 & 28
GAUGE SETS

28 & 410
GAUGE SETS

785 SERIES



(12 GA. & 20 GA. SET SHOWN)

585 SERIES



(12 GA. & 20 GA. SET SHOWN)

"Gold Package"  also Available!



The SKB receivers are milled from a solid block of steel by a multi-head Hitachi robotic machine tool. This state-of-the-art equipment insures precise tolerance in critical components.

585 & 785 2 BARREL FIELD SETS											
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	AVERAGE WEIGHT*		MANUFACTURERS ID#		
							785	585	785	585	585 GOLD
12	3"	28"	45 3/8"	COMP.	MFB	3/8"	8 lb. 1 oz.	7 lb. 11 oz.	A7828C/ 7806CF	A5828C/ 5806CF	G5828C/ 5806CF
20	3"	26"	43 3/8"	STND-B	MFB	3/8"	8 lb. 4 oz.	7 lb. 12 oz.			
20	3"	28"	45 3/8"	STND-A	MFB	5/16"	7 lb. 5 oz.	7 lb. 2 oz.	A7808C/ 7888CF	A5808C/ 5888CF	G5808C/ 5888CF
28	2 3/4"	28"	45 3/8"	STND-A	MFB	5/16"	7 lb. 5 oz.	7 lb. 1 oz.			
20	3"	26"	43 3/8"	STND-B	MFB	5/16"	7 lb. 3 oz.	7 lb. 1 oz.	A7806C/ 7886CF	A5806C/ 5886CF	G5806C/ 5886CF
28	2 3/4"	26"	43 3/8"	STND-B	MFB	5/16"	7 lb. 3 oz.	7 lb. 0 oz.			
28	2 3/4"	28"	45 3/8"	STND-A	MFB	5/16"	7 lb. 6 oz.	7 lb. 1 oz.	A7888C/ 7846F	A5888C/ 5846F	G5888C/ 5846F
410	3"	26"	43 3/8"	IC / M	MFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.			

*Weights may vary due to wood density. Specifications may vary.
* INTER-CHOKE SYSTEMS
COMP. - Competition series includes Mod., Full, Imp. Cyl.
STND-A - Standard series includes Mod., Full, Imp. Cyl.
STND-B - Standard series includes Imp. Cyl., Mod. Skeet

NOTE: 785's Are Equipped With Step-Up Style Ribs

STOCK DIMENSIONS
Length of Pull - 14 1/8"
Drop at Comb - 1 1/2"
Drop at Heel - 2 3/16"
MFB - Metal Front Bead

ADDITIONAL FIELD MODELS



585 UPLAND

"Gold Package"  also Available!

The 585 Upland features an English style straight grip stock with wrap around checkering. A schnabel forend provides the shooter with a distinct, responsive feel. The Upland is available in three gauges: 12, 20, & 28 with 26" barrels.

585 UPLAND									
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	AVG. WEIGHT*	MANUFACTURERS ID#	
							585	585	585 GOLD
12	3"	26"	42 1/2"	COMP.	MFB	3/8"	7 lb. 10 oz.	A5826CFE	G5826CFE
20	3"	26"	42 1/2"	STND-B	MFB	3/8"	6 lb. 10 oz.	A5806CFE	G5806CFE
28	2 3/4"	26"	42 1/2"	STND-B	MFB	3/8"	6 lb. 12 oz.	A5886CFE	G5886CFE

*Weights may vary due to wood density. Specifications may vary.
* INTER-CHOKE SYSTEMS
COMP. - Competition series includes Full, Mod., Imp. Cyl.
STND-B - Standard series includes Imp. Cyl., Mod. and Skeet

STOCK DIMENSIONS
Length of Pull - 14 1/8"
Drop at Comb - 1 1/2"
Drop at Heel - 2 1/2"
MFB - Metal Front Bead




The Schnabel Forend is standard on the Upland Models, the 505 Sporting Clay Models, and the 585 "Gold Package."



585 YOUTH & LADIES

"Gold Package"  also Available!



Ventilated ribs are attached and aligned with precision computer controlled equipment for correct point of impact.

The new "Youth and Ladies" model 585 Field takes into consideration the shorter arm reach of these individuals by featuring a shorter 13 1/2 inch length of pull. This new stock dimension gives these shooters a natural quick pointing fit, which is well balanced for good swing control. The 12 gauge models incorporate all the '85 Series standard features: over-size bores, lengthened forcing cones and competition series choke tubes.

585 YOUTH & LADIES										
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	AVG. WEIGHT*		MANUFACTURERS ID#	
							585		585	585 GOLD
12	3"	28"	44 1/2"	COMP.	MFB	3/8"	7 lb. 11 oz.		A5828CFY	G5828CFY
12	3"	26"	42 1/2"	COMP.	MFB	3/8"	7 lb. 9 oz.		A5826CFY	G5826CFY
20	3"	26"	42 1/2"	STND-B	MFB	3/8"	6 lb. 7 oz.		A5806CFY	G5806CFY

*Weights may vary due to wood density. Specifications may vary.
* INTER-CHOKE SYSTEMS
COMP. - Competition series includes Full, Mod., Imp. Cyl.
STND-B - Standard series includes Imp. Cyl., Mod. and Skeet

STOCK DIMENSIONS
Length of Pull - 13 1/2"
Drop at Comb - 1 1/2"
Drop at Heel - 2 1/4"
MFB - Metal Front Bead

SPORTING CLAYS & SPORTING CLAY SETS



The distinguished performance features of the 785 Series include: oversized hard chrome lined bores and hard chromed ejectors, a redesigned ventilated top rib, a non-reflective finish on the sighting plane, lengthened forcing cones, and competition* series inter-choke system.

*12 gauge only

585 SERIES



"Gold Package"  also Available!

505 SERIES



785 & 585 SPORTING CLAY MODELS											
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	AVERAGE WEIGHT*		MANUFACTURERS ID#		
							785	585	785	585	585 GOLD
12	3"	32"	49 3/8"	COMP.	CP/WFB	15/32" CH/STP	8 lb. 14 oz.	8 lb. 7 oz.	A7822CVSP	A5822CVSP	G5822CVSP
12	3"	30"	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	8 lb. 12 oz.	8 lb. 5 oz.	A7820CVSP	A5820CVSP	G5820CVSP
12	3"	28"	45 3/8"	COMP.	CP/WFB	15/32" CH/STP	8 lb. 8 oz.	8 lb. 1 oz.	A7828CVSP	A5828CVSP	G5828CVSP
20	3"	28"	45 3/8"	STND-B	CP/WFB	15/32" CH/STP	7 lb. 6 oz.	6 lb. 14 oz.	A7808CVSP	A5808CVSP	G5808CVSP
28	2 3/4"	28"	45 3/8"	STND-B	CP/WFB	15/16" SW	7 lb. 4 oz.	6 lb. 14 oz.	A7888CVSP	A5888CVSP	G5888CVSP

505 SPORTING CLAYS									
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	AVERAGE WEIGHT* 505		MANUFACTURERS ID# 505
12	3"	30"	47 3/8"	STND-B	CP/WFB	15/32" CH/STP	8 lb. 5 oz.		N520CVSP
12	3"	28"	45 3/8"	STND-B	CP/WFB	15/32" CH/STP	8 lb. 1 oz.		N528CVSP

2 BARREL SPORTING CLAY SET											
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ¹	RIB WIDTH	AVERAGE WEIGHT*		MANUFACTURERS ID#		
							785	585	785	585	585 GOLD
12	3"	30"	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	8 lb. 14 oz.	8 lb. 3 oz.	A7820C/7808SP	A5820C/5808SP	G5820C/5808SP
20	3"	28"	45 3/8"	STND-B	CP/WFB	15/32" CH/STP	8 lb. 10 oz.	8 lb. 5 oz.			

*Weights may vary due to wood density. Specifications may vary.

¹ INTER-CHOKE SYSTEMS

COMP. - Competition series includes SKI/USCIII, SKI/USCI AND MOD/SCIV

STND-B - Standard series includes Mod, Imp, Cyl., SKet

STOCK DIMENSIONS

Length of Pull - 14 1/4"

Drop at Comb - 1 7/16"

Drop at Heel - 1 7/8"

¹ CP/WFB - Center Post White Front Bead

¹ CH/STP - Center Channelled Semi Wide Step Up Rib

¹ SW - Semi Wide Step Up Rib



SEMI-WIDE RIB

"SEMI-WIDE" CHANNELED rib features a 15/32" (12mm) wide step up target style rib with center channel and matte finished outer edges, equipped with a nickel center bead and a white front bead providing a guide for quick target acquisition along a broad sighting surface.

TWO BARREL SETS AVAILABLE

785 SERIES & 585 SERIES



785 SERIES (SHOWN)

12ga/30" & 20ga/28"

"Gold Package"  also Available!

Sporting Clays is a challenge to every sportsman who has ever shot a course; where targets move in every conceivable direction. Mastering this sport requires more than concentration and instinct. It requires a shotgun with responsive fit, balance and a fast sighting plane.

The Sporting Clay models are available in four grades; the 785, 585, 585G "Gold Package" and 505 with barrel lengths of 28, 30 and 32 inches.

The 505 Sporting Clays model is available in 12 gauge with barrel lengths of 30" and 28". The 505 features a schnabel forend and the standard series choke tube system.

The SKB Sporting Clay Shotgun features a low profile receiver, a stepped target style rib, a radiused recoil pad and a special sporting clay stock dimensioned for the competitive edge.

Practice. Practice. Practice...are the requirements of being a successful Sporting Clays shooter and field hunter alike. The SKB Sporting Clays Over & Under gives the sportsman the advantage of having a shotgun equipped with 3" chambers. This allows the shooter to practice hunting style shots on the sporting clays course with 2 3/4" target loads developing a comfortable and instinctive style of shooting. These skills are easily taken to the field with the same shotgun using heavier 3" field loads. That's the beauty of the 3" chambered SKB Sporting Clay Over & Under.



Final assembly requires many years of skill and judgement, to insure that all parts have proper fit, alignment, engagement and timing.

SKB

TRAP & TRAP COMBO'S

785 SERIES



Performance Tuned: **OVERSIZED DIAMETER BORES**
LENGTHENED FORCING TUNES
COMPETITION SERIES CHOKE TUBES

585 SERIES



COMBO'S ALSO AVAILABLE

"Gold Package"  also Available!

TRAP MODELS										
GAUGE	STOCK	BARREL ¹ LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ²	785 RIB WIDTH	585 RIB WIDTH	AVERAGE WEIGHT*		
								785	585	MANUFACTURERS ID#
12	STND	30"	47 3/8"	COMP-A	CP/WFB	15/32" CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 7 oz.	A7820CVTN A5820CVTN G5820CVTN
12	MONTE	30"	47 3/8"	COMP-A	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 7 oz.	A7820CVTM A5820CVTM G5820CVTM
12	STND	32"	49 3/8"	COMP-A	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 10 oz.	A7822CVTN A5822CVTN G5822CVTN
12	MONTE	32"	49 3/8"	COMP-A	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 10 oz.	A7822CVTM A5822CVTM G5822CVTM

*Weights may vary due to wood density. Specifications may vary.
*INTER-CHOKE SYSTEMS
COMP - Competition series includes 2 Imp. Mod., Full, Trap Full
COMP-A - Competition series includes Imp. Mod., Full, Trap Full
CP/WFB - Center Post White Front Bead
STP - Step Up Rib
CH/STP - Center Channelled Semi Wide Step Up Rib

STOCK DIMENSIONS
Length of Pull - 14 1/4"
Drop at Comb - 1 3/8"
Drop at Heel - 1 3/8" (STND)
Drop at Heel - 2" (MONTE)

The SKB line of Over & Under Trap Guns has evolved over many years of effort to provide the serious trap shooter with an affordable shotgun that considers weight, balance, fit, feel and trigger pull. Trap Combo's feature a set of over & under barrels and a single over barrel that utilize an interchangeable forend. These combinations are available in both the 585 and 785 grade, with a choice of three barrel length configurations and a choice of either a Standard trap stock or a Monte Carlo stock.

The 785 Series Trap Models are factory performance tuned with chrome plated back bored barrels, chrome plated chambers, lengthened forcing cones, a jeweled monobloc and chrome plated ejectors. The sighting plane starts with a non-reflective finish along the top of the receiver and transitions into a 12mm wide center channelled, step up target style ventilated rib equipped with a nickel center post and a white bead front sight.

The 585 Series Trap Models also feature the factory performance tuning which includes oversized bore diameters and lengthened forcing cones to reduce recoil and deformation of shot pellets. The sighting plane on the 585 is a 9.5mm wide step up target style ventilated rib equipped with nickel center post and a white front bead. Both the 785 and 585 are equipped with the competition series choke tubes.

785 COMBO



MONTE CARLO STOCK (SHOWN)

CHAMBER, EJECTORS AND BORES ARE CHROME PLATED ON ALL 785 MODELS

Choice of Either
STANDARD STOCK OR
MONTE CARLO STOCK



Once the initial phase is completed by the computer operated milling machines, the master gunsmiths begin their work of fitting, assembling and polishing the critical components of the receiver, barrel group and forend iron. The engraving is then rolled onto the polished metal prior to hardening and final finish.

TRAP COMBO'S — STANDARD STOCK										
GAUGE	STOCK	BARREL ¹ LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ²	785 RIB WIDTH	585 RIB WIDTH	AVERAGE WEIGHT*		MANUFACTURERS ID#
								785	585	785 585 585 GOLD
12	STND	O/U-30"	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 6 oz.	A7820TN/ A5820TN/ G5820TN/ 7822 5822 5822
12	STND	S/O-32"	49 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 6 oz.	A7820TN/ A5820TN/ G5820TN/ 7824 5824 5824
12	STND	O/U-30"	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 4 oz.	A7820TN/ A5820TN/ G5820TN/ 7824 5824 5824
12	STND	S/O-34"	51 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 6 oz.	A7820TN/ A5820TN/ G5820TN/ 7824 5824 5824
12	STND	O/U-32"	49 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 7 oz.	A7822TN/ A5822TN/ G5822TN/ 7824 5824 5824
12	STND	S/O-34"	51 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 8 oz.	A7822TN/ A5822TN/ G5822TN/ 7824 5824 5824

TRAP COMBO'S — MONTE CARLO STOCK										
GAUGE	STOCK	BARREL ¹ LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS ²	785 RIB WIDTH	585 RIB WIDTH	AVERAGE WEIGHT*		MANUFACTURERS ID#
								785	585	785 585 585 GOLD
12	MONTE	O/U-30"	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 6 oz.	A7820TM/ A5820TM/ G5820TM/ 7822 5822 5822
12	MONTE	S/O-32"	49 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 6 oz.	A7820TM/ A5820TM/ G5820TM/ 7824 5824 5824
12	MONTE	O/U-30"	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 4 oz.	A7820TM/ A5820TM/ G5820TM/ 7824 5824 5824
12	MONTE	S/O-34"	51 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 6 oz.	A7820TM/ A5820TM/ G5820TM/ 7824 5824 5824
12	MONTE	O/U-32"	49 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 7 oz.	A7822TM/ A5822TM/ G5822TM/ 7824 5824 5824
12	MONTE	S/O-34"	51 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 9 oz.	A7822TM/ A5822TM/ G5822TM/ 7824 5824 5824

*Weights may vary due to wood density. Specifications may vary.
*INTER-CHOKE SYSTEMS
COMP - Competition series includes 2 Imp. Mod., Full, Trap Full
COMP-A - Competition series includes Imp. Mod., Full, Trap Full
CP/WFB - Center Post White Front Bead
STP - Step Up Rib
CH/STP - Center Channelled Semi Wide Step Up Rib

STOCK DIMENSIONS
Length of Pull - 14 1/4"
Drop at Comb - 1 13/8"
Drop at Heel - 1 3/8" (STND)
Drop at Heel - 2" (MONTE)

SKEET & 3 BBL SETS

785 SERIES



Performance Tuned: **OVERSIZED DIAMETER BORES
LENGTHENED FORCING TUNES
COMPETITION SERIES CHOKE TUBES**

585 SERIES



"Gold Package"  *also Available!*

CHAMBERS, EJECTORS AND BORES ARE CHROME PLATED ON ALL 785 MODELS!



Consistency in weight, balance and feel are trademarks of the SKB Skeet 3-Barrel Set. The set is available in 20, 28 & 410 gauge in both the 585 and 785 series. Each barrel set is furnished with its' own forend, and all fit precisely to the same action. An airline approved fitted aluminum case is included to protect your investment.

SKEET MODELS											
GAUGE	CHAMBER	BARREL LENGTH	OVERALL LENGTH	INTER CHOKE	SIGHTS*	RIB WIDTH	AVERAGE WEIGHT*		MANUFACTURERS ID#		
							785	585	785	585	585 GOLD
12	3"	30"	47 1/4"	COMP.	CP/WFB	3/8"	8 lb. 9 oz.	8 lb. 1 oz.	A7820CV	A5820CV	G5820CV
12	3"	28"	45 1/4"	COMP.	CP/WFB	3/8"	8 lb. 6 oz.	7 lb. 12 oz.	A7828CV	A5828CV	G5828CV
20	3"	28"	45 1/4"	STND.	CP/WFB	5/16"	7 lb. 2 oz.	6 lb. 15 oz.	A7808CV	A5808CV	G5808CV
28	2 3/4"	28"	45 1/4"	STND.	CP/WFB	5/16"	7 lb. 5 oz.	6 lb. 15 oz.	A7888CV	A5888CV	G5888CV
410	3"	28"	45 1/4"	SK/SK	CP/WFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.	A7848V	A5848V	G5848V

3 BARREL SKEET SETS											
20	3"	28"	45 1/4"	STND.	CP/WFB	5/16"	7 lb. 2 oz.	6 lb. 15 oz.	A78088	A58088	G58088
28	2 3/4"	28"	45 1/4"	STND.	CP/WFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.			
410	3"	28"	45 1/4"	SK/SK	CP/WFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.			

*Weights may vary due to wood density. Specifications may vary.
* INTER-CHOKE SYSTEMS
COMP. - Competition series includes 2-SKI/SCI, 1-Mod/SCIV
STND. - Standard series includes Skeet, Skeet and Imp. Cyl.

NOTE: 785's Are Equipped With Step-Up Style Ribs

STOCK DIMENSIONS
Length of Pull - 14 1/8"
Drop at Comb - 1 1/2"
Drop at Heel - 2 3/16"
↓ CP/WFB-Center Post/White Front Bead

The SKB Skeet Over & Unders have been favorites on the range for many years and are available in both the 585 and 785 series. Our competition guns give the shooter the confidence and a solid sense of balance when . . . *"breakin' clays is all that matters".*

Our standard features include low profile receiver with a box-lock action, manual safety, single selective trigger, automatic ejectors, a matte sighting plane equipped with a nickel center post and white front bead. All Skeet style buttstocks, regardless of gauge, are fitted with a radius butt pad for a fast sure mount. The 12 gauge models are performance tuned which includes oversized diameter bores (.735 approx.), lengthened forcing cones and the competition series choke tube system.

SKB EXTENDED CHOKE SYSTEM

"KNURLED" CHOKES 17-4 STAINLESS STEEL

COMPETITION SERIES - 12 GA. ONLY

MANUFACTURERS ID#	RIM NOTCHES	CONstriction	PATTERN WITH LEAD SHOT	PATTERN WITH STEEL SHOT
KNURLED				
SCST12TF	NONE	.035	TRAP FULL	**
SCST12XF	1	.030	XTRA FULL	**
SCST12F	2	.025	FULL	**
SCST12IM	3	.020	IMP MOD	XTRA FULL
SCST12M	4	.015	MOD/SC IV	FULL
SCST12SKII	5	.010	SK II/SC III	IMP MOD
SCST12IC	6	.005	IC/SC II	MOD
SCST12SKI	7	+ .005	SK I/SC I	IMP CYL

NOTE: Competition Series For SKB Models: 585, 685, 785 and 885 A series only.

The new stainless extended tubes are designed for the 12 gauge "Backbored Barrels". Backbored Barrels and a longer choke taper produce more uniform pellet pattern densities. The "knurled" choke tube allows the shooter a *quick* and *effective* means to adjust the pellet pattern for the target being presented.



12 GAUGE KNURLED
COMPETITION SERIES

SKB INTER-CHOKE SYSTEM

COMPETITION SERIES - 12 GA. ONLY

MANUFACTURERS ID#	RIM NOTCHES	CONstriction	PATTERN WITH LEAD SHOT	PATTERN WITH STEEL SHOT
CST12TF	NONE	.035	TRAP FULL	**
CST12XF	1	.030	XTRA FULL	**
CST12F	2	.025	FULL	**
CST12IM	3	.020	IMP MOD	XTRA FULL
CST12M	4	.015	MOD/SC IV	FULL
CST12SKII	5	.010	SK II/SC III	IMP MOD
CST12IC	6	.005	IC/SC II	MOD
CST12SKI	7	+ .005	SK I/SC I	IMP CYL

NOTE: Competition Series For SKB Models: 585, 685, 785 and 885 A series only.


STANDARD SERIES - 12 GA., 20 GA. & 28 GA.

DESCRIPTION	RIM NOTCHES	CONstriction 12 ga.	CONstriction 20 ga.	CONstriction 28 ga.	PATTERN WITH STEEL SHOT
EXTRA FULL*	NONE	.038	*	*	**
FULL	1	.032	.032	.025	**
IMP MOD	2	.023	.023	.018	FULL
MOD	3	.014	.014	.010	IMP MOD
IMP CYL	4	.005	.005	.004	MOD
SKEET	5	+ .004	+ .004	+ .004	IMP CYL

NOTE: Standard Series For SKB Models: 1300, 1900, 505, 605, 385, 485 and 885.
All 20 gauge & 28 gauge models utilize Standard Series choke tubes.

* Available in 12 gauge only

** Not recommended for use with steel shot



12 GAUGE
COMPETITION
SERIES

12 GAUGE
STANDARD
SERIES

20 GAUGE
STANDARD
SERIES

28 GAUGE
STANDARD
SERIES

NOTE: The competition series and standard series inter-choke tubes are not interchangeable.

SKB SHOTGUNS

4325 So. 120th St. • Omaha, NE 68137

1-800-752-2767