



	FIELD MODELS												
OALIOE	BARREL	OUAMBED	OVERALL	INTER	OLOUTO	RIB	отоои		WEIGHT*				
GAUGE	LENGTH	CHAMBER	LENGTH	CHOKE	SIGHTS	WIDTH	STOCK	385	485				
12	28"	3"	44 1/2"	STND-A	MFB	5/16"	PISTOL	7 lb. 3 oz.	7 lb. 1oz.				
12	28"	3"	44 1/2"	STND-A	MFB	5/16"	ENGLISH	7 lb. 1 oz.	7 lb. 5 oz.				
12	26"	3*	42 1/2"	STND-A	MFB	5/16"	PISTOL	7 lb. 1 oz.	7 lb. 5 oz.				
12	26"	3"	42 1/2"	STND-A	MFB	5/16"	ENGLISH	7 lb. 0 oz.	7 lb. 4 oz.				
20	28"	3"	44 1/2"	STND-A	MFB	5/16"	PISTOL	6 lb, 11 oz,	6 lb. 15 oz				
20	28"	3"	44 1/2"	STND-A	MFB	5/16"	ENGLISH	6 lb. 11 oz.	6 lb. 15 oz.				
20	26"	3"	42 1/2"	STND-B	MFB	5/16"	PISTOL	6 lb, 10 oz,	6 lb. 14 oz.				
20	26"	3"	42 1/2"	STND-B	MFB	5/16"	ENGLISH	6 lb. 10 oz,	6 lb. 14 oz.				
28	28"	2 3/4"	44 1/2"	STND-A	MFB	5/16"	PISTOL	7 lb, 0 oz,	7 lb. 4 oz,				
28	28"	2 3/4"	44 1/2"	STND-A	MFB	5/16"	ENGLISH	7 lb. 0 oz.	7 lb, 4 oz,				
28	26"	2 3/4"	42 1/2"	STND-B	MFB	5/16"	PISTOL	6 lb. 13 oz.	7 lb, 2 oz,				
28	26"	2 3/4"	42 1/2"	STND-B	MFB	5/16"	ENGLISH	6 lb. 13 oz.	7 lb. 2 oz.				

			2 E	RARREL	FIELD	SETS			
	BARREL		OVERALL			RIB			E WEIGHT
GAUGE	LENGTH	CHAMBER	LENGTH	CHOKE	SIGHTS∜	WIDTH	STOCK	385	485
20	28"	3"	44 1/2"	STND-A	MFB	5/16"	PISTOL	6 lb, 11 oz.	
28	28"	2 3/4"	44 1/2"	STND-A	MFB	5/16"	PISTOL	6 lb, 11 oz,	
20	28"	3"	44 1/2"	STND-A	MFB	5/16"	ENGLISH	6 ib. 11 oz.	
28	28"	2 3/4"	44 1/2"	STND-A	MFB	5/16"	ENGLISH	6 lb. 11 oz.	
20	26"	3*	42 1/2"	STND-B	MFB	5/16"	PIŞTOL	6 lb, 10 oz,	
28	26"	2 3/4"	42 1/2"	STND-B	MFB	5/16"	PISTOL	6 lb. 10 oz.	
20	26"	3*	42 1/2"	STND-B	MFB	5/16"	ENGLISH	6 lb. 10 oz,	
28	26"	2 3/4"	42 1/2"	STND-B	MFB	5/16"	ENGLISH	6 lb. 10 oz.	

*Weighls may vary due to wood density. Specifications may vary * INTER-CHOKE SYSTEMS STND-A - Standard series includes Mod., Full, Imp. Cyl. STND-B - Standard series includes Imp. Cyl., Mod. Skeet

	385 SPORTING CLAY MODELS												
BARREL			OVERALL INTE		TER			AVERAGE WEIGHT					
GAUGE	LENGTH	CHAMBER	LENGTH	CHOKE	SIGHTS [√]	WIDTH	STOCK	385	485				
12	28"	3	44 1/2"	STND-B	CP/WFB	5/16	PISTOL	7 lb. 6 oz.					
20	28"	3"	44 1/2"	STND-B	CP/WFB	5/16"	PISTOL	6 lb. 14 oz.					
28	28"	2 3/4"	42 1/2"	STND-B	CP/WFB	5/16"	PISTOL	6 lb. 14 oz.					

	SPORTING CLAY SETS												
	BARREL		OVERALL	INTER		RIB		AVERAG	E WEIGHT*				
GAUGE	LENGTH	CHAMBER	LENGTH	CHOKE	SIGHTS	WIDTH	STOCK	385	485				
20	28"	3"	44 1/2"	STND-B	CP/WFB	5/16	PISTOL	6 lb. 14 oz.					
28	28"	2 3/4"	44 1/2"	STND-B	CP/WFB	5/16"	PISTOL	6 lb. 14 oz.					

'Weights may vary due to wood density. Specifications may vary. INTER-CHOKE SYSTEMS STND-B - Standard series includes Imp. Cyl., Mod. Skeel

STOCK DIMENSIONS Length of Pull - 14 1/4° Drop al Comb - 1 7/16 "







The SKB Side By Side Shotgun features a low profile box lock action with double locking lugs designed to provide years of dependable service. The silver nitrided receiver is embellished with finely engraved game scenes and scroll designs. Enhanced performance features of the SKB Side by Side include; a single selective trigger, automatic safety, selective automatic ejectors, inter-choke tubed barrels and lengthened forcing cones.

The semi-fancy American Black walnut stock is offered in either a traditional pistol grip or English straight grip with a semi-beavertail forend. The stock and forend are finished with hand cut 17 line fine checkering and protected with a high gloss lacquer for richness and lasting durability.

The side plated box lock action of the 485 Series features two beautifully engraved Upland game scenes. The 485 barrel group is fitted with a distinctive raised ventilated rib with a flat matte finish. The 385 Series features a traditional low profile box lock action and solid rib with a matte finish.

The 385 Series is available in several configurations: the Field model, the Two Barrel Field Set (20ga. and 28ga.), the Sporting Clay model, and the Sporting Clay Set.

OVER & UNDERS

785 SERIES

785 SPECIFICATIONS

STOCK & FOREND

- Hand Selected Semi-Fancy American Walnut
- 17Line/Inch Cut Checkering

- Full Finger Groove Forend
 Fitted Grip Cap
 Fitted Butt Plad (12ga & all small gauge Target Models)
 Fitted Butt Plate
 Fitted Butt Plate (small gauge Field Models)

ACTION

Jeweled Mono Bloc
 Inertia Triggers (12 & 20ga)
 Mechanical Trigger (28 & 410ga)

• Low Profile Receiver with Box

Lock (Greener Style Cross Bolt)

Manual Safety

of Receiver

 Silver Nitride Finish Non-Reflective Finish Along Top

- Single Selective Trigger
- Rolled Engraving Pattern
- Selective Ejectors Chrome Plated
 Ventilated Top Rib
 Ventilated Side Ribs (12ga Only)
 Chrome Lined Barrels

BARREL GROUP

- Back Bored 12ga Barrels
- Lengthened Forcing Cones
- Competition Series Choke Tube
- System on 12ga Models
 Standard Series Choke Tube
- System on 20ga and 28ga Models

585 SERIES



(-

Features: Gold plated trigger, 2 gold plated game scenes and a hand finished schnabel forend.

585 SPECIFICATIONS

STOCK & FOREND

- Select American Walnut
- 17Line/Inch Cut Checkering
- Fitted Grip Cap
- Fitted Butt Pad (12ga & all small gauge Target Models)
 Fitted Butt Plate
- (small gauge Field Models)

ACTION

- Single Selective Trigger
- Manual Safety

- Rolled Engraving PatternSilver Nitride Finish

- Inertia Triggers (12 & 20ga)
 Mechanical Trigger (28 & 410ga)
 Low Profile Receiver with Box Lock (Greener Style Cross Bolt)

BARREL GROUP

- Selective EjectorsVentilated Top Rib
- Full Side Ribs
- Back Bored Barrels (12ga Only) Lengthened Forcing Cones

- Competition Series Choke Tube
 System on 12ga Models
 Standard Series Choke Tube System on 20ga and 28ga Models

505 SERIES

505 SPECIFICATIONS

STOCK & FOREND

- Select American Walnut
- 17Line/Inch Cut Checkering
- Fitted Grip Cap Fitted Butt Pad (12ga)
- Fitted Butt Plate (20ga)

ACTION

- Single Selective TriggerManual Safety
- Rolled Engraving Pattern
- Deep Luster Blueing
- Inertia Triggers
- Low Profile Receiver with Box Lock (Greener Style Cross Bolt)

BARREL GROUP

- Selective Ejectors
- Ventilated Top Rib
 Full Side Ribs
- Standard Diameter Bore
- Lengthened Forcing Cones
- Inter-Choke System on 12ga and 20ga Models

FIELD MODELS

785 SERIES

785 Series Features:

CHROME LINED BORES CHROME LINED CHAMBERS CHROME PLATED EJECTORS

The 785 & 585 series 12 gauge models feature an oversized .735 diameter bore, lengthened forcing cones, and the competition series inter-choke system. These performance features greatly enhance the overall effectiveness of the shotgun by reducing shot pellet deformation, reducing perceived recoil, and by producing more uniform pellet patterns.



505 FIELD SERIES





Choice of receiver finish on 585 Gold Traditional Blue or Silver Nitrite.

	585 & 785 FIELD MODELS												
GAUGE	BARREL LENGTH	CHAMBER	OVERALL LENGTH	INTER CHOKE	SIGHTS√	RIB WIDTH	AVERAGE 785	WEIGHT*					
12	28"	3*	45 3/8"	COMP.	MFB	3/8*	8 lb. 0 oz.	7 lb. 12 oz					
12	26"	3	43 3/8"	COMP	MFB	3/8"	8 lb. 0 oz.	7 lb. 11 oz.					
20	28"	3*	45 3/8"	STND-A	MFB	5/16"	7 lb. 4 oz.	6 lb. 12 oz					
20	26"	3*	43 3/8"	STND-B	MFB	5/16"	7 lb. 3 oz.	6 lb. 10 oz					
28	28°	2 3/4"	45 3/8°	STND-A	MFB	5/16"	7 lb. 4 oz.	6 lb. 14 oz.					
28	26"	2 3/4°	43 3/8"	STND-B	MFB	5/16"	7 lb. 3 oz.	6 lb. 13 oz					
410	28"	3*	45 3/8"	M/F	MFB	5/16"	7 lb. 4 oz.	7 lb. 0 oz					
410	26"	3*	43 3/8"	IC/M	MFB	5/16"	7 lb. 3 oz.	6 lb. 14 oz					

*Weights may vary due to wood density. Specifications may vary. INTER-CHOKE SYSTEMS

COMP. - Compelition series includes Mod., Full, Imp. Cyl. STND-A - Standard series includes Mod., Full, Imp. Cyl. STND-B - Standard series includes Imp. Cyl., Mod. Skeet NOTE: 785's Are Equipped With Step-Up Style Ribs

STOCK DIMENSIONS Length of Pull - 14 1/8' Drop at Comb - 1 1/2 ' Drop at Heel - 2 3/16'

	505 FIELD OVER AND UNDERS											
GAUGE	BARREL LENGTH	CHAMBER	OVERALL LENGTH	INTER CHOKE	SIGHTS√	RIB WIDTH	AVERAGE WEIGHT*					
12	28"	3"	45 3/8"	STND-A	MFB	3/8"	7 lb. 12 oz.					
12	26°	3*	43 3/8"	STND-B	MFB	3/8"	7 lb. 11 oz.					
20	26"	3"	43 3/8"	STND-A	MFB	5/16"	6 lb. 10 oz.					

'Weights may vary due to wood density. Specifications may vary.

'INTER-CHOKE SYSTEMS
STND-A - Standard series includes Mod., Full, Imp. Cyl.
STND-B - Standard series includes Imp. Cyl., Mod. Skeet

STOCK DIMENSIONS Length of Pull - 14 1/8* Drop at Comb - 1 1/2* Drop at Heel - 2 3/16* MFB - Melal Front Bead

- The 585 "Gold Package" is now available in two receiver finishes; silver nitrite with gold platings or a traditional Blued finish with gold platings. The "Gold Package" includes a gold plated trigger, 2 gold plated game scenes and a hand-finished schnabel forend.
- The Field Model is designed to provide the hunter with a well balanced, fast shouldering shotgun. The guns are dimensioned for consistent point and swing control, and are available in 12, 20, 28, & 410 gauge. Our standard features include: a finely engraved low profile receiver, Greener cross-bolt, box lock action, manual safety conveniently located on the top tang, single selective trigger, and selective automatic ejectors. Each shotgun is fitted with a sculpted pistol grip stock & forend, finished to a high gloss for richness and lasting durability.
- SKB'S 505 Field Over & Unders are designed with an emphasis toward Quality and Affordability. These models are an extraordinary value, equipped with standard features which include a finely engraved receiver with a deep blue finish, a single selective trigger, automatic selective ejectors, manual safety, a finely checkered American Walnut stock and forend and the standard series choke tube system.

MULTI-GAUGE FIELD SETS

SKB

Choose From

12 & 20 **GAUGE SETS**

20 & 28 **GAUGE SETS**

28 & 410 **GAUGE SETS**

785 SERIES



(12 GA. & 20 GA. SET SHOWN)

585 SERIES



(12 GA. & 20 GA. SET SHOWN)



The 2 Barrel Field Set provides the hunter with a choice of gauges to use. This versatility allows one to assess the hunting conditions or the type of game being hunted then choose the most appropriate gauge. This is done without sacrificing the "fit & feel" of the shotgun. Most hunters agree that their favorite shotgun "just fits them well". The SKB Field Set gives you that same confidence but with the added advantage of choosing a smaller

	585 & 785 2 BARREL FIELD SETS												
	BARREL		OVERALL	INTER		RIB	AVERAGE WEIGHT*						
GAUGE	LENGTH	CHAMBER	LENGTH	CHOKE	SIGHTS√	WIDTH	785	585					
12	28"	3"	45 3/8"	COMP.	MFB	3/8"	8 lb. 1 oz.	7 lb. 11 oz					
20	26"	3"	43 3/8"	STND-B	MFB	3/8"	8 lb. 4 oz.	7 lb. 12 oz.					
20	28"	3*	45 3/8"	STND-A	MFB	5/16"	7 lb. 5 oz.	7 lb. 2 oz.					
28	28"	2 3/4"	45 3/8"	STND-A	MFB	5/16"	7 lb. 5 oz.	7 lb. 1 oz					
20	26"	3"	43 3/8"	STND-B	MFB	5/16"	7 lb. 3 oz.	7 lb. 1 oz.					
28	26"	2 3/4"	43 3/8"	STND-B	MFB	5/16"	7 lb. 3 oz.	7 lb. 0 oz.					
28	28"	2 3/4"	45 3/8"	STND-A	MFB	5/16"	7 lb. 6 oz.	7 lb. 1 oz					
410	26"	3"	43 3/8"	IC/M	MFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.					

*Weights may vary due to wood density. Specifications may vary. *INTER-CHOKE SYSTEMS

COMP. - Competition series includes Mod., Full, Imp. Cyl. STND-A - Standard series includes Mod., Full, Imp. Cyl. STND-B - Standard series includes Imp. Cyl., Mod. Skeet NOTE: 785's Are Equipped With Step-Up Style Ribs

Length of Pull - 14 1/8" Drop at Comb - 1 1/2 " Drop at Heel - 2 3/16"

ADDITIONAL FIELD MODELS



The 585 Upland features an English style straight grip stock with wrap around checkering. A schnabel forend provides the shooter with a distinct, responsive feel. The Upland is available in three gauges: 12, 20, & 28 with 26" barrels.

	585 UPLAND											
GAUGE	BARREL LENGTH	CHAMBER	OVERALL LENGTH	(NTER CHOKE	SIGHTS√	RIB WIDTH	AVERAGE WEIGHT* 585					
12	26"	3*	43 3/8"	COMP.	MFB	3/8"	7 lb. 10 oz.					
20	26"	3"	43 3/8"	STND-B	MFB	3/8"	6 lb. 10 oz.					
28	26"	2 3/4"	43 3/8"	STND-A	MFB	5/16"	6 lb. 12 oz.					

*Weights may vary due to wood density. Specifications may vary.

*INTER-CHOKE SYSTEMS COMP. - Competition series includes Full, Mod., Imp. Cyl.

STOCK DIMENSIONS Length of Pull - 14 1/8* Drop at Comb - 1 1/2 * Drop at Heel - 2 1/2"



The Schnabel Forend is standard on the Upland Models, the 505 Sporting Clay Models, and the 585 "Gold Package."



The new "Youth and Ladies" model 585 Field takes into consideration the shorter arm reach of these individuals by featuring a shorter $13^{1/2}$ inch length of pull. This new stock dimension gives these shooters a natural quick pointing fit, which is well balanced for good swing control. The 12 gauge models incorporate all the '85 Series standard features: oversize bores, lengthened forcing cones and competition series choke tubes.

	585 YOUTH & LADIES											
GAUGE	BARREL LENGTH	CHAMBER	OVERALL LENGTH	INTER CHOKE	SIGHTS1	RIB WIOTH	AVERAGE WEIGHT*					
12	28"	3"	44 1/2"	COMP.	MFB	3/8"	7 lb. 11 oz.					
12	26"	3"	42 1/2"	COMP.	MFB	3/8"	7 lb. 9 oz.					
20	26"	3*	42 1/2"	STND-B	MFB	5/16"	6 lb. 7 oz.					

*Weights may vary due to wood density. Specifications may vary *INTER-CHOKE SYSTEMS

COMP. - Competition series includes Full, Mod., Imp. Cyl. STND-B - Standard series includes Imp. Cyl., Mod. Skeet

STOCK DIMENSIONS Drop at Comb - 1 1/2 "



585 "GOLD" SERIES

The 585 GOLD SERIES

is available in a choice of two beautiful finishes. Each having a gold pheasant and duck, a gold plated trigger and a schnabel forend.

SPORTING CLAYS & SPORTING CLAY SETS

785 SERIES

585 SERIES

505 SERIES



	785 & 585 SPORTING CLAY MODELS											
GAUGE	BARREL LENGTH	CHAMBER	OVERALL LENGTH	INTER CHOKE	SIGHTS/	RIB WIDTH	AVERAGE 785	WEIGHT*				
12	32"	3"	49 3/8"	COMP.	CP/WFB	15/32* CH/STP	8 lb. 14 oz.	8 lb. 7 oz.				
12	30"	3"	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	8 lb. 12 oz.	8 lb. 5 oz.				
12	28"	3"	45 3/8"	COMP	CP/WFB	15/32* CH/STP	8 lb. 8 oz.	8 lb. 1 oz.				
20	28"	3"	45 3/8"	STND-B	CP/WFB	CHISTP	7 lb. 6 oz.	6 lb. 14 oz.				
28	28"	2 3/4"	45 3/8"	STND-B	CP/WFB	5/16 SW	7 lb. 4 oz.	6 lb. 14 oz.				

	505 SPORTING CLAYS											
GAUGE	BARREL LENGTH	CHAMBER	OVERALL LENGTH	INTER CHOKE	SIGHTS√	RIB WIDTH	AVERAGE WEIGHT* 505					
12	30"	3"	47 3/8"	STND-B	CP/WFB	15/32" CH/STP	8 lb. 5 oz.					
12	28"	3"	45 3/8"	STND-B.	CP/WFB	15/32° CH/STP	8 lb.1 oz.					

	2 BARREL SPORTING CLAY SET											
BARREL OVERALL INTER RIB AVERAGE WEIG												
GAUGE	LENGTH	CHAMBER	LENGTH	CHOKE	SIGHTS [√]	WIDTH	785	585				
12	30"	3*	47 3/8"	COMP.	CP/WFB	15/32 CH/STP	8 lb. 14 oz.	8 lb. 3 oz.				
12	28"	3°	45 3/8"	STND-B.	CP/WFB	15/32" CH/STP	8 lb. 10 oz.	8 lb. 5 oz.				

"Weights may vary due to wood density. Specifications may vary."

INTER-CHOKE SYSTEMS

COMP. - Competition series includes SKII/SCIII.

COMP. - Competition series includes SKII/SCIII, SKI/SCI AND MOD/SCIV STND-B - Standard series includes Mod., Imp. Cyl., SKeet STOCK DIMENSIONS
Length of Pull - 14 1/4*
Drop at Comb - 1 7/16*
Drop at Heal - 1 7/8*
Drop at Heal - 1 7/8*
CP/WFB - Center Post White Front Bead
CH/STP - Center Channeled Semi Wide Step Up Rib
SW - Semi Wide Step Up Rib

The distinguished performance features of the 785 Series include: oversized hard chrome lined bores, chambers and hard chromed ejectors, a redesigned ventilated top rib, a non-reflective finish on the sighting plane, lengthened forcing cones, and competition* series inter-choke system.

*12 gauge only

TWO BARREL SETS AVAILABLE

785 SERIES & 585 SERIES



785 SERIES (SHOWN)

12ga/30" & 20ga/28"



Sporting Clays is a challenge to every sportsman who has ever shot a course; where targets move in every conceivable direction. Mastering this sport requires more than concentration and instinct. It requires a shotgun with responsive fit, balance and a fast sighting plane.

The Sporting Clay models are available in four grades; the 785, 585, 585G "Gold Package" and 505 with barrel lengths of either 28, 30 or 32 inches.

The 505 Sporting Clays model is available in 12 gauge with barrel lengths of either 30" or 28". The 505 features a schnabel forend and the standard series choke tube system.

The SKB Sporting Clay Shotgun features a low profile receiver, a stepped target style rib, a radiused recoil pad and a special sporting clay stock dimensioned for the competitive edge.

Practice. Practice. Practice...are the requirements of being a successful Sporting Clays shooter and field hunter alike. The SKB Sporting Clays Over & Under gives the sportsman the advantage of having a shotgun equipped with 3" chambers. This allows the shooter to practice hunting style shots on the sporting clays course with $2\,3/4$ " target loads developing a comfortable and instinctive style of shooting. These skills are easily taken to the field with the same shotgun using heavier 3" field loads. That's the beauty of the 3" chambered SKB Sporting Clay Over & Under.



SEMI-WIDE RIB

"SEMI-WIDE" CHANNELED rib features a 15/32" (12mm) wide step up target style rib with center channel and matte finished outer edges, equipped with a nickel center bead and a white front bead providing a guide for quick target acquisition along a broad sighting surface.

TRAP & TRAP COMBO'S



	TRAP MODELS									
	BARREL		OVERALL	INTER		785 RIB	585 RIB	AVERAGE WEIGHT*		
	LENGTH	STOCK	LENGTH		SIGHTS	WIDTH	WIDTH	785	585	
12	30"	STND	47 3/8"	COMP-A	CP/WFB	15/32" CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 7 oz.	
12	30"	MONTE	47 3/8"	COMP-A	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 7 oz.	
12	32"	STND	49 3/8"	COMP-A	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 10 oz.	
12	32"	MONTE	49 3/8"	COMP-A	CP/WFB	15/32" CH/CTD	3/8" STP	9 lb. 1 oz.	8 lb. 10 oz	

*Weights may vary due to wood density. Specifications may vary.
*INTER-CHOKE SYSTEMS

COMP. Competition series includes 2 Imp. Mod., Full, Trap Full COMP. A - Competition series includes Imp. Mod., Full, Trap Full CPWFB - Center Post White Front Bead

STP - Step Up Rib CH/STP - Center Channeled Semi Wide Step Up Rib

STOCK DIMENSIONS Length of Pull - 14 1/4" Drop at Comb - 1 3/8 * Drop at Heel - 1 3/8* (STND) Drop at Heel - 2" (MONTE)

The SKB line of Over & Under Trap Guns has evolved over many years of effort to provide the serious trap shooter with an affordable shotgun that considers weight, balance, fit, feel and trigger pull. Trap Combo's feature a set of over & under barrels and a single over barrel that utilize an interchangeable forend. These combinations are available in both the 585 and 785 grade, with a choice of three barrel length configurations and a choice of either a Standard trap stock or a Monte Carlo trap stock.

The 785 Series Trap Models are factory performance tuned with chrome plated back bored barrels, chrome plated chambers, lengthened forcing cones, a jeweled monobloc and chrome plated ejectors. The sighting plane starts with a non-reflective finish along the top of the receiver and transitions into a 12mm wide center channeled, step up target style ventilated rib equipped with a nickel center post and a white bead front

The 585 Series Trap Models also feature the factory performance tuning which includes oversized bore diameters and lengthened forcing cones to reduce recoil and deformation of shot pellets. The sighting plane on the 585 is a 9.5mm wide step up target style ventilated rib equipped with nickel center post and a white front bead. Both the 785 and 585 are equipped with the competition series choke tubes.

Performance Tuned:

OVERSIZED DIAMETER BORES **LENGTHENED FORCING CONES COMPETITION SERIES CHOKE TUBES**

785 SERIES & 585 SERIES COMBO SETS AVAILABLE



CHAMBER, EJECTORS AND BORES ARE CHROME PLATED ON ALL 785 MODELS

Choice of Either STANDARD STOCK OR MONTE CARLO STOCK



	TRAP COMBO'S - STANDARD STOCK									
	BARREL		OVERALL	INTER		785 RIB	585 RIB	AVERAGE V	VEIGHT*	
GAUGE	LENGTH	STOCK	LENGTH	CHOKE	SIGHTS*	WIDTH	WIDTH	785	585	
12	O/U-30"	STND	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 6 oz.	
12	S/O-32"	STND	49 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 6 oz.	
12	O/U-30"	STND	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 4 oz.	
12	S/O-34"	STND	51 3/8"	COMP.	CP/WFB	PURIOUS	3/8" STP	9 lb. 1 oz.	8 lb. 6 oz.	
12	O/U-32"	STND	49 3/8°	COMP.	CP/WFB	15/32° CH/STP	3/8" STP	9 lb. 0 oz.	8 lb. 7 oz.	
12	S/O-34"	STND	51 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 8 oz.	

	BARREL		OVERALL	INTER		785 RIB	585 RIB	AVERAGE V	/EIGHT*
GAUGE	LENGTH	STOCK	LENGTH	CHOKE	SIGHTS	WIDTH	WIDTH	785	585
12	O/U-30"	MONTE	47 3/8"	COMP.	CP/WFB	15/32* CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 6 oz.
12	S/O-32"	MONTE	49 3/8"	COMP.	CP/WFB		3/8" STP	9 lb. 0 oz.	8 lb. 6 oz.
12	O/U-30°	MONTE	47 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	8 lb. 15 oz.	8 lb. 4 oz.
12	S/O-34"	MONTE	513/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 6 oz.
12	O/U-32"	MONTE	49 3/8"	COMP.	CP/WFB	45 OOH	3/8° STP	9 lb. 0 oz.	8 lb. 7 oz.
12	S/O-34"	MONTE	51 3/8"	COMP.	CP/WFB	15/32" CH/STP	3/8" STP	9 lb. 1 oz.	8 lb. 9 oz.

Weights may vary due to wood density. Specifications may vary * INTER-CHOKE SYSTEMS

COMP. - Competition series includes 2 Imp. Mod., Full, Trap Full


COMP.- A - Competition series includes Imp. Mod., Full, Trap Full CPWFB - Center Post White Front Bead STP - Step Up Rib CH/STP - Center Channeled Semi Wide Step Up Rib

Length of Pull - 14 1/4" Drop al Comb - 1 3/8" Drop al Heel - 1 3/8" (STND)

STOCK DIMENSIONS

SHEET & 3 BBL SETS

785 SERIES



OVERSIZED DIAMETER BORES LENGTHENED FORCING CONES **COMPETITION SERIES CHOKE TUBES**

The new 785 series inherits its distinctive styling, engraving and finish from SKB's "MJ-5" premium grade competition over & under. The "MJ - 5" was designed and handmade specifically for Mr. Miura, the president of the NEW SKB ARMS COMPANY, a distinguished shooter in his own right. This beautiful design incorporates the performance features required by a professional target shooter and the artistry of handcrafted quality found only in the premium grade shotguns.







Drop at Comb - 1 1/2 Drop at Heel - 2 3/16

CP/WFB-Center Post/White Front Beach

SKEET MODELS									
	BARREL		OVERALL	INTER		RIB		WEIGHT*	
GAUGE	LENGTH	CHAMBER	LENGTH	CHOKE	SIGHTS√	WIDTH	785	585	
12	30"	3"	47 1/4"	COMP.	CP/WFB	3/8"	8 lb. 9 oz.	8 lb. 1 oz.	
12	28"	3*	45 1/4"	COMP	CP/WFB	3/8"	8 lb. 6 oz.	7 lb. 12 oz.	
20	28"	3*	45 1/4"	STND.	CP/WFB	5/16"	7 lb. 2 oz.	6 lb. 15 oz.	
28	28"	2 3/4"	45 1/4"	STND.	CP/WFB	5/16"	7 lb, 5 oz.	6 lb. 15 oz.	
410	28"	3*	45 1/4"	SK/SK	CP/WFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.	

3 BARREL SKEET SETS									
BARREL			OVERALL	INTER		RIB	AVERAGE WEIGHT*		
GAUGE	LENGTH	CHAMBER	LENGTH	CHOKE	SIGHTS√	WIDTH	785	585	
20	28"	3*	45 1/4"	STND.	CP/WFB	5/16"	7 lb. 2 oz.	6 lb. 15 oz.	
28	28°	2 3/4"	45 1/4"	STND.	CP/WFB	5/16"	7 lb. 5 oz.	7 lb. 0 oz.	
410	28"	3"	45 1/4"	SK/SK	CP/WFB	5/16"	7 lb. 5 oz	.7 lb.0 oz.	

*Weights may vary due to wood density. Specifications may vary.

*INTER-CHOKE SYSTEMS
COMP. - Competition series includes 2-SKI/SCI, 1-Mod/SCIV
STND. - Standard series includes Steet, Skeet and Imp. Cyl.

NOTE: 785's Are Equipped With Step-Up Style Ribs

The SKB Skeet Over & Unders have been favorites on the range for many years and are available in both the 585 and 785 series. Our competition guns give the shooter the confidence and a solid sense of balance when . . . "breakin' clays is all that matters".

Our standard features include low profile receiver with a box-lock action, manual safety, single selective trigger, automatic ejectors, a matte sighting plane equipped with a nickel center post and white front bead. All Skeet style buttstocks, regardless of gauge, STOCK DIMENSIONS Length of Pull - 14 1/8" are fitted with a radius butt pad for a fast sure mount. The 12 gauge models are performance tuned which includes oversized diameter bores (.735 approx.), lengthened forcing cones and the competition series choke tube system.



CHAMBERS, EJECTORS AND BORES ARE CHROME PLATED ON ALL 785 MODELS!



Consistency in weight, balance and feel are features of the SKB Skeet 3-Barrel Set. The set is available in 20, 28 & 410 gauge in both the 585 and 785 series. Each barrel set is furnished with its' own forend, and all fit precisely to the same action. An airline approved fitted aluminum case is included to protect your investment.

SKB EXTENDED CHOKE SYSTEM


'KNURLED" CHOKES17-4 STAINLESS STEEL

COMPETITION SERIES - 12 GA. ONLY

MANUFACTURERS ID# KNURLED	RIM NOTCHES	CONSTRICTION	PATTERN WITH LEAD SHOT	PATTERN WITH STEEL SHOT
SCST12TF	NONE	.035	TRAP FULL	**
SCST12XF	1	.030	XTRA FULL	**
SCST12F	2	.025	FULL	**
SCST12IM	3	.020	IMP MOD	XTRA FULL
SCST12M	4	.015	MOD/SC IV	FULL
SCST12SKII	5	.010	SK II/SC III	IMP MOD
SCST12IC	6	.005	IC/SC II	MOD
SCST12SKI	7	+ .005	SK I/SC I	IMP CYL

NOTE: Competition Series For SKB Models: 585, 685, 785 and 885 A series only.

The new stainless extended tubes are designed for the 12 gauge "Backbored Barrels". Backbored Barrels and a longer choke taper produce more uniform pellet pattern densities. The "knurled" choke tube allows the shooter a quick and effective means to adjust the pellet pattern for the target being presented.



INTER-CHOKE SYSTEM

COMPETITION SERIES - 12 GA. ONLY


OUTH LITTION OLI	1120 12 0	/i. U/IL/		
MANUFACTURERS ID#	RIM NOTCHES			PATTERN WITH STEEL SHOT
CST12TF	NONE	.035	TRAP FULL	**
CST12XF	1	.030	XTRA FULL	**
CST12F	2	.025	FULL	**
CST12IM	3	.020	IMP MOD	XTRA FULL
CST12M	4	.015	MOD/SC IV	FULL
CST12SKII	5	.010	SK II/SC III	IMP MOD
CST12IC 6		.005	IC/SC II	MOD
CST12SKI 7		+ .005	SK I/SC I	IMP CYL

NOTE: Competition Series For SKB Models: 585, 685, 785 and 885 A series only.

STANDARD SFRIFS - 12 GA. 20 GA. & 28 GA.

ornibilib ocilico i c uni, co uni di co uni.								
DESCRIPTION	RIM NOTCHES	CO) 12 ga.	NSTRICTI 20 ga.	ON 28 ga.	PATTERN WITH STEEL SHOT			
EXTRA FULL*	NONE	.038	*	*	**			
FULL	1	.032	.032	.025	**			
IMP MOD	2	.023	.023	.018	FULL			
MOD	3	.014	.014	.010	IMP MOD			
IMP CYL	4	.005	.005	.004	MOD			
SKEET	5	+ .004	+ .004	+ .004	IMP CYL			

NOTE: Standard Series For SKB Models: 1300, 1900, 505, 605, 385, 485 and 885. All 20 gauge & 28 gauge models utilize Standard Series choke tubes.



NOTE: The competition series and standard series inter-choke tubes are not interchangeable.

SKB SHOTGUNS

4325 So. 120th St. • Omaha, NE 68137 1-800-752-2767

^{*} Available in 12 gauge only
** Not recommended for use with steel shot