



### www.skbshotguns.com

4325 So. 120th St. Omaha, NE 68137 1-800-752-2767

The Winning Combination	2 & 3
Trigger Group, Receiver, Monobloc	4 & 5
Competitive Barrel Group	6
Tournament Stocks	7
Sporting Clays & Multi Gauge Sets	8 & 9
Trap, Unsingle & Trap Combo's	10 & 11
Skeet & Multi Gauge Sets	12 & 13
Field Models 585 and 505 Series	14 & 15
Field Models 585, 505 Series, and Youth & Ladies Models	16 & 17
New SKB GEAR	18 & 19
Choke Tubes	20

**Brochure Design** SAV ILLUSTRATIONS, INC

Creative Director Scott Valasek

www.savillustrations.com

# SKB SHOTGUNS SINCE 1855

A new line of shooting accessories called "SKB Gear" will soon be available from your local SKB dealer. The line includes soft sided gun cases, range bags, shooting vests, shell bags, hull bags and other cool stuff. Take a look at these exciting new products on pages 18 & 19.

The entire line was designed to provide the shooting enthusiast with accessories that have enhanced functional features with a very distinctive look. Durable materials, quality craftsmanship at affordable prices ... the SKB promise.




The 85TSS features a low profile box lock action fitted with a "competition barrel group", a "tournament stock and forend", and a "refined trigger group". These components are the fundamental elements which give the 85TSS its responsive handling, well balanced fit, fast sighting plane, crisp trigger, soft feel, and hard hitting attributes.

The development and design of the 85TSS series is in part, attributable to the comments and ideas received from a network of competitive shooters and customers throughout the United States and other countries. Their suggestions provided the basis for design changes, technical refinements, and the inclusion of the specialized equipment developed by leading aftermarket manufacturers. Special recognition goes to those industry professionals who provided technical assistance in the development of the new 85TSS series; Fred Wenig of Wenig Custom Gun Stocks, Mike Jordan former Winchester Pro-Staff shooter, Cliff Moller of Briley Manufacturing, Kent Heitz of HI-VIZ Sight Systems, Gary Phipps of GRACO Corporation, Rick Ranzinger of Pachmayr, and Ken Kelly of Mag-Na-Port International.

The 85TSS series is offered in a full line of Sporting, Skeet, and Trap models. With 76 different configurations to choose from, the 85TSS series is unquestionably one of the largest selections of target over & under shotguns offered by any manufacturer today.





5 B SHOTGUNS

### 85TSS SPECIFICATIONS

### ACTION

- Low Profile, Box Lock Receiver
- Modified Greener Style Locking Bolt
- Inertia Trigger ( 12 & 20ga )
- Interest ingger ( IE & Eoga )
- Mechanical Trigger (28 & 410ga)
- "V" Shaped Main Springs
- Single Selective Trigger
- Manual Safety
- Rolled Engraving Pattern
- Silver Nitride Finish

### BARREL GROUP

- 3" Chambers (except 28ga)
- Chrome Lined Barrels and Chambers
- Backbored 12ga Barrels
- Lengthened Forcing Cones
- Competition Series Choke Tube System on 12ga Models
- Standard Series Choke Tube System on 20ga, 28ga
   and 410ga Models
- Automatic Ejectors
- Ventilated Top Rib
- Ventilated Side Ribs
- Hi-Viz Competition Sights
- Nickel Center Post
- Optional Pigeon Porting

### STOCK & FOREND

**INTERNAL VIEW-**

**NON REMOVABLE TRIGGER** 

- Selected American Walnut
- 17 Lines/Inch Cut Checkering
- Matte Polyurethane Finish
- Pachmayr Recoil Pad SC100 (Sporting/Skeet)
   Classic Trap (Trap Models)
- Schnabel Forend (Sporting Clay Models)
- Full Finger Groove Forend

(Trap and Skeet Models)

- Optional Adjustable Comb Stocks
- Optional High Grade Walnut on Select Models

## RECEIVER

The 85TSS receiver is produced in two sizes; a standard frame for 12 gauge models, and a smaller frame for all 20, 28, and 410 gauge models. The receiver is cut from a forged steel ingot by computerized CNC machines to precise dimensions measured in thousandths of an inch. The final result is a low profile box lock receiver utilizing a modified "Greener" style crossbolt locking mechanism inletted at the top of the receiver. The strength of this design ensures that your SKB is capable of providing a lifetime of shooting enjoyment. The receiver is hand polished and enhanced with a rolled arabesque scroll engraving pattern. It is then protected by a silver nitride finish applied in super heated conditions that provides a corrosion resistant surface.

The monobloc is also cut from a forged steel ingot by computerized CNC machines to similar precise dimensions. The monobloc contains 2 locking lugs which engage the crossbolt, 2 integral shoulder lugs and a base lug which interlocks with the receiver as the action is closed. This combination forms one of the strongest actions on the market. The barrel tubes are seated and soldered into the monobloc to ensure the correct point of impact of both

the top and bottom barrel.

Each side of the monobloc is precisely cut for a single piece ejector and the pivot seat. The finished barrel group rotates at the pivot seat on two trunnions mounted through the sides of the receiver. After years of use, the SKB action can be easily re-tightened if need be, ensuring that your shotgun maintains a tight fit for many more years of service.

5



injection molded to precise dimension and color. A specific Litepipe kit has been selected to match the barrel configuration of each 85TSS model.

OPTIONAL PIGEON PORTING

NOW AVAILABLE 12 GA. TARGET MODELS

The 85TSS barrel group (12ga) is available with "Pigeon Porting" by Mag-Na-Port International. This porting process is accomplished by Electrical Discharge Machining (EDM), ensuring smooth incisions of exact dimensions. The "Pigeon Porting pattern" reduces perceived recoil by 15 to 20%, and muzzle lift by 60 to 80% in 12 gauge models.

There have been many changes in shotshell components in recent years. The most significant change, as it pertains to modern barrel design, was the transition from a paper wad component to the plastic shot cup. The plastic shot cup's buffering cushions and petal sidewalls allowed barrels to be designed with "lengthened forcing cones" and "oversized bores". These features produce denser and more evenly distributed patterns, while reducing felt recoil and shooter fatigue. SKB introduced both of these performance features in 1992 with the 85 series backbored barrel design. Since that time, SKB

target guns have gained a reputation of being some of the hardest hitting barrels on the tournament circuit.

The SKB 12 gauge .735 backbored barrels are produced using a hammer forging process which ensures trueness over the length of the barrel and consistent wall diameter. Fabricated from a high strength chromium alloy steel, SKB barrels are highly polished to a near mirror surface. They are then chrome lined from the chamber to the muzzle. This protective

surface reduces the corrosive effects of moisture produced by plastic shotshells and other environmental conditions. This process ensures that your SKB barrels will provide years of service.

All 85TSS barrel groups are fitted with an inter-choke tube system. Choke tube barrels are a standard feature in all gauges; 12, 20, 28, and 410. Briley Manufacturing, recognized world wide for its innovative leadership in choke tube and barrel technology, provides SKB with an array of stainless steel choke tubes. These choke tubes have been certified by Briley for use with steel shot.

A further refinement to the 85TSS series barrel group was accomplished by adding the performance enhancing feature of a competition sight system. This system utilizes a nickel mid bead and an interchangeable "Litepipe" front by HI-VIZ. This "Litepipe" system allows the shooter to be cognizant of the muzzle position while remaining focused on the flight of the target. The 85TSS sighting plane ensures fast target acquisition and proper barrel alignment.

### LITEPIPE ASSORTMENTS

COLOR	GRI	EEN RED ORANGE		GREEN RED ORANGE		WHITE	BEAD	
APERTURE SIZE	0.090	0.105	0.090	0.105	0.090	0.105	0.090	0.105
OVER/UNDER'S	1	1	1	1	1	1	1	1
2 BBL SETS	2	2	2	2				1
3 BBL SETS	3		3		3			1

Another refinement of the 85TSS competition barrel group includes incorporating a ventilated top rib and ventilated side ribs. These features allow the barrel to cool faster and reduce heat wave distortion along the sighting plane.

The performance of the 85TSS barrel group can be further enhanced by Mag-Na-Port International's patented "pigeon porting". This optional feature reduces the perceived recoil by 15 to 20%, and muzzle lift by 60 to 80% in 12ga models.

The 85TSS Tournament stocks are designed to provide the shooter with a quick handling, responsive fit. A

shotgun's "fit" is determined by the physical dimensions of the buttstock relative to the shooter's physique. These dimensions determine how fast the shooter can mount and accurately point the shotgun at a moving target. Stock dimensions affect how the shotgun is positioned in the shooter's hands and shoulder pocket, against the shooter's cheek, and the alignment of the shooter's eye to the sighting plane. Recognizing that each shotgun discipline has different requirements, and the need to "fit" our customers, tournament stocks are available in four styles: Sporting Clays, Skeet, Trap Standard, and Trap Monte Carlo. All are available with either fixed or adjustable comb.

All 85TSS tournament stocks feature a forward sweeping pistol grip with a tight radius curve. This places the shooter's hand closer to the trigger and aligns the wrist in a more natural and comfortable position. This enhances the shooter's ability to swing and control the shotgun.

GRACO "CTS" SYSTEM

CTS hardware consists of 6061-T6 aluminum base
plates and comb bushings, hardened A-2 tool steel support
posts and stainless steel fasteners. The base plates are etched with
1/16" indicating lines for offset (left & right) adjustment of the comb.


The Sporting Clays, Trap Standard, and Trap Monte Carlo tournament stocks have been cut with a parallel comb that has a neutral cast at the heel. The advantages are two fold: the alignment of the shooter's eye to the sighting plane does not change along the entire length of the comb, and the recoil of the shotgun does not direct the stock up into the shooter's cheek. The fixed comb Skeet configuration retains the more traditional dimensions of a sloping comb stock.

The tournament style stock with adjustable combs have been fitted with the GRACO "CTS" system. This system allows the shooter to adjust the comb for both height and offset. Base plates fitted in the comb are etched with 1/16" indicating lines for offset adjustment. The comb height is adjusted by sliding 1/16" vinyl washers over the support posts. This system assures the shooter that the adjustment will not change during shooting, but has the advantage of an easily repeatable adjustment if a change to the comb becomes necessary. The comb has a maximum adjustment range of 1/2' laterally and 1/2' vertically.

The tournament stocks are fit with Pachmayr recoil pads. They are constructed of a "super soft" rubber blend that provides maximum recoil reduction. The Sporting Clays and Skeet models are fit with a Decelerator SC100 pad designed for fast mounting and recoil reduction. Trap models are fit with Classic Trap pad. It's concave face and double "X" construction provides a comfortable pad with no slip positioning.

The tournament stocks and forends are carved from select American Black Walnut by computerized CNC machines to precise standards. They are then tastefully detailed with 17 line diamond cut checkering ensuring a positive grip, and are beautifully finished with a durable matte polyurethane finish.

The 85TSS tournament stock and forend balances the shotgun between the shooter's hands, allowing the gun to be mounted smoothly with a responsive feel. The stock's "fit" allows the shooter to point the shotgun accurately and comfortably control the effects of recoil.



The stock's **length of pull (LOP)** gives consideration to the general size of the shooter, and the forward or rearward placement of the shooter's cheek on the comb of the stock.

The drop at comb (DAC) and heel (DAH) is the distance measured from an imaginary horizontal line extending back from the sighting plane of the shotgun. When the shooter's cheek is resting on the comb, these dimensions affect the alignment of the shooter's eye either above or below the horizontal line of the sighting plane.

The thickness of the comb and the cast of the stock's comb determine the left or right positioning of the shooter's eye relative to the centerline of the sighting plane. The "Cast at the Toe" shifts the butt pad position to conform with the muscular structure of the chest and shoulder. The radius of the pistol grip and the length of the trigger pull (LOTP) determines the positioning of the shooter's hand, affecting both control and comfort.



GROUP



**SPORTING CLAY** 

SPORTING CLAYS AND MULTI GAUGE SETS

**ADJUSTABLE** COMB





The 28 and 410 gauge Sporting Clays models, and the multi-gauge small frame sets, are fitted with a 8.5 mm ventilated step rib. The rib has three center channel grooves bordered by two raised matted surfaces.

SPECIFICATIONS

CHAMBERS	12, 20 & 410 Ga 3" 28 Ga 2 3/4"			
TRIGGER	12 and 20 Ga Inertia 28 and 410 Ga Mechanical			
SAFETY	Manual			
BARRELS	Backbored (12 Ga.), Lengthened Forcing Cones, Chrome Lined			
JECTOR	Automatic			
VEIGHTS*	Fixed Comb - See chart for approximate value Adjustable Comb - Add 1 1/4 oz.			
BARREL SELECTOR	Determines which barrel is fired first Located on the trigger			
SIGHTS	Nickel center bead with HI-VIZ Competition Sight			
CHOKE TUBES 12 Gauge Models 20, 28 & 410 Gauge	Briley Interchoke - See chart page 20 Competition Series - Modified, Skeet II & Skeet I			

### STOCK SPECIFICATIONS SPORTING CLAYS

	LOP	LOTP	DAC	DAC	DAM
FIXED COMB	14 1/2"	3 5/8"	1 5/8"	1 5/8"	8
ADJUSTABLE COMB	14 1/2"	3 5/8"	17/8"	1 7/8"	
BUTT PAD	PACHMAYR	SC 100	Size: 0.8 Inch		

Length of pull (LOP), length of trigger pull (LOTP), drop at comb (DAC), drop at heel (DAH), drop at Monte Carlo (DAM)

### SPORTING CLAYS

CHROME LINED BACKBORED BARRELS

LENGTHENED FORCING CONES


**OPTIONAL HIGH GRADE WOOD\*** 

GA	BBL LENGTH	WEIGHT*	MANF. ID # FIXED COMB	MANF. ID # ADJ. COMB
12	32"	8 lb. 9 oz.	85T22FCSP*	85T22ACSP*
12	30"	8 lb. 7 oz.	85T20FCSP*	85T20ACSP*
12	28"	8 lb. 5 oz.	85T28FCSP	85T28ACSP
20	30"	7 lb. 10 oz.	85T00FCSP*	85T00ACSP*
20	28"	7 lb. 8 oz.	85T08FCSP	85T08ACSP
28	30"	7 lb. 8 oz.	85T80FCSP*	85T80ACSP*
28	28"	7 lb. 7 oz.	85T88FCSP	85T88ACSP
410	30"	7 lb. 10 oz.	85T40FCSP	85T40ACSP
410	28"	7 lb. 9 oz.	85T48FCSP	85T48ACSP
		MULTI	- GAUGE SETS	
12	30"	8 lb. 7 oz.	85T20C/00FCSP	85T20C/00ACSP
20	30"	8 lb. 9 oz.	031200/001 031	031200/00AG3F
12	30"	8 lb. 7 oz.	0FT30C/00FCCD	OFTOOC/ODACCD
20	28"	8 lb. 8 oz.	85T20C/08FCSP	85T20C/08ACSP
20	30"	7 lb. 8 oz.	957000/900000	057000/004000
28	30"	7 lb. 8 oz.	85T00C/80FCSP	85T00C/80ACSP
20	30"	7 lb. 8 oz.		Mary Thomas
28	30"	7 lb. 10 oz.	85T084FCSP*	85T084ACSP*
410	30"	7 lb. 12 oz.		

Information and specifications are presented for reference only and are subject to change without notice. Weights will vary due to wood density.

\*Limited quantities available with high grade wood. Weights will be greater due to the density of fancy wood.

### PIGEON PORTING Available on 12 Ga. Models



The 3-barrel multi-gauge set delivers consistency in weight, balance and feel. The 20, 28, and 410 gauge barrels are fitted with individual forends. An airline approved fitted aluminum case is included with the 3-barrel Sporting Clay set to protect your investment. 9





NEW ADJUSTABLE RIB 50/50 TO 90/10

TRAP OVER/UNDER

STD 8 lb. 10 oz. 85T20FCTN

34 MC 8 lb. 14 oz. 85T24FCTMUA\*

TRAP UNSINGLE

UNSINGLE TRAP COMBOS

34 MC 8 lb. 12 oz. 85T22FTM/24UA 85T22ATM/24UA

32 MC 8 lb. 10 oz. 85T20FTM/22UA 85T20ATM/22UA

32 STD 8lb. 10 oz. 85T20FTN/22UA 85T20ATN/22UA\*

STOCK O/U
TYPE WEIGHT\*

MC 8 lb. 12 oz.

STD 8 lb. 12 oz.

MC 8 lb. 10 oz.

34 STD 8 lb. 14 oz.

32 STD 8 lb. 12 oz.

add 1 1/4 oz. for Adjustable Comb.

BBL UN-SNL

MANF. ID # FIXED COMB

85T22FCTM

85T22FCTN

85T20FCTM

MC 8 lb. 12 oz. 85T22FCTMUA\* 85T22ACTMUA

STD 8 lb. 12 oz. 85T22FTN/24UA 85T22ATN/24UA

MC 8 lb. 10 oz. 85T20FTM/24UA 85T20ATM/24UA

STD 8 lb. 10 oz. 85T20FTN/24UA 85T20ATN/24UA

MANF. ID #

ADJ. COMB

85T22ACTM

85T22ACTN\*

85T20ACTM\*

85T20ACTN\*

85T24ACTMUA

85T24ACTNUA\*

85T22ACTNUA

STANDARD STOCK



A limited number of Trap Combo's will be produced with a 13 1/2" length of pull. These combo's will all have 30" O/U barrel and 32" unsingle barrels, with a choice of either Adjustable Monte Carlo or Adjustable Standard Comb Stock

BBL 0/U	BBL UN-SNL	STOCK TYPE		WEIGHT*	MANF. ID #
30	32	MC	ADJ	8 lb. 9 oz.	85T20ATM/22RL
30	32	STD	ADJ	8 lb. 9 oz.	85T20ATN/22RL

NOTE: The approximate weight of the shot gun with the Unsingle barrel attached is an additional 2 oz. to the overall weight shown in the chart. Add 1 1/4 oz. for Adjustable Comb

### 12 Ga. - 3" / Inertia, Manual Safety CHAMBERS/TRIGGER Backbored (12 Ga.), Lengthened Forcing Cones, Chrome Lined BARRELS Briley Interchoke - See Page 20 Competition Series - Trap Full, Full, & IMP. MOD. Competition Series - Trap Full, Full & 2-IMP. MOD. **CHOKE TUBES** O/U OF UNSINGLE COMBO'S Aluminum, Step Rib, 12 mm. With Center Channel Point Of Impact Range 50/50 to 90/10 ADJUSTABLE RIB STOCK SPECIFICATIONS TRAP STANDARD LOTP DAC DAC DAM FIXED COMB 14 3/8" 3 5/8" 1 1/2" 1 1/2" 14 3/8" 3 5/8" 1 5/8" 1 5/8" ADJUSTABLE COMB STOCK SPECIFICATIONS TRAP MONTE CARLO DAC DAM LOTP DAC FIXED COMB 14 3/8" 3 5/8" 1 1/2" 1 1/2" 2" ADJUSTABLE COMB 14 3/8" 3 5/8" 1 5/8" 1 5/8" 2"

SPECIFICATIONS

NOTE: The approximate weight of the shot gun with the Unsingle barrel attached is an additional 2 oz. to the overall weight shown in the chart. Add 1 1/4 oz. for Adjustable Comb.

BUTT PAD

PACHMAYR CLASSIC TRAP SIZE: 1.0 INCH


PIGEON PORTING Available on Trap Models
The performance tuned 85TSS Trap

Over & Under, Trap Unsingle, and Unsingle Trap Combo is available in a total of 28 variations. The specifications for each model are shown in the adjacent charts.

The new 85TSS Unsingle barrel is equipped with an adjustable rib that allows you to change the point of impact to match your style of shooting. The rib can be adjusted without special tools. Simply loosen one slotted screw with the choke tube wrench, then rotate the small knurled wheel in the muzzle support block to move the point of impact either up or down. Then retighten the slotted screw.

From the factory, the Unsingle is set to shoot approximately 65/35 or approximately 4" above the point of aim. The point of impact can be adjusted from 50/50 to 90/10 by simply rotating the wheel to change the angle of the rib.

Information and specifications are presented for reference only and are subject to change without notice. Weights will vary due to wood density,



**ADJUSTABLE RIB 50/50 TO 90/10** 





## CHROME LINED BACKBORED BARRELS LENGTHENED FORCING CONES

12 gauge Skeet models are fitted with a 9.5 mm ventilated sloped rib. The rib has three center channel grooves bordered by two raised matted surfaces.

All small gauge Skeet models, and the multi-gauge sets, are fitted with an 8.5 mm ventilated sloped rib. The rib has three center channel grooves bordered by two raised matted surfaces.



SALA PROPERTY OF THE PROPERTY	
CHAMBERS	12, 20 & 410 Ga 3" 28 Ga 2 3/4"
TRIGGER	12 and 20 Ga Inertia 28 and 410 Ga Mechanical
SAFETY	Manual
BARRELS	Backbored (12 Ga.), Lengthened Forcing Cones, Chrome Lined
EJECTOR	Automatic
WEIGHTS*	Fixed Comb - See chart for approximate value Adjustable Comb - Add 1 1/4 oz.
BARREL SELECTOR	Determines which barrel is fired first Located on the trigger
SIGHTS	Nickel center bead with HI-VIZ Competition Sight
CHOKE TUBES 12 GAUGE MODELS 20, 28 & 410 GAUGE MODELS	Briley Interchoke - See chart page 20 Competition Series - Modified, 2 - Skeet 1 Standard Series - IMP. Cylinder, 2 - Skeet

### STOCK SPECIFICATIONS SKEET

	LOP	LOTP	DAC	DAH	DAM
FIXED COMB	14 3/8"	3 5/8"	1 1/2"	2 3/16"	3
ADJUSTABLE COMB	14 3/8"	3 5/8"	1 7/8"	1 7/8"	-
BUTT PAD	PACHMAYR	SC 100	Size: 0.8 Inch	١	

Length of pull (LOP), length of trigger pull (LOTP), drop at comb (DAC), drop at heel (DAH), drop at Monte Carlo (DAM)

S	-	-	
м		-	т
<b>PA</b> 1			

GA	BBL LENGTH	WEIGHT*	MANF. ID # FIXED COMB	MANF. ID # Adj. comb
12	32"	8 lb. 6 oz.	85T22FCV*	85T22ACV*
12	30"	8 lb. 4 oz.	85T20FCV*	85T20ACV*
12	28"	8 lb. 2 oz.	85T28FCV	85T28ACV
20	30"	7 lb. 7 oz.	85T00FCV*	85T00ACV
20	28"	7 lb. 6 oz.	85T08FCV	85T08ACV
28	30"	7 lb. 10 oz.	85T80FCV*	85T80ACV
28	28"	7 lb. 9 oz.	85T88FCV	85T88ACV
410	30"	7 lb. 12 oz.	85T40FCV	85T40ACV
410	28"	7 lb. 11 oz.	85T48FCV	85T48ACV
343		MULTI	- GAUGE SETS	
20	28"	7 lb. 7 oz.		
28	28"	7 lb. 9 oz.	85T084FCV*	85T084ACV*
410	28"	7 lb. 11 oz.		
20	30"	7 lb. 7 oz.		
28	30"	7 lb. 9 oz.	85T084FCV/30*	85T084ACV/30*
410	30"	7 lb. 11 oz.	Billion Berger	

Information and specifications are presented for reference only and are subject to change without notice. Weights will vary due to wood density.

\*Limited quantities available with high grade wood. Weights will be greater due to the density of fancy wood.

## PIGEON PORTING TO PORT

The performance tuned 85TSS Skeet over & under is available in 18 models and the Skeet multi-gauge set is available in 4 models. The specifications for each model are shown in the adjacent charts.

The 85TSS Skeet models feature our new semi-wide "sloped" target rib. This new rib has three center channel grooves with matte finished outer edges and is fitted with a nickel center post and the HI-VIZ Litepipe competition sight. This new sighting plane ensures fast target acquisition and proper alignment which gives you, the shooter, an instinctive advantage.

The 3-barrel multi-gauge set delivers consistency in weight, balance and feel. The 20, 28, and 410 gauge barrels are fitted with individual forends. An airline approved fitted aluminum case is included with the 3-barrel Skeet set to protect your investment.



### 585 SPECIFICATIONS

ACTION

### STOCK & FOREND

- Select American Walnut
- 17 Lines/Inch Cut Checkering
- Fitted Grip Cap
- Fitted Butt Pad (12ga) Fitted Butt Plate

(small gauge Field Models)

Low Profile Receiver with Box

Single Selective Trigger
Manual Safety
Rolled Engraving Pattern
Silver Nitride Finish

- Silver Nitride Finish
   Inertia Triggers (12 & 20ga)
   Mechanical Trigger (28 & 410ga)
   Backbored Barrels (12ga Only)
   Lengthened Forcing Cones
   Competition Series Choke Tube
  - System on 12ga Models

BARREL GROUP

Lock (Greener Style Cross Bolt) Standard Series Choke Tube System on 20ga, 28ga and 410ga Models

Automatic Ejectors

Ventilated Top Rib Full Side Ribs

### 505 SPECIFICATIONS

### STOCK & FOREND

- Select American Walnut
- 17 Lines/Inch Cut Checkering
- Fitted Grip Cap
- Fitted Butt Pad (12ga)
- Fitted Butt Plate (20ga)

### ACTION

- Single Selective Trigger Manual Safety
- Rolled Engraving Pattern
- Deep Luster Blueing Inertia Triggers
- Low Profile Receiver with Box
- Lock (Greener Style Cross Bolt)

### BARREL GROUP

- Automatic EjectorsVentilated Top RibFull Side Ribs
- Standard Diameter Bore
- Lengthened Forcing Cones

 Standard Series Choke Tube System on 12ga and 20ga Models



The 505 Series is known for its value and affordability. It's produced with the same quality and hand-made craftsmanship as our most expensive model.





The Field Model is designed to provide the hunter with a well balanced, fast shouldering shotgun. These guns are dimensioned for consistent point and swing control, and are available in 12, 20, 28, & 410 gauge. Our standard features include: a finely engraved low profile receiver, Greener style cross-bolt, box lock action, manual safety conveniently located on the top tang, single selective trigger, and automatic ejectors. Each shotgun is fitted with a sculpted American Black Walnut pistol grip stock & forend.

"SKINNER" STAG FIXED BLADE



The 505 Field is designed with an emphasis toward Quality and Affordability. These models are an extraordinary value, equiped with standard features which include: a finely engraved receiver with a deep blue finish, a single selective trigger, automatic ejectors, manual safety, American Black Walnut stock and forend. The 505s utilize the Standard Series Briley interchokes. Both 12 gauge models, and the 20ga./28" Model are packaged with a Full, Modified, and Imp. Cylinder choke tube. The 20ga./26" model is packaged with a Modified, Improved Cylinder, and Skeet choke tube.

(See photo on pages 14 & 15)

	BBL		MANF. ID #	MANF. ID #
GA	LENGTH	WEIGHT*	SILVER	SILVER/GOLD
12	28"	7 lb. 12 oz.	S5828CF	SG5828CF
12	26"	7 lb. 11 oz.	S5826CF	SG5826CF
20	28"	6 lb. 12 oz.	S5808CF	SG5808CF
20	26"	6 lb. 10 oz.	S5806CF	SG5806CF
28	28"	6 lb. 14 oz.	S5888CF	SG5888CF
28	26"	6 lb. 13 oz.	S5886CF	SG5886CF
410	28"	7 lb. 0 oz.	S5848CF	SG5848CF
110	26"	6 lb. 14 oz.	S5846CF	SG5846CF

The 585 Youth and Ladies Field Model takes into consideration the shorter arm		585 MULTI-GAUGE FIELD SETS (12 & 20), (20 & 28), (28 & 410			
reach of these individuals by featuring a 13 1/2" length of pull stock. The stock		BBL		MANF. ID #	MANF. ID #
is fitted with a .6 inch black Pachmayr decelerator pad. This reduced length gives	GA	LENGTH	WEIGHT*	SILVER	SILVER/GOLD
these shooters a natural quick pointing fit, which is well balanced for good swing	12	28"	7 lb. 11 oz.	S5828C/	SG5828C/
control. The 12 gauge models incorporate all the '85 Series standard features:	20	28"	7 lb. 12 oz	5808CF	5808CF
oversize bores, lengthened forcing cones and competition series choke tubes.	12	28"	7 lb. 11 oz.	S5828C/	SG5828C/
	20	26"	7 lb. 12 oz.	5806CF	5806CF
	20	28"	7 lb. 2 oz.	S5808C/	SG5808C/
	28	28"	7 lb. 1 oz.	5888CF	5888CF
	20	26"	7 lb. 1 oz.	S5806C/	SG5806C/
	28	26"	7 lb. 0 oz.	5886CF	5886CF
	28	28"	7 lb. 1 oz.	S5888C/	SG5888C/
	410	28"	7 lb 2 oz.	5848CF	5848CF
	28	28"	7 lb. 1 oz.	S5888C/	SG5888C/
	410	26"	7 lb. 0 oz.	5846CF	5846CF

585 YOUTH & LADIES SERIES					
	BBL			MANF. ID #	
GA	LENGTH	WEIGHT*	SILVER	SILVER/GOLD	
12	28"	7 lb. 11 oz.	S5828CFY	SG5828CFY	
12	26"	7 lb. 9 oz.	S5826CFY	SG5826CFY	
20	26"	6 lb. 7 oz.	S5806CFY	SG5806CFY	

505 FILED MODEL SERIES							
12GA FIELD 20GA FIELD							
GA	BBL LENGTH	WEIGHT*	MANF. ID # Matte	GA	BBL LENGTH	WEIGHT*	MANF. ID #
12	28"	7 lb. 12 oz.	S528CFP	20	28"	6 lb. 12 oz.	S508CFP
12	26"	7 lb. 11 oz.	S526CFP	20	26"	6 lb. 10 oz.	S506CFP



Mesh Hull Bag (Mfg Item # MHB-O)

Mesh Hull Bag with Shell Box Holder (Mfg Item # MHB-1)



Our Mesh Hull Bags are fitted with two heavy duty belt clips. The snap spring top closure and zipper bottom allows for easy

Bag with Two Shell **Box Holders** (Mfg Item # MHB-2)



ivided Shell **Pouch with Belt** (Mfg Item # RLB-D)



Shotgun Case 49" fits up to 30" barrel

(Mfg Item # GC-49)

Our Gun Case is constructed from heavy duty 600 Denier nylon and is backed with high density foam padding. The interior is lined with a soft velveteen cloth to protect your shotgun. A large full length zipper and large padded muzzle cap allows for easy access. The case also features two accessory pockets, adjustable shoulder strap and padded handles.



Shotgun Case 51" fits up to 32" barrel

(Mfg Item # GC-51)



Shotgun Case 53" fits up to 34" barrel

(Mfg Item # GC-53)



Choke Tube Case (Mfg Item # CTZC)

The Choke Tube Zipper Case includes

6 plastic vials with caps which are

sized to fit the larger extended SKB

choke tube. The case includes a small

zipper pocket for a choke tube wrench.

The case has two belt loops sized to fit

a 2" web belt and a D ring snap.

Range Bag (12 x 7 x 11) (Mfg Item # RB-M)

handle.



Range Bag (12 x 7 x 8) (Mfg Item # RB-S)

The Range Bags main compartment holds

The bag is fitted with 4 outer pockets for ad-

ditional accessories and a water bottle

shoulder strap and a padded carrying

holder. The bag has a detachable

shell boxes and other large shooting accessories.



Shell Box

(Mfg Item #

are fitted with two

easy unloading.

Holder



(Mfg Item # SB)

One liter polycarbonate available in Red, Blue and



SKB SHOOTING VEST The SKB Deluxe

Nylon Mesh shooting vest features full length

quilted shoulder pad

with an interior pocket

for additional padding. Adjustable waist straps

insure a comfortable fit.

S, M, L, XL, 2XL, 3XL

Available in sizes:

Other shooting

vest features

include rear

hull pocket

with zipper,

pocketed re shoot loops

and front

bellow

pockets.

150th Anniversary Hat

3-D Embroidered SKB Logo Visor

with a velcro adjustable strap.

Is a rolled crown, 6-panel hat, washed cotton twill, wafer bill,

The visor is a washed polo twill with a velcro adjustable strap.

3-D embroidered SKB logo, with a velcro adjustable strap.

The Shell Box Holder Reloaders Bag and Reloaders Bags (Mfg Item # RLB-1)



Reloaders Bag with Two Shell **Box Holders** 

(Mfg Item # RLB-2)



**Protective Counter Pad** (Mfg Item # PAD)

### Sports Bottle

SKB "85TSS Exploding Target" Hat The rolled crown, 6-panel hat is a cotton twill, washed polo



3" LOCK BACK STAG FOLDER



3 1/2" LOCK BACK STAG FOLDER



"SKINNER" STAG FIXED BLADE



"HUNTER" STAG FIXED BLADE



### FOLDING KNIVES

5110

SK SHOTEUNS

SK SHOTAUN

SKB Logo T-Shirts (Back view)

85TSS Logo T-Shirts (Back view)

100% cotton, Black or Gray Size: M, L, XL, 2XL, 3XL

150th Anniversary T-Shirts (Front and Back view)

100% cotton, Black or Gray Size: M, L, XL, 2XL, 3XL

100% cotton, Black or Gray Size: M, L, XL, 2XL, 3XL

Hollow Ground Drop Point **Brushed Stainless Bolsters European Red Stag Horn Scales Production Quantity 350 Pieces** 

### **FIXED BLADE KNIVES**

440A Drop Point Hollow Ground Blade Full Tang Design with Rockwell R56-57 **European Red Stag Horn Scales** 10Kt Gold Plated Solid Brass Bolsters Hand Stitched Leather Sheath **Production Quantity: 350 Pieces** 





Magnetic Rib sight is available in three sizes and includes 4 interchangeable Litepipes,

Comp Site Kit replaces any SKB front sight, includes base, mounting screws, carrying case, key and 8 Litepipes.

Spark Sight fits all SKB Field Models. Available in Red or Green (6/48 thread)

For a complete listing of specific models each site fits, visit our web site at www.skbshotguns.com





CYL

# 12 gauge Extended by COTTS The Shooter's Choice Solve of the Shooter's Choice The Sh

Choke Tubes
Competition & Standard Series

COMPETITION Extended 12 gauge	CARLSON'S MFG ID#	CONSTRICTION
TRAP FULL**	XCST12TF	.035
EXTRA FULL**	XCST12XF	.030
FULL**	XCST12F	.025
IMP. MODIFIED	XCST12IM	.020
MODIFIED	XCST12M	.015
SKEET II	XCST12SKII	.010
IMP. CYLINDER	XCST12IC	.005
CYLINDER	XCST12CYL	.000
SKEET I	XCST12SKI	+.005

NOTE: Competition Series for SKB Models: 585, 685, 785, 885A and 85TSS.

\*\*Not recommended for use with steel shot.

STANDARD SERIES 12 GAUGE	CARLSON'S MFG ID#	CONSTRICTION
EXTRA FULL**	XCTS12XF	.035
FULL**	XCTS12F	.025
IMP. MODIFIED	XCTS12IM	.020
MODIFIED	XCTS12M	.015
SKEET II	XCTS12SKII	.010
IMP. CYLINDER	XCTS12IC	.005
CYLINDER	XCTS12CYL	.000
SKEET I	XCTS12SKI	+.005

NOTE: 12 gauge Standard Series for SKB Models: 1300, 1900, 505, 605, 385, 485 and 885.

# 20 gauge Extended by **Extended by**

STANDARD SERIES 20 GAUGE	HASTING'S MFG ID#	RIM NOTCH	CONSTRICTION	
EXTRA FULL**	SCST20XF	NONE	.040	
FULL**	SCST20F	1	.033	
IMP. MODIFIED	SCST20IM	2	.026	
MODIFIED	SCST20M	3	.019	
SKEET II	SCST20SKII	4	.012	
IMP. CYLINDER	SCST20IC	5	.005	
SKEET I	SCST20SKI	6	+.004	





## BRILE Y Inter-Chokes STANDARD SERIES

## **12** gauge Competition Series

COMPETITION 12 GAUGE	MANUFACTURER ID#	RIM HOTCH	CONSTRICTION
TRAP FULL**	CSTS12TF	NONE	.035
EXTRA FULL**	CSTS12XF	1	.030
FULL**	CSTS12F	2	.025
IMP. MODIFIED	CSTS12IM	3	.020
MODIFIED	CSTS12M	4	.015
SKEET II	CSTS12SKII	5	.010
IMP. CYLINDER	CSTS12IC	6	.005
SKEET I	CSTS12SKI	7	+.005

NOTE: Competition Series for SKB Models: 585, 685, 785, 885A and 85TSS.

NEW! Choke Tube Zipper Case. Includes 6 plastic vials with caps sized to fit the larger extended choke tube. Small zipper pocket for wrench storage.





**2 20 28 4**10

The second secon			and the same of th
STANDARD SERIES 12 GAUGE	MANUFACTURER ID#	RIM Notch	CONSTRICTION
EXTRA FULL**	CTS12XF	NONE	.038
FULL**	CTS12F	1	.032
IMP. MODIFIED	CTS12IM	2	.023
MODIFIED	CTS12M	3	.014
IMP. CYLINDER	CTS12IC	4	.005
SKEET	CTS12SK	5	+.004
STANDARD SERIES 20 GAUGE	MANUFACTURER ID#	RIM Notch	CONSTRICTION
FULL**	CTS20F	1	.032

IMP. MODIFIED	CTS20IM	2	.023
MODIFIED	CTS20M	3	.014
IMP. CYLINDER	CTS20IC	4	.005
SKEET	CTS20SK	5	+.004
STANDARD SERIES 20 GAUGE	MANUFACTURER ID#	RIM Notch	CONSTRICTION
FULL**	CTS28F	1	.025
IMP. MODIFIED	CTS28IM	2	.018
MODIFIED	CTS28M	3	.010
IMP. CYLINDER	CTS28IC	4	.004
SKEET	CTS28SK	5	+.004
STANDARD SERIES 28 GAUGE	MANUFACTURER ID#	RIM Notch	CONSTRICTION
FULL**	CTS410F	9	.024
IMP. MODIFIED	CTS410IM	2	020

## ROTCH

FULL\*\* CTS410F 1 .024

IMP. MODIFIED CTS410IM 2 .020

MODIFIED CTS410M 3 .015

IMP. CYLINDER CTS410IC 4 .010

SKEET CTS410SK 5 .006

NOTE: 12 gauge Standard Series for SKB Models: 1300, 1900, 505, 605, 385, 485 and 885.

All 20 gauge, 28 gauge and 410 models utilize Standard Series choke tubes.

\*\*Not recommended for use with steel shot.
Information and specifications are presented for reference
only and are subject to change without notice.

<sup>\*\*</sup>Not recommended for use with steel shot.