

SKB

Since 1855



SKB Shotguns is proud to have partnered with these organizations whose focus and efforts are dedicated to the development and growth of youth programs in shooting sports.

We recognize the efforts of the dedicated staff, mentors, coaches and parents that provide the education and training, that instill the safe practices of handling and use of firearms, teach leadership skills, foster individual sportsmanship, and personal responsibility in these young athletes across the nation.



Our mission is to promote a premier program for the development and recognition of young trapshooting athletes, providing a safe and positive experience with firearms, encouraging good sportsmanship and personal responsibility through competition.

For more information visit aim4ata.com



Our mission is to provide, promote and perpetuate opportunities for young athletes to safely and enjoyably participate and compete in team based shooting sports.

For more information visit sssfonline.org



Changing the future of youth shooting sports

Our Mission:

We help communities and organizations raise funds to support their high school, college, and other youth shooting teams and activities.

Midwayusafoundation.org

2016 Fundraising shotgun available exclusively from MidwayUSA Foundation.



Model 200HR 28ga/28"

visit midwayusafoundation.org/promos

Table of Contents

Page 1 & 2	-	Table of Contents
Page 3 & 4	-	SxS Profile
Page 5 & 6	-	SxS Butts, Thin Wall Chokes, 200HR
Page 7 & 8	-	SxS 200, 250 Field & Multi Gauge
Page 9 & 10	-	SxS 7000SL Side Lock
Page 11 & 12	-	90TSS Target
Page 13 & 14	-	90TSS Trap & Sporting
Page 15 & 16	-	90TSS Skeet & Century III
Page 17 & 18	-	Century III
Page 19 & 20	-	Century III & Charts
Page 21 & 22	-	RS 300
Page 23 & 24	-	RS 300 & Features
Page 25 & 26	-	IS300 Field
Page 27 & 28	-	IS300 Inertia System
Page 29 & 30	-	590 Field
Page 31 & 32	-	Gun Cases & Chokes
Page 33 & 34	-	Chokes & Gear

3.

SXSS

**3 Frame Sizes
4 Gauges**

12ga

20ga

**28ga &
410ga**

4.

200HR




The trigger plate action features a non-selectable single trigger with a firing sequence of right then left barrel. Our crisp feeling trigger is a combination of the length of travel and applied finger pressure apply to release the hammer. As the trigger is pulled rearward, the sear tail lifts vertically; releasing the sear from the hammer. Simultaneously the V-shaped hammer spring propels the hammer forward providing nearly instantaneous lock time.



200 & 250

- 24 line hand checked butt stock





200HR

- Left Hand Cast Stocks Available On Limited 200HR Models

- Pachmayr SC100 Sporting pad

Thin Wall Chokes

All side by side shotguns are equipped with the flush fit thin wall choke tube system. Accessory, Extended style, choke tubes are available.




- Schnabel Forend

- Target Sights
Center Bead and White Front Bead

- Raised Ventilated Rib
With Matted Radial Cut Pattern

- Pistol Grip Stock with Pachmayr SC100 Pad



MODEL 200HR TARGET & MULTI GAUGE SET

Gauge	Barrel Length	Manufacturer's Identification Number	Trigger	Stock Type	Stock Cast	Forend Type	Approximate Weight	Suggested Retail
12	32"	2322SHPB	Single	Pistol Grip	Right	Schnabel	8 lbs. 0 oz.	\$2,500.00
12	30"	2320SHPB	Single	Pistol Grip	Right	Schnabel	7 lbs. 13 oz.	\$2,500.00
12	28"	2328SHPB	Single	Pistol Grip	Right	Schnabel	7 lbs. 10 oz.	\$2,500.00
20	30"	2300SHPB	Single	Pistol Grip	Right	Schnabel	7 lbs. 6 oz.	\$2,500.00
20	28"	2308SHPB	Single	Pistol Grip	Right	Schnabel	7 lbs. 3 oz.	\$2,500.00
28	30"	2380SHPB	Single	Pistol Grip	Right	Schnabel	6 lbs. 12 oz.	\$2,625.00
28	28"	2388SHPB	Single	Pistol Grip	Right	Schnabel	6 lbs. 10 oz.	\$2,625.00
410	30"	2340SHPB	Single	Pistol Grip	Right	Schnabel	6 lbs. 6 oz.	\$2,625.00
410	28"	2348SHPB	Single	Pistol Grip	Right	Schnabel	6 lbs. 4 oz.	\$2,625.00
12	32"	2322SHPBL	Single	Pistol Grip	Left	Schnabel	8 lbs. 0 oz.	\$2,500.00
12	30"	2320SHPBL	Single	Pistol Grip	Left	Schnabel	7 lbs. 13 oz.	\$2,500.00
20	30"	2300SHPBL	Single	Pistol Grip	Left	Schnabel	7 lbs. 3 oz.	\$2,500.00
28	30"	2380SHPBL	Single	Pistol Grip	Left	Schnabel	6 lbs. 12 oz.	\$2,625.00
410	30"	2340SHPBL	Single	Pistol Grip	Left	Schnabel	6 lbs. 4 oz.	\$2,625.00
28 & 410	30"	2380SHPB/40	Single	Pistol Grip	Right	Schnabel	6 lbs. 12 oz.	\$3,600.00
28 & 410	28"	2388SHPB/48	Single	Pistol Grip	Right	Schnabel	6 lbs. 10 oz.	\$3,600.00

Target Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 3/8", Drop at Heel: 2 1/4"

200HR Target Choke Tubes: Full, Imp. Modified, Modified, Imp. Cylinder, and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

200



- Trigger Plate Action
- Bison Bone Charcoal Case Hardening
- Single Non-Selective Trigger
- Manual Safety

- Platform Lump Barrel Design
- Raised Solid Rib with a Machined Matte Surface
- Automatic Ejectors
- 5 Thin Wall choke Tubes

MODEL 200 FIELD & MULTI GAUGE SET

Gauge	Barrel Length	Manufacturer's Identification Number	Trigger	Stock Type	Forend Type	Approximate Weight	Suggested Retail
12	30"	2020SWB	Single	Pr. Wales	Beaver	7 lbs. 9 oz.	\$2,100.00
12	28"	2028SWB	Single	Pr. Wales	Beaver	7 lbs. 6 oz.	\$2,100.00
12	26"	2026SWB	Single	Pr. Wales	Beaver	7 lbs. 4 oz.	\$2,100.00
20	30"	2000SWB	Single	Pr. Wales	Beaver	6 lbs. 10 oz.	\$2,100.00
20	28"	2008SWB	Single	Pr. Wales	Beaver	6 lbs. 8 oz.	\$2,100.00
20	26"	2006SWB	Single	Pr. Wales	Beaver	6 lbs. 6 oz.	\$2,100.00
28	28"	2088SWB	Single	Pr. Wales	Beaver	6 lbs. 0 oz.	\$2,250.00
28	26"	2086SWB	Single	Pr. Wales	Beaver	5 lbs. 14 oz.	\$2,250.00
410	28"	2048SWB	Single	Pr. Wales	Beaver	5 lbs. 10 oz.	\$2,250.00
410	26"	2046SWB	Single	Pr. Wales	Beaver	5 lbs. 8 oz.	\$2,250.00
28 & 410	28"	2088SWB/48	Single	Pr. Wales	Beaver	6 lbs. 0 oz.	\$3,200.00
28 & 410	26"	2086SWB/46	Single	Pr. Wales	Beaver	5 lbs. 14 oz.	\$3,200.00

Field Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 3/8", Drop at Heel: 2 1/4"

200 Field Choke Tubes: Full, Imp. Modified, Modified, Imp. Cylinder, and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

250



- Oil Finished Turkish Walnut
- Prince of Wales Stock
- Hand Checkered
- Semi Beavertail Forend
- Checkered Butt Plate

MODEL 250 FIELD & MULTI GAUGE SET

Gauge	Barrel Length	Manufacturer's Identification Number	Trigger	Stock Type	Forend Type	Approximate Weight	Suggested Retail
20	30"	2500SWB	Single	Pr. Wales	Beaver	6 lbs. 10 oz.	\$2,600.00
20	28"	2508SWB	Single	Pr. Wales	Beaver	6 lbs. 8 oz.	\$2,600.00
20	26"	2506SWB	Single	Pr. Wales	Beaver	6 lbs. 6 oz.	\$2,600.00
28	30"	2588SWB	Single	Pr. Wales	Beaver	6 lbs. 2 oz.	\$2,725.00
28	28"	2588SWB	Single	Pr. Wales	Beaver	6 lbs. 0 oz.	\$2,725.00
28	26"	2586SWB	Single	Pr. Wales	Beaver	5 lbs. 14 oz.	\$2,725.00
410	30"	2548SWB	Single	Pr. Wales	Beaver	5 lbs. 12 oz.	\$2,725.00
410	28"	2548SWB	Single	Pr. Wales	Beaver	5 lbs. 10 oz.	\$2,725.00
410	26"	2546SWB	Single	Pr. Wales	Beaver	5 lbs. 8 oz.	\$2,725.00
28 & 410	28"	2588SWB/48	Single	Pr. Wales	Beaver	6 lbs. 0 oz.	\$3,700.00
28 & 410	26"	2586SWB/46	Single	Pr. Wales	Beaver	5 lbs. 14 oz.	\$3,700.00

Field Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 3/8", Drop at Heel: 2 1/4"


250 Field Choke Tubes: Full, Imp. Modified, Modified, Imp. Cylinder, and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

7000SL

The 7 pin lock features a heavy duty V shaped hammer spring, a hammer sear and an intercepting safety sear to prevent accidental discharge. Inlaid into the hammer axle is a gold colored line which provides a visual indication of the hammer's position; either cocked or fired.

Classic 7 Pin System



The 7000SL is a premium grade, 7 pin side lock shotgun. The receiver is richly finished with hand engraved delicate scroll and a beautiful bone charcoal color casing. The barrels are highly polished, then hot blued, resulting in a deep lustre finish. The Prince of Wales stock is carved from Grade III Turkish walnut, then hand fit to the receiver to ensure precise wood to metal juncture. The grip areas and butt end of the stock are hand checkered and finished with a hand rubbed oil.

This modern classic features chrome lined barrels with 3" chambers which are fitted with thin wall Teague style choke tubes.

MODEL 7000 SIDE LOCK

Gauge	Barrel Length	Manufacturer's Identification Number	Trigger	Stock Type	Forend Type	Approximate Weight	Suggested Retail
12	30"	7020SWB	Single	Pr. Wales	Beaver	7 lbs. 6 oz.	\$6,500.00
12	28"	7028SWB	Single	Pr. Wales	Beaver	7 lbs. 3 oz.	\$6,500.00
20	30"	7000SWB	Single	Pr. Wales	Beaver	6 lbs. 14 oz.	\$6,500.00
20	28"	7008SWB	Single	Pr. Wales	Beaver	6 lbs. 12 oz.	\$6,500.00

Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 3/8", Drop at Heel: 2 1/4"

7000SL Choke Tubes: Full, Imp. Modified, Modified, Imp. Cylinder, and Skeet



Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

90TSS

TRAP SPORTING SKEET



← **R** →
LEFT HAND RIGHT HAND



Target Models Designed To Fit You Today & For Years To Come

TRAP



The 90TSS performance tuned competition Trap models are available as either an Over & Under or as combination; Over & Under with a 34" Top Single barrel.



90TSS TRAP OU & COMBOS

Gauge	Barrel Length	Manufacturer's Identification Number	Stock Type	Stock Cast	Stock Comb	Butt Pad System	Approximate Weight*	Suggested Retail
12 ga	30"	90T20ACTN	Standard	Right	Adjustable	Adjustable	8 lbs. 12 oz.	\$1,800.00
12 ga	30"	90T20ACTNL	Standard	Left	Adjustable	Adjustable	8 lbs. 12 oz.	\$1,800.00
12 ga	30"	90T20ACTNR	Youth	Right	Adjustable	Adjustable	8 lbs. 10 oz.	\$1,800.00
12 ga	32"	90T22ACTN	Standard	Right	Adjustable	Adjustable	8 lbs. 14 oz.	\$1,800.00
12 ga	32"	90T22ACTNL	Standard	Left	Adjustable	Adjustable	8 lbs. 14 oz.	\$1,800.00
12 ga	32"	90T22ACTNR	Youth	Right	Adjustable	Adjustable	8 lbs. 12 oz.	\$1,800.00

Gauge	Barrel Length	Manufacturer's Identification Number	Stock Type	Stock Cast	Stock Comb	Butt Pad System	Approximate Weight*	Suggested Retail
12 ga	30" / 34"	90T20ACTN/24	Standard	Right	Adjustable	Adjustable	8 lbs. 12 oz.	\$2,600.00
12 ga	30" / 34"	90T20ACTN24L	Standard	Left	Adjustable	Adjustable	8 lbs. 12 oz.	\$2,600.00
12 ga	30" / 34"	90T20ACTN/24R	Youth	Right	Adjustable	Adjustable	8 lbs. 10 oz.	\$2,600.00
12 ga	32" / 34"	90T22ACTN/24	Standard	Right	Adjustable	Adjustable	8 lbs. 14 oz.	\$2,600.00
12 ga	32" / 34"	90T22ACTN/24L	Standard	Left	Adjustable	Adjustable	8 lbs. 14 oz.	\$2,600.00
12 ga	32" / 34"	90T22ACTN/24R	Youth	Right	Adjustable	Adjustable	8 lbs. 12 oz.	\$2,600.00

Target Stock Dimensions:

Adjustable Butt Plate: Length of Pull LOP (Compressed) : 14" < > (Extended) : 15 1/4"
 Adjustable Butt Plate: Youth Length of Pull LOP (Compressed) : 13 1/2" < > (Extended) : 14 3/4"
 Adjustable Comb: Drop at Comb = 1 1/2" Drop at Heel = 1 1/2"

90TSS Trap Choke Tubes: Full, Imp. Mod., and Modified

90TSS Trap Combo Choke Tubes: Full, 2 -Imp. Mod., and Modified

*With 34" Single Barrel attached, the overall weight of the shotgun is reduced by 2 oz.

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions.
 Specifications are subject to change without notice. Weights will vary due to wood density

SPORTING



Our 90TSS "Clays" is available in either 12 or 20ga models, with choice of parallel comb or standard comb tournament butt stock.



90TSS SPORTING

Gauge	Barrel Length	Manufacturer's Identification Number	Stock Type	Stock Cast	Stock Comb	Butt Pad System	Approximate Weight	Suggested Retail
12 ga	32"	90T22ACSP	Sporting	Right	Adjustable	Adjustable	8 lbs. 12 oz.	\$1,800.00
12 ga	30"	90T20ACSP	Sporting	Right	Adjustable	Adjustable	8 lbs. 10 oz.	\$1,800.00
12 ga	28"	90T28ACSP	Sporting	Right	Adjustable	Adjustable	8 lbs. 8 oz.	\$1,800.00
20 ga	32"	90T02ACSP	Sporting	Right	Adjustable	Adjustable	8 lbs. 0 oz.	\$1,800.00
20 ga	30"	90T00ACSP	Sporting	Right	Adjustable	Adjustable	7 lbs. 14 oz.	\$1,800.00
20 ga	28"	90T08ACSP	Sporting	Right	Adjustable	Adjustable	7 lbs. 12 oz.	\$1,800.00
12 ga	32"	90T22ACSPL	Sporting	Left	Adjustable	Adjustable	8 lbs. 12 oz.	\$1,800.00
12 ga	30"	90T20ACSPL	Sporting	Left	Adjustable	Adjustable	8 lbs. 10 oz.	\$1,800.00
12 ga	28"	90T28ACSPL	Sporting	Left	Adjustable	Adjustable	8 lbs. 8 oz.	\$1,800.00
20 ga	32"	90T02ACSPL	Sporting	Left	Adjustable	Adjustable	8 lbs. 0 oz.	\$1,800.00
20 ga	30"	90T00ACSPL	Sporting	Left	Adjustable	Adjustable	7 lbs. 14 oz.	\$1,800.00
20 ga	28"	90T08ACSPL	Sporting	Left	Adjustable	Adjustable	7 lbs. 14 oz.	\$1,800.00
12 ga	32"	90T22PCSP	Spt Parallel	Right	Adjustable	Adjustable	8 lbs. 12 oz.	\$1,800.00
12 ga	30"	90T20PCSP	Spt Parallel	Right	Adjustable	Adjustable	8 lbs. 10 oz.	\$1,800.00
12 ga	32"	90T22PCSPL	Spt Parallel	Left	Adjustable	Adjustable	8 lbs. 12 oz.	\$1,800.00
12 ga	30"	90T20PCSPL	Spt Parallel	Left	Adjustable	Adjustable	8 lbs. 10 oz.	\$1,800.00


Target Stock Dimensions:

STD-ADJ Butt Plate: Length of Pull LOP (Compressed) : 14" < > (Extended) : 15 1/4"
 Adjustable Standard Comb: Drop at Comb = 1 5/8" Drop at Heel = 2 3/8"
 PAR-ADJ Butt Plate: Length of Pull LOP (Compressed) : 14 1/4" < > (Extended) : 15 1/2"
 Adjustable Parallel Comb: Drop at Comb = 1 1/2" Drop at Heel = 1 1/2"

90TSS Sporting Choke Tubes: Modified, Light Modified., and Improved Cylinder

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions.
 Specifications are subject to change without notice. Weights will vary due to wood density

SKEET




Available in both 12 and 20ga models, the 90TSS Skeet is offered with a non-adjustable tournament stock, in 32, 30 and 28" barrels

12ga

Fabricated from high strength 4140 steel; the barrels are cut with 3" chambers, lengthened forcing cones, fitted with competition series choke tubes and equipped with automatic ejectors. The finished barrel has a highly polished chrome interior, jeweled monbloc and matte black chrome exterior. The sighting plane is a 10mm top ventilated rib with a matte surface and target sights.

Solid billets of high strength steel are cut by CNC machines to precise dimension creating the box lock action. The 90TSS utilizes a tapered steel locking bolt which engages the full width of the barrel lug. The barrel rotates on two trunnions mounted through the sides of the receiver. The manual safety with integral barrel selector are located on the top tang.



90TSS SKEET

Gauge	Barrel Length	Manufacturer's Identification Number	Stock Type	Stock Cast	Stock Comb	Butt Pad System	Approximate Weight	Suggested Retail
12 ga	32"	90T22FCV	Skeet	Right	Fixed	Fixed	8 lbs. 8 oz.	\$1,470.00
12 ga	30"	90T20FCV	Skeet	Right	Fixed	Fixed	8 lbs. 6 oz.	\$1,470.00
12 ga	28"	90T28FCV	Skeet	Right	Fixed	Fixed	8 lbs. 4 oz.	\$1,470.00
20 ga	32"	90T02FCV	Skeet	Right	Fixed	Fixed	7 lbs. 14 oz.	\$1,470.00
20 ga	30"	90T00FCV	Skeet	Right	Fixed	Fixed	7 lbs. 12 oz.	\$1,470.00
20 ga	28"	90T08FCV	Skeet	Right	Fixed	Fixed	7 lbs. 10 oz.	\$1,470.00
12 ga	32"	90T22FCVL	Skeet	Left	Fixed	Fixed	8 lbs. 8 oz.	\$1,470.00
12 ga	30"	90T20FCVL	Skeet	Left	Fixed	Fixed	8 lbs. 6 oz.	\$1,470.00
12 ga	28"	90T28FCVL	Skeet	Left	Fixed	Fixed	8 lbs. 4 oz.	\$1,470.00
20 ga	32"	90T02FCVL	Skeet	Left	Fixed	Fixed	7 lbs. 14 oz.	\$1,470.00
20 ga	30"	90T00FCVL	Skeet	Left	Fixed	Fixed	7 lbs. 12 oz.	\$1,470.00
20 ga	28"	90T08FCVL	Skeet	Left	Fixed	Fixed	7 lbs. 10 oz.	\$1,470.00

Skeet Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 3/8", Drop at Heel: 2 1/8"

90TSS Skeet Choke Tubes: Improved Cylinder and 2 - Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density



The new 90TSS trigger system has an improved mechanical trigger, which utilizes a vertical connector, a short sear let off, and coil springs. This new trigger geometry reduces engagement creep, pull weight, and over travel distance; resulting in a reliable, fast cycling, crisp feeling trigger.

The fit and feel of a tournament stock is a key element in the performance tuned 90TSS competition shotguns. The personalized fit of an adjusted stock enables the shooter to acquire the target faster, enhances swing control, improves overall handling and reduces fatigue.

An adjustable comb allows a shooter to move the position of their cheek on the stock; so that their eye is in alignment with the centerline of the rib. The comb can be moved 1/4" from the center line of the stock either left or right. The base plate is etched with indicating lines for precise left or right adjustment. The comb height can be adjusted upward by 1/2" by using washers that slide of the posts.



The adjustable butt plate system (ABP) allows for 1 1/4" length of pull (LOP) adjustment. By simply loosening the locking screws and rotating the pad inward or outward, a personalized LOP insures proper gun mount and cheek placement on the comb of the stock. The pad can be rotated in either direction for proper shoulder fit, reducing felt recoil and the natural reflex to cant the toe of the pad away from the top of the pectoral muscle. The pad plate can be adjusted either upward or downward 1 1/4" to assist in proper eye alignment to the sight plane.



Create Your Custom Fit


CENTURY III

It's a new "CENTURY"

A Single Barrel
Designed To Fit you



LEFT HAND RIGHT HAND




CENTURY III



The Century III barrel features a 2 3/4" chamber, lengthened forcing cone, fitted with the competition series choke tube system and equipped with a shell extractor. The finished barrel has a highly polished chrome interior, jeweled monbloc and matte black chrome exterior. The sighting plane is a 10mm top ventilated rib with a matte surface and target sights. Offered with 30, 32 or 34 inch barrel with either Reduced or Standard length stock.

CENTURY III YOUTH

Gauge	Barrel Length	Manufacturer's Identification Number	Stock Type	Stock Cast	Stock Comb	Butt Pad System	Approximate Weight	Suggested Retail
12 ga	30"	C20ACTN-R	Standard - Youth	Right	Adjustable	Fixed	7 lbs. 13 oz.	\$1,300.00
12 ga	30"	C20ACTN-RL	Standard - Youth	Left	Adjustable	Fixed	7 lbs. 13 oz.	\$1,300.00
12 ga	32"	C22ACTN-R	Standard - Youth	Right	Adjustable	Fixed	7 lbs. 15 oz.	\$1,300.00
12 ga	32"	C22ACTN-RL	Standard - Youth	Left	Adjustable	Fixed	7 lbs. 15 oz.	\$1,300.00
12 ga	30"	C20ACTR-ABP	Standard - Youth	Right	Adjustable	Adjustable	8 lbs. 4 oz.	\$1,470.00
12 ga	30"	C20ACTR-ABPL	Standard - Youth	Left	Adjustable	Adjustable	8 lbs. 4 oz.	\$1,470.00
12 ga	32"	C22ACTR-ABP	Standard - Youth	Right	Adjustable	Adjustable	8 lbs. 6 oz.	\$1,470.00
12 ga	32"	C22ACTR-ABPL	Standard - Youth	Left	Adjustable	Adjustable	8 lbs. 6 oz.	\$1,470.00



The Century III steel receiver is a low profile box lock action with a bright blue finish. The trigger geometry is designed to lift the sear tail vertically; which releases the hammer with less trigger travel and pull weight, providing the shooter with a crisp, responsive feel. The coil spring system is designed to provide years of reliable power. The Century III is equipped with a manual safety.

CENTURY III STANDARD

Gauge	Barrel Length	Manufacturer's Identification Number	Stock Type	Stock Cast	Stock Comb	Butt Pad System	Approximate Weight	Suggested Retail
12 ga	30"	C20ACTN	Standard	Right	Adjustable	Fixed	7 lbs. 15 oz.	\$1,300.00
12 ga	30"	C20ACTNL	Standard	Left	Adjustable	Fixed	7 lbs. 15 oz.	\$1,300.00
12 ga	32"	C22ACTN	Standard	Right	Adjustable	Fixed	8 lbs. 0 oz.	\$1,300.00
12 ga	32"	C22ACTNL	Standard	Left	Adjustable	Fixed	8 lbs. 0 oz.	\$1,300.00
12 ga	30"	C20ACT-ABP	Standard	Right	Adjustable	Adjustable	8 lbs. 4 oz.	\$1,470.00
12 ga	30"	C20ACT-ABPL	Standard	Left	Adjustable	Adjustable	8 lbs. 4 oz.	\$1,470.00
12 ga	32"	C22ACT-ABP	Standard	Right	Adjustable	Adjustable	8 lbs. 6 oz.	\$1,470.00
12 ga	32"	C22ACT-ABPL	Standard	Left	Adjustable	Adjustable	8 lbs. 6 oz.	\$1,470.00
12 ga	34"	C24ACT-ABP	Standard	Right	Adjustable	Adjustable	8 lbs. 8 oz.	\$1,470.00
12 ga	34"	C24ACT-ABPL	Standard	Left	Adjustable	Adjustable	8 lbs. 8 oz.	\$1,470.00

Target Stock Dimensions:

Fixed Butt Pad Length of Pull: 14/12"

Adjustable Butt Plate: Youth Length of Pull LOP (Compressed) : 13 1/2" <> (Extended) : 14 3/4"

Adjustable Butt Plate: Standard Length of Pull LOP (Compressed) : 14" <> (Extended) : 15 1/4"

Adjustable Comb: Drop at Comb = 1 1/2" Drop at Heel = 1 1/2"

Century Choke Tubes: Full, Imp. Mod., and Modified

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density



RS300

TARGET



**Competition
Grade
Semi-
Auto**



Standard & Youth Lengths

MODEL RS300 12 GA-2 3/4" & 3" CHAMBER
G.U. INC. OMAHA, NE.

RS300

SKB


TR 14 AK 10028

RS300 TARGET



A properly fit shotgun stock is a combination of adjustments. These adjustments are unique to each individual shooter and include the drop dimensions, the proper length of pull, pad rotation and the comb alignment and height. The “fit and feel” of a shotgun and where it patterns are all dependant upon these unique dimensions.

The major challenge for most student athletes and coaches is having a shotgun that “fits” them from season to season. The RS300 is the solution to this problem.



RS300 TARGET SEMI-AUTOMATIC

Gauge	Barrel Length	Model	Manufacturer's Identification Number	Stock Type	Stock Comb	Approximate Weight	Suggested Retail
12 ga	30"	Target	RS320ACT	Walnut	Adjustable	7 lbs. 14 oz.	\$1,000.00
12 ga	28"	Target	RS328ACT	Walnut	Adjustable	7 lbs. 12 oz.	\$1,000.00
12 ga	26"	Target	RS326ACTY	Walnut Youth	Adjustable	7 lbs. 6 oz.	\$1,000.00

Target Stock Dimensions:

Adjustable Butt Plate: LOP (Compressed) : 13 1/2" < > (Extended) : 14 3/4"
 Adjustable Youth Model: LOP (Compressed) : 12 1/2" < > (Extended) : 13 3/4"
 Adjustable Comb: Drop at Comb = 1 1/2" Drop at Heel = 2 1/4"

RS300 Target Choke Tubes: Full, Imp. Mod., Mod., Imp. Cyl., and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

ADJUSTABLE BUTT PLATE

The stock's length of pull can be adjusted from 13 1/2" to 14 3/4" for proper gun mount and cheek placement on the comb of the stock. The pad can be rotated in either direction for proper shoulder pocket fit. This reduces felt recoil and the natural reflex to cant the toe of the pad away from the top of the pectoral muscle. The pad can also be adjusted in an up and down direction 1 1/4" to insure proper eye alignment to the sighting plane.

Pad Adjustment



Adjustable LOP

Pad Rotation

ADJUSTABLE STOCK SHIM SYSTEM


A selection of 6 stock shims are provided with the shotgun. Three of the shims adjust the drop dimension of the stock from the standard drop dimension. The shim with the maximum drop dimensions is DAC 1 3/8" and DAH 2 1/2". The shim with the minimum drop dimension is DAC 1 3/8" and DAH 2" Also included are two shims that adjust the cast from neutral to either Left or Right. These cast shims have a standard Drop Dimension of DAC 1 3/8" and DAH 2 1/4".



Insertable Shim System

ADJUSTABLE COMB HARDWARE

The adjustable comb can be moved horizontally 1/4 inch from the center line of the stock in either a left or right direction. The comb can be adjusted vertically upward 1/2 inch by using washers that slide over the post. These comb adjustments ensure that the shooters eye is in alignment with the center line of the rib.




Height Adjustment

Left & Right Adjustment

RS - HYBRID RECOIL SYSTEM

The new light load recoil system allows even the youngest of the youth shooters to utilize a 12ga shotgun in practice and competition. The gas assisted “RS” will cycle a full range of ammunition from light low recoil training loads to 1 1/4 oz Heavy field loads.



IS300 FIELD Inertia System



The IS300 receiver is sculpted from high strength aluminum by state of the art CNC machines for exact dimension & tolerance. The receiver has a blue anodized finish with tasteful laser etching. The main components of the IS inertia operating system consist of a steel bolt body, inertia spring, rotating bolt head, twin arm steel action bar and recoil action spring. This system allows for a light weight, well balanced shotgun.

IS300 Semi-Automatic Field Shotguns



The chrome lined ventilated rib barrel has a 3" chamber, a lengthened forcing cone and is threaded for the SKB competition choke tube system. The outer finish of the barrel is a non-reflective matte black chrome and has a brass front bead.

IS300 WOOD


Gauge	Barrel Length	Model	Manufacturer's Identification Number	Stock Type	Stock Comb	Approximate Weight	Suggested Retail
12 ga	30"	Field	IS320CFW	Walnut	Fixed	6 lbs 15 oz.	\$715.00
12 ga	28"	Field	IS328CFW	Walnut	Fixed	6 lbs 13 oz.	\$715.00
12 ga	26"	Field	IS326CFW	Walnut	Fixed	6 lbs 11 oz.	\$715.00



Each shotgun is provided with a set of six different stock shims to assist the shooter in obtaining a personalized fit to the sighting plane. The removable stock shim will adjust for either the stock's cast or drop dimension.

IS300 CAMO

Gauge	Barrel Length	Model	Manufacturer's Identification Number	Stock Type	Stock Comb	Approximate Weight	Suggested Retail
12 ga	30"	Field	IS320CFC	Camouflage	Fixed	6 lbs 15 oz.	\$715.00
12 ga	28"	Field	IS328CFC	Camouflage	Fixed	6 lbs 13 oz.	\$715.00



The shotgun has a maximum capacity of 4 - 3" shot shells; three in the magazine tube with one in the chamber.

IS300 SYNTHETIC


Gauge	Barrel Length	Model	Manufacturer's Identification Number	Stock Type	Stock Comb	Approximate Weight	Suggested Retail
12 ga	30"	Field	IS320CFS	Synthetic	Fixed	6 lbs 15 oz.	\$625.00
12 ga	28"	Field	IS328CFS	Synthetic	Fixed	6 lbs 13 oz.	\$625.00
12 ga	26"	Field	IS326CFS	Synthetic	Fixed	6 lbs 11 oz.	\$625.00

Field Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 1/2", Drop at Heel: 2 1/2"

IS300 Field Choke Tubes: Full, Modified, Imp. Cylinder


Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

590 FIELD



The box lock receiver is precisely cut by state of art CNC machined steel from a solid billet of chrome Moly steel. The locking bar is located in the base of the action. The engagement of the locking bar and the barrel lug extends across the full length of the monobloc creating a secure lock to the receiver.

The 590 utilizes a mechanical trigger which is a direct engagement of each sear to the trigger connector providing a very quick and reliable trigger system that does not depend upon recoil to reset the trigger for the second shot. The top tang barrel selector and integral safety allows the shooter to select the firing sequence for different hunting situations.



The distinctive contour and bright blue finish of the upper receiver surface, surrounded by the matte blue of the lower area provides the background which highlights the laser engraved game scenes.

The chrome lined back bored barrels have 3" chambers with lengthened forcing cones to reduce felt recoil and muzzle lift. The barrels are equipped with automatic ejectors and are fitted with the SKB competition series choke tube system. The exterior of the barrel group is finished with a non-reflective black chrome; providing a protective surface.

The pistol grip stock and schnabel forend are carved from grade II Turkish walnut by CNC machines, laser checkered; then hand rubbed with an oil finish.



590 FIELD

Gauge	Barrel Length	Model	Manufacturer's Identification Number	Stock Type	Approximate Weight	Suggested Retail
12 ga	30"	Field	5920CF	Walnut	7 lbs. 14 oz.	\$1,300.00
12 ga	28"	Field	5928CF	Walnut	7 lbs. 12 oz.	\$1,300.00
12 ga	26"	Field	5926CF	Walnut	7 lbs. 10 oz.	\$1,300.00
20 ga	30"	Field	5900CF	Walnut	7 lbs. 0 oz.	\$1,300.00
20 ga	28"	Field	5908CF	Walnut	6 lbs. 12 oz.	\$1,300.00
20 ga	26"	Field	5906CF	Walnut	6 lbs. 10 oz.	\$1,300.00
12 ga	26"	Field	5926CFY	Walnut -Youth	7 lbs. 10 oz.	\$1,300.00
20 ga	26"	Field	5906CFY	Walnut - Youth	6 lbs. 8 oz.	\$1,300.00

Field Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 1/2", Drop at Heel: 2 1/2"

Youth Stock Dimensions: Length of Pull: 13", Drop at Comb: 1 1/2", Drop at Heel: 2 1/2"

590 Field Choke Tubes: Full, Modified, and Imp. Cylinder

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

GUN CASES

Type	Model Number	Exterior Case Dimensions	Interior Receiver Compartment	Barrel Compartment	Approximate Weight	Suggested Retail
Single	HC-1BBL	37 1/2 x 4 1/2 x 10 7/8	22 1/4 x 2 1/4 x 7 1/8	35 1/2"	11 lbs. 6 oz.	\$279.95
Combo	HC-2BBL	37 1/2 x 4 1/2 x 12 3/4	22 1/4 x 2 1/4 x 7 1/8	35 1/2"	13 lbs. 9 oz.	\$299.95
SXS Combo	HC-SS2BBL	37 1/2 x 3 3/8 x 10 7/8	22 x 2 x 5 1/2	30 1/2"	8 lbs. 6 oz.	\$329.95

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density. Shotgun not included with case.

THE SINGLE BARREL AND COMBO



These hard cases are a sturdy wood construction, covered with a water resistant black 600 Denier polyester canvas with black vinyl trim. The black felt interior is padded in the receiver and barrel compartments to protect your shotgun.

The receiver compartment features a Velcro wrist strap and removable butt pad block to secure the action. The barrel compartment includes compression foam side walls and barrel blocks to keep the barrels upright and reduce shifting. The length of the barrel compartment was designed to accommodate barrels with extended choke tubes.

Having a separate forend compartment, allows for easier assembly and disassembly of the shotgun and a slimmer and lighter case design. Each case has a heavy duty handle, two combination locks, and two accessory storage compartments.

The single barrel case is designed to fit all the Over & Under models and the Century III Trap single barrel. The combo case is designed to fit all SKB trap combo models.



The Side by Side case is also a sturdy wood construction. The cases are covered with a water resistant green cotton canvas with leather corners. The case has harness leather trunk straps and carry handle, brass combination lock and a solid brass hardware. The case is lined with wool felt with several accessory compartments.



12GA Thin Wall

MRSP \$44.95 MSRP \$34.95

Nomenclature		Constriction	Extended Manf. Id Code	Flush Fit Manf. Id Code
Full **	F	0.030	XTW12F	FTW12F
Imp Modified **	IM	0.025	XTW12IM	FTW12IM
Modified	M	0.020	XTW12M	FTW12M
Imp. Cylinder	IC	0.010	XTW12IC	FTW12IC
Skeet	SK	0.005	XTW12SK	FTW12SK

Not Recommended for use with steel shot.



20GA Thin Wall

MRSP \$44.95 MSRP \$34.95

Nomenclature		Constriction	Extended Manf. Id Code	Flush Fit Manf. Id Code
Full **	F	0.025	XTW20F	FTW20F
Imp Modified **	IM	0.020	XTW20IM	FTW20M
Modified	M	0.015	XTW20M	FTW20M
Imp. Cylinder	IC	0.010	XTW20IC	FTW20IC
Skeet	SK	0.005	XTW20SK	FTW20SK

Not Recommended for use with steel shot.



28GA Thin Wall

MRSP \$44.95 MSRP \$34.95

Nomenclature		Constriction	Extended Manf. Id Code	Flush Fit Manf. Id Code
Full **	F	0.020	XTW28F	FTW28F
Imp Modified **	IM	0.016	XTW28IM	FTW28IM
Modified	M	0.012	XTW28M	FTW28M
Imp. Cylinder	IC	0.008	XTW28IC	FTW28IC
Skeet	SK	0.004	XTW28SK	FTW28SK

Not Recommended for use with steel shot.



410GA Thin Wall

MRSP \$44.95 MSRP \$34.95

Nomenclature		Constriction	Extended Manf. Id Code	Flush Fit Manf. Id Code
Full **	F	0.020	XTW410F	FTW410F
Imp Modified **	IM	0.016	XTW410IM	FTW410IM
Modified	M	0.012	XTW410M	FTW410M
Imp. Cylinder	IC	0.008	XTW410IC	FTW410IC
Skeet	SK	0.004	XTW410SK	FTW410SK

Not Recommended for use with steel shot.

12GA Competition**MRSP \$34.95****MSRP \$24.95**

Nomenclature		Constriction	Extended Manf. Id Code	Flush Fit Manf. Id Code	Rim Notch Code
Trap Full **	TF	0.035	X2CS12TF	F2CS12TF	None
Full **	F	0.030	X2CS12F	F2CS12F	1
Imp Modified **	IM	0.025	X2CS12IM	F2CS12IM	2
Modified	M	0.020	X2CS12M	F2CS12M	3
Light Modified	LM	0.015	X2CS12LM	F2CS12LM	4
Imp. Cylinder	IC	0.010	X2CS12IC	F2CS12IC	5
Skeet	SK	0.005	X2CS12SK	F2CS12SK	6
Cylinder	CYL	0.000	X2CS12CYL	F2CS12CYL	7

Not Recommended for use with steel shot.

12GA Standard**MRSP \$34.95****MSRP \$24.95**

Nomenclature		Constriction	Extended Manf. Id Code	Flush Fit Manf. Id Code	Rim Notch Code
Extra Full **	XF	0.035	X2S12XF	F2S12XF	None
Full **	F	0.030	X2S12F	F2S12F	1
Imp Modified **	IM	0.025	X2S12IM	F2S12IM	2
Modified	M	0.020	X2S12M	F2S12M	3
Light Modified	LM	0.015	X2S12LM	F2S12LM	4
Imp. Cylinder	IC	0.010	X2S12IC	F2S12IC	5
Skeet	SK	0.005	X2S12SK	F2S12SK	6
Cylinder	CYL	0.000	X2S12CYL	F2S12CYL	7

Not Recommended for use with steel shot.

20GA Standard**MRSP \$34.95****MSRP \$24.95**

Nomenclature		Constriction	Extended Manf. Id Code	Flush Fit Manf. Id Code	Rim Notch Code
Extra Full **	XF	0.028	X2S20XF	F2S20XF	None
Full **	F	0.024	X2S20F	F2S20F	1
Imp Modified **	IM	0.020	X2S20IM	F2S20IM	2
Modified	M	0.016	X2S20M	F2S20M	3
Light Modified	LM	0.012	X2S20LM	F2S20LM	4
Imp. Cylinder	IC	0.008	X2S20IC	F2S20IC	5
Skeet	SK	0.004	X2S20SK	F2S20SK	6
Cylinder	CYL	0.000	X2S20CYL	F2S20CYL	7

Not Recommended for use with steel shot.

28GA Standard**MRSP \$34.95****MSRP \$24.95**

Nomenclature		Constriction	Extended Manf. Id Code	Flush Fit Manf. Id Code	Rim Notch Code
Extra Full **	XF	0.024	X2S28XF	F2S28XF	None
Full **	F	0.020	X2S28F	F2S28F	1
Imp Modified **	IM	0.016	X2S28IM	F2S28IM	2
Modified	M	0.012	X2S28M	F2S28M	3
Imp. Cylinder	IC	0.008	X2S28IC	F2S28IC	4
Skeet	SK	0.004	X2S28SK	F2S28SK	5
Cylinder	CYL	0.000	X2S28CYL	F2S28CYL	6

Not Recommended for use with steel shot.

410GA Standard**MRSP \$34.95****MSRP \$24.95**

Nomenclature		Constriction	Extended Manf. Id Code	Flush Fit Manf. Id Code	Rim Notch Code
Extra Full **	XF	0.024	X2S410XF	F2S410XF	None
Full **	F	0.020	X2S410F	F2S410F	1
Imp Modified **	IM	0.016	X2S410IM	F2S410IM	2
Modified	M	0.012	X2S410M	F2S410M	3
Imp. Cylinder	IC	0.008	X2S410IC	F2S410IC	4
Skeet	SK	0.004	X2S410SK	F2S410SK	5
Cylinder	CYL	0.000	X2S410CYL	F2S410CYL	6

Not Recommended for use with steel shot.

GEAR**Accessories**


Item #	Manufacturer's Description	Suggested Retail
HC-1BBL	Hard Case Fits O/U & Century III Models	\$279.95
HC-2BBL	Hard Case Fits Trap Combo Models	\$299.95
HC-SS2BBL	Hard Case Fits SXS Two Barrel Sets	\$329.95
RLB-D	Reloaders Bag, Divided Compartment & Belt	\$21.95
RLB-2	Reloaders Bag - 2 Shell Box Holders & Belt	\$33.95
MHB-0	Mesh Hull Bag	\$23.95
MHB-2	Mesh Hull Bag - 2 Shell Box Holders	\$35.95
SHB	Shell Box Holder	\$14.95
PAD	Tailgate or Counter Pad	\$29.95
SKB -Towel	Embroidered Shooter Towel	\$14.95
Head Band	Embroidered Fleece Headband	\$9.95
Hat - SKB	Exploding Target Hat	\$14.95
New Logo T	White or Grey (S, M, L, or XL)	\$14.95
New Logo T	White or Grey (2XL or 3XL)	\$16.95
SKB-Comp	Hi Viz Competition Lite Pipe Sight	\$34.95
SKB- Spark-III	Hi Viz Spark-III Lite Pipe Sight	\$13.95
SB-A	Aluminum Sports Bottle	\$9.95
ANV-NC15	Anniversary Knife - 3" Lock Back Folder	\$49.95
ANV-NC14	Anniversary Knife - 3.5" Lock Back Folder	\$59.95

Mesh Hull Bag
(MHB-0)Mesh Hull Bag
with Two Shell Box
Holders (MHB-2)SKB "Exploding
Target" Hat (HAT-SKB)Head Band
(SKB-HB)Divided Shell
Pouch with Belt
(RLB-D)Reloaders Bag
with Two Shell Box
Holders (RLB-2)Shell Box
Holder (SBH)Protective
Counter Pad
(12" x 48") (PAD)Shooters Towel
(SKB-Towel)

ALL T-SHIRTS COME WITH LARGE BACK PRINT AND A SMALL LEFT CHEST PRINT



SKB Logo T-Shirt

100% cotton. Available in White or Gray.
Size: S, M, L, XL, 2XL, 3XLHard Case Fits O/U & Century III Models (HC-1BBL)
Hard Case Fits Trap Combo Models (HC-2BBL)
Hard Case Fits SXS Two Barrel Sets (HC-SS2BBL)**LIMITED EDITION KNIVES**3" Lock Back
Stag Folder
(ANV-NC15)3 1/2" Lock Back
Stag Folder
(ANV-NC14)

(SKB-Spark III)



(SKB-Comp)



(SB-A)



SKB SHOTGUNS, USA.

4441 S 134th Street

Omaha, NE 68137

(T) 800-752-2767

(F) 402-330-8040

(E) skb@skbshotguns.com

(W) skbshotguns.com