

SKB



SKB SHOTGUNS, USA.

4441 S 134th Street


Omaha, NE 68137

(t) 800-752-2767

(f) 402-330-8040

(e) skb@skbshotguns.com

(w) skbshotguns.com



905 AFTER



In 1548, Portuguese explorers landed on Tanegashima Island in the Province of Kyushu, Japan. These merchants were the first to bring modern guns into Japan during the time of the Japanese Civil War. These clan leaders needed modern weapons for their samurai warriors to protect their land.

By the latter half of the 19th century, the Mito clan was well established in an area northeast of Tokyo. In a small gun repair factory, which belonged to the clan, Mr. Shigyo Sakaba worked as a gunsmith's apprentice. In 1855, the feudal lord appointed Shigyo Sakaba to the position of gunsmith to supervise the development and production of guns for the clan.

This small factory was known for its craftsmanship; producing guns of the highest quality and strongest construction. Mr. Shigyo Sakaba is considered to be the founder of the SKB (SaKaBa) Arms Company. From the early 1960's, the SKB factory began incorporating modern technology with old world craftsmanship to produce a complete line of premier grade competition and field shotguns.

In 1966, SKB began producing shotguns for Ithaca Gun Company, producing a complete line of shotguns that included semi-automatic, side by side, single barrel and over & under models. The 1970's were highlighted by increased productivity in the factory with the inclusion of CNC machining. Over 95% of the factory's production was exported to the United States, Canada, Western Europe, South Africa, New Zealand and Australia. In 1978, Ithaca Gun Company had filed for bankruptcy protection and SKB ceased production of the Ithaca branded models. SKB continued production and re-entered the US market in 1979 being represented by the Mitsui Company in Chicago, IL. This venture lasted only a few years as the US economy was retracting and interest rates were skyrocketing to over 20%.

By the early 1980's, the Japanese factory had produced over one million shotguns that were distributed throughout the world. As the US market retracted and the Mitsui venture failed, SKB began subcontract work for the Miroku factory producing parts, barrels and stocks for the Browning A-5 semi-automatic. Even with the additional subcontract work provided by Miroku, the factory could not maintain a profitable business. In 1983 the SKB Arms Company was sold to the Mira family in Tomobe Japan. The Mira family was long established in the heavy construction industry, and quarry operations with its major customer being Japanese rail. The SKB Arms Company was re-organized into the New SKB Arms Company headed by the Mira family.

By 1984, SKB had reached an agreement with Roy Weatherby to begin producing a line of shotguns which included semi-automatic, and over & under models. The Orion and Athena line of Over & Under shotguns were extremely popular and were distributed by Weatherby through their network of worldwide importers. The last Weatherby models, manufactured by SKB, were produced in 2004.

In 1987, G.U. Inc. became the exclusive US importer of the SKB Shotgun brand. The product line-up included; semi-automatic, side by side, and over & under models. In 2005, SKB celebrated its 150th anniversary. Factory production had again reached its capacity, shotguns were being exported through a network of importers and distributors throughout the world. Countries in this network included; Germany, France, Spain, Portugal, Greece, England, Finland, Norway, Sweden, Denmark, Australia, New Zealand, South Africa, Turkey, Lebanon, Russia, Brazil and the United States.


In 2008, the economic turmoil started by the loan failures in the U.S. housing industry, began to take on global consequences and spilled over into other industries slowing demand and production. The SKB factory found itself in a situation where importers were cancelling orders, and its aging workforce had little interest in continuing operations. Since it did not appear that there was going to be quick recovery in the global economy, the decision to close the factory was made in late 2009.

In 2010, during the closure process of the factory, G.U. Inc. purchased the remaining inventory of parts, the shotgun schematic and production drawings and the SKB brand name from the Japanese. The intent was to find a European manufacturer to replicate the Japanese designs. After several years of searching, and multiple meetings with several manufacturers, it was determined that the initial investment for tooling no longer made this a viable option.

The new line of SKB Shotguns are being produced, under a license agreement, by two factories in Turkey. The Akus and Akdas factories are considered to be two of Turkey's best shotgun manufacturers, with a history of producing quality products for both the US and European markets. Their shotguns are well known for their craftsmanship and use of high quality materials. These companies manufactured the Kimber Marias and Valier series of 7 pin side lock actions in both over & under and side by side models. They also produced the Smith & Wesson Elite, side by side model, which won the 2008 Field & Stream award for Shotgun of the Year.

The current line of SKB shotguns include; semi-automatic, side by side, single barrel trap, and over & under models. Our focus is to produce competition shotguns that are designed with a modern day style which include enhanced performance features. SKB continues to look for ways to improve the overall construction, operation and fit of our shotguns that fill the needs of today's shooters. Our goal is to produce a high quality shotgun, which include adjustable performance features, at a price that the average competitive shooter can afford. SKB Shotguns are the affordable choice of quality.

SKB Shotguns is proud to have partnered with these organizations whose focus and efforts are dedicated to the development and growth of youth programs in shooting sports. We recognize the efforts of the dedicated staff, mentors, coaches and parents that provide the education and training, that instill the safe practices of handling and use of firearms, teach leadership skills, foster individual sportsmanship, and personal responsibility in these young athletes across the nation.



Our mission is to promote a premier program for the development and recognition of young trapshooting athletes, providing a safe and positive experience with firearms, encouraging good sportsmanship and personal responsibility through competition.

For more information visit aim4ata.com



Our mission is to provide, promote and perpetuate opportunities for young athletes to safely and enjoyably participate and compete in team based shooting sports.

For more information visit sssfonline.org



Changing the future of youth shooting sports.

Our mission: We help communities and organizations raise funds to support their high school, college, and other youth shooting teams and activities.

For more information visit Midwayusafoundation.org

Table of Contents:

		Page 17 & 18	-	7000 SL	
Page 1 & 2	-	SKB Legacy	Page 19 & 20	-	200 Field
Page 3 & 4	-	RS300 & RS400T	Page 21 & 22	-	200 HR
Page 5 & 6	-	RS300 & RS400T	Page 23 & 24	-	250 Field
Page 7 & 8	-	Century III	Page 25 & 26	-	690 & HS 300 Field
Page 9 & 10	-	90TSS	Page 27 & 28	-	690 Field
Page 11 & 12	-	90TSS	Page 29 & 30	-	HS 300 Field
Page 13 & 14	-	95ATR	Page 31 & 32	-	Gun Cases & Gear
Page 15 & 16	-	95ATR	Page 33 & 34	-	Chokes Tubes

RS300

Competition Grade Semi-Auto

Right & Left
Eject Models

Traditional Comb RS300



Standard and
Youth Lengths



RS400T

Standard and Youth Lengths

Right & Left
Eject Models

Parallel Comb RS400T



Competition Grade
Semi-Auto

RS Target Semi Automatics

ADJUSTABLE FEATURES



RS300 Traditional Comb



RS400T Parallel Comb

A properly fit shotgun stock is a combination of adjustments. These adjustments are unique to each individual shooter and include the drop dimensions, the proper length of pull, pad rotation and the comb alignment and height. The “fit and feel” of a shotgun and where it patterns are all dependant upon these unique dimensions.

The major challenge for most student athletes and coaches is having a shotgun that “fits” them from season to season. The adjustable RS Series shotguns are the solution to this problem.

RS300 TARGET SEMI-AUTOMATIC

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Ejection Port	Approx. Weight	Suggested Retail
12	30"	RS320ACT	Adj Target	Right Side	7 lbs 14 oz	\$1,125.00
12	30"	RS320ACTL	Adj Target	Left Side	7 lbs 14 oz	\$1,125.00
12	28"	RS328ACT	Adj Target	Right Side	7 lbs 12 oz	\$1,125.00
12	28"	RS328ACTL	Adj Target	Left Side	7 lbs 12 oz	\$1,125.00
12	28"	RS328ACTY	Adj Target Youth	Right Side	7 lbs 8 oz	\$1,125.00
12	28"	RS328ACTYL	Adj Target Youth	Left Side	7 lbs 8 oz	\$1,125.00
12	26"	RS326ACTY	Adj Target Youth	Right Side	7 lbs 6 oz	\$1,125.00
20	28"	RS308ACTY	Adj Target Youth	Right Side	7 lbs 5 oz	\$1,125.00

Target Stock Dimensions:

Adjustable Butt Plate: LOP (Compressed) : 13 1/2" <=> (Extended) : 14 3/4"
 Adjustable Youth Model: LOP (Compressed) : 12 1/2" <=> (Extended) : 13 3/4"
 Adjustable Comb: Drop at Comb = 1 1/2" Drop at Heel = 2 1/4"

RS300 Choke Tube Assortment: Full, Imp. Mod., Mod., Imp. Cyl., and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

RS400 TRAP SEMI-AUTOMATIC

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Ejection Port	Approx. Weight	Suggested Retail
12	30"	RS420ACT	Adj Parallel Comb	Right Side	7 lbs 14 oz	\$1,125.00
12	30"	RS420ACTL	Adj Parallel Comb	Left Side	7 lbs 14 oz	\$1,125.00
12	28"	RS428ACT	Adj Parallel Comb	Right Side	7 lbs 12 oz	\$1,125.00
12	28"	RS428ACTL	Adj Parallel Comb	Left Side	7 lbs 12 oz	\$1,125.00
12	28"	RS428ACTY	Adj Parallel Youth	Right Side	7 lbs 8 oz	\$1,125.00
12	28"	RS428ACTYL	Adj Parallel Youth	Left Side	7 lbs 8 oz	\$1,125.00

Target Stock Dimensions:

Adjustable Butt Plate: LOP (Compressed) : 13 1/2" <=> (Extended) : 14 3/4"
 Adjustable Youth Model: LOP (Compressed) : 12 1/2" <=> (Extended) : 13 3/4"
 Adjustable Comb: Drop at Comb = 1 3/4" Drop at Heel = 1 3/4"

RS400 Choke Tube Assortment: Full, Imp. Mod., Mod., Imp. Cyl., and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density



DESIGNED TO FIT YOU

ADJUSTABLE BUTT PLATE

The stock's length of pull has an adjustment range of 1 1/4" for proper gun mount and cheek placement on the comb of the stock. The pad can be rotated in either direction for proper shoulder pocket fit. This reduces felt recoil and the natural reflex to cant the toe of the pad away from the top of the pectoral muscle. The pad can also be adjusted in an up and down direction 1 1/4" to insure proper eye alignment to the sighting plane.



ADJUSTABLE STOCK SHIM SYSTEM

A selection of 6 stock shims are provided with the shotgun. Three of the shims adjust the drop dimension of the stock from the standard drop dimension. Also included are two shims that adjust the cast from neutral to either Left or Right.




STOCK SHIM SYSTEM

RS300	CIP	-5	-10	5
DAC	1 1/2"	1 3/8"	1 3/8"	1 1/2"
DAH	2 3/8"	2 1/4"	2 1/2"	2 1/2"
RS400	CIP	-5	-10	5
DAC	1 3/4"	1 5/8"	1 5/8"	1 3/4"
DAH	1 3/4"	1 5/8"	1 3/4"	1 7/8"

ADJUSTABLE COMB HARDWARE

The adjustable comb can be moved horizontally 1/4 inch from the center line of the stock in either a left or right direction. The comb can be adjusted vertically upward 1/2 inch by using washers that slide over the post. These comb adjustments ensure that the shooters eye is in alignment with the center line of the rib.



RS - HYBRID RECOIL SYSTEM

The low recoil system of the RS400 and RS300 allows even the youngest of the youth shooters to utilize a 12ga shotgun in practice and competition. This hybrid operating system features a gas assisted, inertia recoil operating system. When a shot shell is fired it releases energy, this energy creates reactionary force that engage both the RS bolt face and the gas piston. The barrel ring of the RS contains four exhaust ports which regulate the amount of recoil force that the gas piston exerts on the action bar by bleeding off excessive gas pressure. This reduces the total energy used to cycle the shotgun which reduces the felt recoil the shooter will experience when shooting the shotgun. The RS models will cycle a full range of ammunition from light 1oz low recoil target loads to 1 1/4 oz heavy field loads



CENTURY III

TRAP SINGLE BARREL



Standard & Youth Lengths

The Century III barrel features a 2 3/4" chamber, lengthened forcing cone, fitted with the competition series choke tube system and equipped with a shell extractor. The finished barrel has a highly polished chrome interior, jeweled monbloc and matte black chrome exterior. The sighting plane is a 10mm top ventilated rib with a matte surface and target sights. Offered with 30, 32 or 34 inch barrel with either Reduced or Standard length stock.



Century III Trap Single Barrel

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Finish	Approx. Weight	Suggested Retail
12	32"	CW22ACTR-ABP	Adj -Youth - RH	White Chrome	8 lbs 6 oz	\$1,625.00
12	32"	CW22ACTR-ABPL	Adj -Youth - LH	White Chrome	8 lbs 6 oz	\$1,625.00
12	30"	CW20ACTR-ABP	Adj -Youth - RH	White Chrome	8 lbs 4 oz	\$1,625.00
12	30"	CW20ACTR-ABPL	Adj -Youth - LH	White Chrome	8 lbs 4 oz	\$1,625.00

Gauge	Barrel Length	Manufacturer's Ident. Number	Target Stock	Finish	Approx. Weight	Suggested Retail
12	34"	CW24ACT-ABP	Adj - Std - RH	White Chrome	8 lbs 8 oz	\$1,625.00
12	34"	CW24ACT-ABPL	Adj - Std - LH	White Chrome	8 lbs 8 oz	\$1,625.00
12	32"	CW22ACT-ABP	Adj - Std - RH	White Chrome	8 lbs 6 oz	\$1,625.00
12	32"	CW22ACT-ABPL	Adj - Std - LH	White Chrome	8 lbs 6 oz	\$1,625.00
12	30"	CW20ACT-ABP	Adj - Std - RH	White Chrome	8 lbs 4 oz	\$1,625.00
12	30"	CW20ACT-ABPL	Adj - Std - LH	White Chrome	8 lbs 4 oz	\$1,625.00

Target Stock Dimensions:

Adj -Youth Butt Plate: LOP (Compressed) : 13" < = > (Extended) : 14 1/4"
 Adj - Std Butt Plate: LOP (Compressed) : 14" < = > (Extended) : 15 1/4"
 Adjustable Comb: Drop at Comb = 1 1/2" Drop at Heel = 1 1/2"

Century Choke Tubes: Full, Improved Modified, and Modified

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

A Single Barrel Designed To Fit You



"Create Your Custom Fit"

The Century III steel receiver is a low profile box lock action available in a white chrome finish. The trigger geometry is designed to lift the sear tail vertically; which releases the hammer with less trigger travel and pull weight, providing the shooter with a crisp, responsive feel. The coil spring system is designed to provide years of reliable power. The Century III is equipped with a manual safety.

90TSS

Target Over & Under Models



TRAP



SPORTING



TRAP



90TSS TRAP OU

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Finish	Approx. Weight	Suggested Retail
12	32"	90W22ACTN	Adj - Std - RH	White Chrome	8 lbs 14 oz	\$1,995.00
12	32"	90W22ACTNL	Adj - Std - LH	White Chrome	8 lbs 14 oz	\$1,995.00
12	32"	90W22ACTNR	Adj - Youth - RH	White Chrome	8 lbs 12 oz	\$1,995.00
12	30"	90W20ACTN	Adj - Std - RH	White Chrome	8 lbs 12 oz	\$1,995.00
12	30"	90W20ACTNL	Adj - Std - LH	White Chrome	8 lbs 12 oz	\$1,995.00
12	30"	90W20ACTNR	Adj - Youth - RH	White Chrome	8 lbs 10 oz	\$1,995.00

Target Stock Dimensions:

Adj -Youth Butt Plate: LOP (Compressed) : 13" <=> (Extended) : 14 1/4"
 Adj - Std Butt Plate: LOP (Compressed) : 14" <=> (Extended) : 15 1/4"
 Adjustable Comb: Drop at Comb = 1 1/2" Drop at Heel = 1 1/2"

90TSS Trap Choke Tube Assortment: Full, Imp. Mod., and Modified

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density



Tournament Stock Parallel Comb



The 90TSS trigger system has an improved mechanical trigger, which utilizes a vertical connector, a short sear let off, and coil springs. This new trigger geometry reduces engagement creep, pull weight, and over travel distance; resulting in a reliable, fast cycling, crisp feeling trigger.

The fit and feel of a tournament stock is a key element in the performance tuned 90TSS competition shotguns. The personalized fit of an adjusted stock enables the shooter to acquire the target faster, enhances swing control, improves overall handling and reduces fatigue.

An adjustable comb allows a shooter to move the position of their cheek on the stock; so that their eye is in alignment with the centerline of the rib. The comb can be moved 1/4" from the center line of the stock either left or right. The base plate is etched with indicating lines for precise left or right adjustment. The comb height can be adjusted upward by 1/2" by using washers that slide off the posts.



Fabricated from high strength 4140 steel; the barrels are cut with 3" chambers, lengthened forcing cones, fitted with competition series choke tubes and equipped with automatic ejectors. The finished barrel has a highly polished chrome interior, jeweled monobloc and matte black chrome exterior.

The sighting plane is a 10mm top ventilated rib with a matte surface and target sights.



Tournament Stock Sloped Comb

90TSS SPORTING

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Finish	Approx. Weight	Suggested Retail
12	32"	90W22ACSP	Adj - Sptg - RH	White Chrome	8 lbs 12 oz	\$1,995.00
12	32"	90W22ACSPL	Adj - Sptg - LH	White Chrome	8 lbs 12 oz	\$1,995.00
12	30"	90W20ACSP	Adj - Sptg - RH	White Chrome	8 lbs 10 oz	\$1,995.00
12	30"	90W20ACSPL	Adj - Sptg - LH	White Chrome	8 lbs 10 oz	\$1,995.00
12	30"	90W20ACSPR	Adj - Youth - RH	White Chrome	8 lbs 8 oz	\$1,995.00
12	28"	90W28ACSP	Adj - Sptg - RH	White Chrome	8 lbs 8 oz	\$1,995.00
12	28"	90W28ACSPL	Adj - Sptg - LH	White Chrome	8 lbs 8 oz	\$1,995.00
12	28"	90W28ACSPR	Adj - Youth - RH	White Chrome	8 lbs 6 oz	\$1,995.00
20	32"	90W02ACSP	Adj - Sptg - RH	White Chrome	8 lbs 0 oz	\$1,995.00
20	32"	90W02ACSPL	Adj - Sptg - LH	White Chrome	8 lbs 0 oz	\$1,995.00
20	30"	90W00ACSP	Adj - Sptg - RH	White Chrome	7 lbs 14 oz	\$1,995.00
20	30"	90W00ACSPL	Adj - Sptg - LH	White Chrome	7 lbs 14 oz	\$1,995.00
20	28"	90W08ACSP	Adj - Sptg - RH	White Chrome	7 lbs 12 oz	\$1,995.00
20	28"	90W08ACSPL	Adj - Sptg - LH	White Chrome	7 lbs 12 oz	\$1,995.00

Target Stock Dimensions:

Adj -Youth Butt Plate: LOP (Compressed) : 13" <=> (Extended) : 14 1/4"
 Adj - Spt Butt Plate: LOP (Compressed) : 14" <=> (Extended) : 15 1/4"
 Adjustable Standard Comb: Drop at Comb = 1 5/8" Drop at Heel = 2 3/8"

90TSS Sporting Choke Tube Assortment : Modified, Light Modified, and Improved Cylinder

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

Create Your Custom Fit

The adjustable butt plate system (ABP) allows for 1 1/4" length of pull (LOP) adjustment. By simply loosening the locking screws and rotating the pad inward or outward, a personalized LOP insures proper gun mount and cheek placement on the comb of the stock. The pad can be rotated in either direction for proper shoulder fit, reducing felt recoil and the natural reflex to cant the toe of the pad away from the top of the pectoral muscle. The pad plate can be adjusted either upward or downward 1 1/4" to assist in proper eye alignment to the sight plane.



95ATR 3rd GENERATION

PERFORMANCE TUNE COMPETITION TRAP COMBO'S



ADJUSTABLE RIB SINGLE BARREL



95ATR TRAP COMBOS

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Finish	Approx. Weight	Suggested Retail
12	32" / 34"	95ATR22/24	Adj - Std - RH	White Chrome	8 lbs 14 oz	\$3,575.00
12	32" / 34"	95ATR22/24L	Adj - Std - LH	White Chrome	8 lbs 14 oz	\$3,575.00
12	30" / 34"	95ATR20/24	Adj - Std - RH	White Chrome	8 lbs 12 oz	\$3,575.00
12	30" / 34"	95ATR20/24L	Adj - Std - LH	White Chrome	8 lbs 12 oz	\$3,575.00
12	30" / 32"	95ATR20/22	Adj - Youth - RH	White Chrome	8 lbs 12 oz	\$3,575.00
12	30" / 32"	95ATR20/22L	Adj - Youth - LH	White Chrome	8 lbs 10 oz	\$3,575.00


Target Stock Dimensions:

Adj - Std Butt Plate: LOP (Compressed) : 13" <=> (Extended) : 15"
Adjustable Comb: Drop at Comb = 1 3/4" Drop at Heel = 1 3/4"

95ATR Trap Combo Choke Tube Assortment: Full, 2 - Imp. Mod., Modified and Imp. Cyl.

*With 34" Single Barrel attached, the overall weight of the shotgun is reduced by 2 oz.

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions.
Specifications are subject to change without notice. Weights will vary due to wood density



95ATR

The 95ATR features a tournament butt stock with 7 ergonomically designed adjustment points for a personalized fit. The stock is available with either right hand "cast on" or left hand "cast off" configuration.

The adjustable comb system allows the shooter to adjust the comb height and offset position for proper eye alignment to the rib. The base plate is etched with 1/16" indicating line for precise left or right alignment of the comb. The height of the comb is adjusted by sliding washers over the selected support posts. Each shotgun includes two sets of support posts; standard and extended height.

The advanced butt plate system features 5 adjustment points that personalize the fit of the shotgun stock. The primary stock adjustment is the length of pull, which is measured from the trigger to the butt pad. A proper length allows the shooter to correctly mount the shotgun in the shoulder pocket. The length of pull is adjusted to fit the shooter's height and muscular build. The LOP determines the location of the shooter's cheek on the comb of the stock. The butt plate system has a 2 inch adjustment range, from a compressed 13 inch LOP to an extended 15 inch LOP.

The secondary adjustments are made to maximize the contact area of the butt pad face in the shoulder pocket of the shooter. These adjustments reduce the felt recoil of the shotgun. This butt plate system has four different adjustments that can improve the pad placement in the shoulder pocket. All of these adjustments are based upon the unique physique of the shooter.

95ATR TOURNAMENT STOCK Features 7 Ergonomical Adjustments Designed for Personalized Fit!

First, the cast of the pad can be rotated from a vertical position, to reduce the canting effect of the barrels due to the stocks placement in the shooter's shoulder pocket. This rotation moves the toe of the pad off of the top of the pectoral muscle reducing felt recoil and improving the consistency in the shotgun mount.

Secondly, the entire pad can be lowered to increase the drop dimension of the pad relative to the height of the comb. This adjustment takes into consideration of the physical dimensions of the shooter's neck length, cheek placement and their eye alignment to the rib.

Thirdly, the pad plate can be offset in either direction from the center line of the shotgun. This will allow the shooter to either push the centerline of the rib away from their face or to draw it closer to their face. This adjustment may be necessary, dependent upon the individual's facial dimensions.

The fourth adjustment is the pitch angle of the pad which helps reduce felt recoil due to muzzle jump. The pad plate has a factory setting of 4 degrees.

Not every shooter will require adjusting each facet of this butt plate system. However, the advanced ergonomic design of the 95ATR provides the shooter with the ability to adjust the shotgun to their unique physique.



ADJUSTABLE RIB 50/50 to 90/10

The 95ATR unsingle barrel is fitted with a tapered adjustable rib that allows the shooter to change the point of impact without adjusting the stock. The rib is adjusted by loosening two set screws with a 3mm hex wrench. Then rotating the small knurled wheel in the muzzle support block to move the rib either up or down. From the factory, the unsingle barrel is set to shoot an approximate 60/40 pattern. The point of impact can be adjusted from 50/50 to 90/10 by simply changing the angle of the rib. The indicator lines etched onto the muzzle support block provide a guide when adjusting the rib. When the rib is located on the center indicator line, the point of impact will be approximately 60/40 pattern with the comb in the lowest position.

The 95ATR barrels are fitted with the Hi-Viz comp sight system. The sight is comprised of a base and a removable litepipe. The litepipe is an optical quality plastic, of precise dimensions and color. The shooter can select the diameter and color of the litepipe to meet the individual's preference and lighting conditions of the event.




GUN CASE



The SKB 95ATR Trap Combo case is produced in Italy by Negrini. The patented double wall ABS technology is ultra-light, ultra-strong and airline approved. The case has three TSA approved recessed steel combination locks.

The case measures 37"(L) x 13"(W) x 4"(H) and weighs 10 lbs. The compact design includes two vertical barrel compartments, an oversized receiver compartment for the adjustable tournament stock, and separate compartments for the forend and accessories.

7000SL




The 7000SL is a premium grade, 7 pin side lock shotgun. The receiver is richly finished with hand engraved delicate scroll and a beautiful bone charcoal color casing. The barrels are highly polished, then hot blued, resulting in a deep lustre finish. The Prince of Wales stock is carved from Grade III Turkish walnut, then hand fit to the receiver to ensure precise wood to metal juncture. The grip areas and butt end of the stock are hand checkered and finished with a hand rubbed oil.

The 7 pin lock features a heavy duty V shaped hammer spring, a hammer sear and an intercepting safety sear to prevent accidental discharge. Inlaid into the hammer axle is a gold colored line which provides a visual indication of the hammer's position; either cocked or fired.



Classic 7 Pin System



This modern classic features chrome lined barrels with 3" chambers which are fitted with thin wall Teague style choke tubes.

MODEL 7000SL Side Lock

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Forend Type	Approx. Weight	Suggested Retail
12	30"	7020SWB	Pr. Wales	Schnabel	7 lbs 6 oz	\$6,500.00
12	28"	7028SWB	Pr. Wales	Schnabel	7 lbs 3 oz	\$6,500.00
20	30"	7000SWB	Pr. Wales	Schnabel	6 lbs 14 oz	\$6,500.00
20	28"	7008SWB	Pr. Wales	Schnabel	6 lbs 12 oz	\$6,500.00

Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 3/8", Drop at Heel: 2 1/4"
7000SL Choke Tubes: Full, Imp. Modified, Modified, Imp. Cylinder, and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions.
Specifications are subject to change without notice. Weights will vary due to wood density

200 FIELD

Available in 3 frame sizes and 4 gauges



The Model 200 features a beautiful Bison bone charcoal color casing on the receiver, forend metal piece and trigger guard. The barrels have a high luster deep blue finish. The shotgun is fitted with grade II Turkish walnut stocks and forend.

This models' features include; chrome lined barrels with thin wall teague style choke tubes, automatic ejectors, manual safety, oil finished beaver tail forend, Prince of Wales stock with a checkered butt.



The trigger plate action features a non-selectable single trigger with a firing sequence of right then left barrel. Our crisp feeling trigger is a combination of the length of travel and applied finger pressure apply to release the hammer. As the trigger is pulled rearward, the sear tail lifts vertically; releasing the sear from the hammer. Simultaneously the V-shaped hammer spring propels the hammer forward providing nearly instantaneous lock time.



MODEL 200 FIELD & MULTI GAUGE SET

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Forend Type	Approx. Weight	Suggested Retail
12	30"	2020SWB	Pr. Wales	Beaver	7 lbs 9 oz	\$2,100.00
12	28"	2028SWB	Pr. Wales	Beaver	7 lbs 6 oz	\$2,100.00
12	26"	2026SWB	Pr. Wales	Beaver	7 lbs 4 oz	\$2,100.00
20	30"	2000SWB	Pr. Wales	Beaver	6 lbs 10 oz	\$2,100.00
20	28"	2008SWB	Pr. Wales	Beaver	6 lbs 8 oz	\$2,100.00
20	26"	2006SWB	Pr. Wales	Beaver	6 lbs 6 oz	\$2,100.00
28	28"	2088SWB	Pr. Wales	Beaver	6 lbs 0 oz	\$2,250.00
28	26"	2086SWB	Pr. Wales	Beaver	5 lbs 14 oz	\$2,250.00
410	28"	2048SWB	Pr. Wales	Beaver	5 lbs 10 oz	\$2,250.00
410	26"	2046SWB	Pr. Wales	Beaver	5 lbs 8 oz	\$2,250.00
28 & 410	28"	2088SWB/48	Pr. Wales	Beaver	6 lbs 0 oz	\$3,200.00
28 & 410	26"	2086SWB/46	Pr. Wales	Beaver	5 lbs 14 oz	\$3,200.00

Field Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 3/8", Drop at Heel: 2 1/4"

200 Field Choke Tubes: Full, Imp. Modified, Modified, Imp. Cylinder, and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions.

Specifications are subject to change without notice. Weights will vary due to wood density

200HR TARGET

Available in 3 frame sizes and 4 gauges




The Model 200HR features target style barrels with a raised ventilated rib and target sights. The barrels are fitted with teague style thin wall choke tubes. The Schnabel shape forend and pistol grip stock provides for fast target acquisition. The Pachmayr SC100 sporting pads provide for quick mounting and recoil reduction.



● Pachmayr SC100 Sporting pad



Small frame 28 and 410 multi-gauge sets available in 30" and 28" barrels.



200HR

Target Rib

Schnabel Forend

MODEL 200HR TARGET & MULTI GAUGE SET

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Forend Type	Approx. Weight	Suggested Retail
12	32"	2322SHPB	Target - RH	Schnabel	8 lbs 0 oz	\$2,500.00
12	32"	2322SHPBL	Target - LH	Schnabel	8 lbs 0 oz	\$2,500.00
12	30"	2320SHPB	Target - RH	Schnabel	7 lbs 13 oz	\$2,500.00
12	30"	2320SHPBL	Target - LH	Schnabel	7 lbs 13 oz	\$2,500.00
12	28"	2328SHPB	Target - RH	Schnabel	7 lbs 10 oz	\$2,500.00
20	30"	2300SHPB	Target - RH	Schnabel	7 lbs 6 oz	\$2,500.00
20	30"	2300SHPBL	Target - LH	Schnabel	7 lbs 6 oz	\$2,500.00
20	28"	2308SHPB	Target - RH	Schnabel	7 lbs 3 oz	\$2,500.00
28	30"	2380SHPB	Target - RH	Schnabel	6 lbs 12 oz	\$2,625.00
28	30"	2380SHPBL	Target - LH	Schnabel	6 lbs 12 oz	\$2,625.00
28	28"	2388SHPB	Target - RH	Schnabel	6 lbs 10 oz	\$2,625.00
410	30"	2340SHPB	Target - RH	Schnabel	6 lbs 6 oz	\$2,625.00
410	30"	2340SHPBL	Target - LH	Schnabel	6 lbs 6 oz	\$2,625.00
410	28"	2348SHPB	Target - RH	Schnabel	6 lbs 4 oz	\$2,625.00
28 & 410	30"	2380SHPB/40	Target - RH	Schnabel	6 lbs 12 oz	\$3,600.00
28 & 410	30"	2380SHPB/40L	Target - LH	Schnabel	6 lbs 12 oz	\$3,600.00
28 & 410	28"	2388SHPB/48	Target - RH	Schnabel	6 lbs 10 oz	\$3,600.00

Target Stock Dimensions: Length of Pull: 14 1/2" , Drop at Comb: 1 3/8", Drop at Heel: 2 1/4"
200HR Target Choke Tubes: Full, Imp. Modified, Modified, Imp. Cylinder, and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions.
 Specifications are subject to change without notice. Weights will vary due to wood density

250 FIELD

Available in 3 frame sizes and 4 gauges



The Model 250 features hand engraved receiver side plates that highlight the beauty of the lost art of Bison bone case coloring and accentuates the traditional lines of the SXS receiver.

Small frame 28 and 410 multi-gauge sets available in 28" and 26" barrels.

The Slender barrel profiles and reduced barrel weight are obtained by utilizing a platform lump mount and thin wall choke tubes. The platform lump utilizes a double under locking lug providing a solid engagement between the barrel and receiver.



MODEL 250 FIELD & MULTI GAUGE SET

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Forend Type	Approx. Weight	Suggested Retail
20	30"	2500SWB	Pr. Wales	Schnabel	6 lbs 10 oz	\$2,600.00
20	28"	2508SWB	Pr. Wales	Schnabel	6 lbs 8 oz	\$2,600.00
20	26"	2506SWB	Pr. Wales	Schnabel	6 lbs 6 oz	\$2,600.00
28	30"	2580SWB	Pr. Wales	Schnabel	6 lbs 2 oz	\$2,725.00
28	28"	2588SWB	Pr. Wales	Schnabel	6 lbs 0 oz	\$2,725.00
28	26"	2586SWB	Pr. Wales	Schnabel	5 lbs 14 oz	\$2,725.00
410	30"	2540SWB	Pr. Wales	Schnabel	5 lbs 12 oz	\$2,725.00
410	28"	2548SWB	Pr. Wales	Schnabel	5 lbs 10 oz	\$2,725.00
410	26"	2546SWB	Pr. Wales	Schnabel	5 lbs 8 oz	\$2,725.00
28 & 410	28"	2588SWB/48	Pr. Wales	Schnabel	6 lbs 0 oz	\$3,700.00
28 & 410	26"	2586SWB/46	Pr. Wales	Schnabel	5 lbs 14 oz	\$3,700.00

Field Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 3/8", Drop at Heel: 2 1/4"

250 Field Choke Tubes: Full, Imp. Modified, Modified, Imp. Cylinder, and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

HUNTING MODELS



690




HS300



690 FIELD

Available in 3 frame sizes and 4 gauges



12, 20, 28 & 410ga



Small frame 28 and 410 multi-gauge sets available in 28" and 26" barrels.


The chrome lined barrels have 3" chambers (except 28ga. - 2 3/4") with lengthened forcing cones to reduce felt recoil and muzzle lift. The barrels are equipped with automatic ejectors and are fitted with an internal choke tube system. The exterior of the barrel group is highly polished then hot blued resulting in a deep luster finish.

The pistol grip stock and schnabel forend are carved from grade II Turkish walnut. The finish is a high gloss polyurethane which enhances and protects the beauty of the walnut.

The Model 690 box lock receiver is precisely cut by state of the art CNC machines, from a solid billet of chrome-moly steel. The locking bar is located in the base of the action. The engagement of the locking bar and the barrel lug extends across the full length of the monobloc creating a secure lock to the receiver.

The 690 utilizes a mechanical trigger which is a direct engagement of each sear to the trigger connector providing a very quick and reliable trigger system that does not depend upon recoil to reset the trigger for the second shot. The top tang barrel selector and integral safety allows the shooter to select the firing sequence for different hunting situations.

The distinctive contour of the 690 receiver is finished in a brushed white chrome and a beautiful scroll motif engraving pattern.



MODEL 690 FIELD & MULTI GAUGE SETS

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Finish	Approx. Weight	Suggested Retail
12	28"	6928CF	Walnut	White Chrome	7 lbs 14 oz	\$1,310.00
12	26"	6926CF	Walnut	White Chrome	7 lbs 12 oz	\$1,310.00
20	28"	6908CF	Walnut	White Chrome	7 lbs 10 oz	\$1,310.00
20	26"	6906CF	Walnut	White Chrome	7 lbs 10 oz	\$1,310.00
28	28"	6988CF	Walnut	White Chrome	6 lbs 12 oz	\$1,375.00
28	26"	6986CF	Walnut	White Chrome	6 lbs 10 oz	\$1,375.00
410	28"	6948CF	Walnut	White Chrome	6 lbs 12 oz	\$1,375.00
410	26"	6946CF	Walnut	White Chrome	6 lbs 10 oz	\$1,375.00
28 & 410	28"	6988CF/48	Walnut	White Chrome	7 lbs 0 oz	\$2,125.00
28 & 410	26"	6986CF/46	Walnut	White Chrome	6 lbs 12 oz	\$2,125.00
12	26"	6926CFY	Walnut -Youth	White Chrome	7 lbs 10 oz	\$1,310.00
20	26"	6906CFY	Walnut - Youth	White Chrome	6 lbs 8 oz	\$1,310.00

Field Stock Dimensions: Length of Pull: 14 1/2", Drop at Comb: 1 1/2", Drop at Heel: 2 1/2"

Youth Stock Dimensions: Length of Pull: 13", Drop at Comb: 1 1/2", Drop at Heel: 2 1/2"

690 Field Choke Tubes: Full, Imp. Modified, Modified, Imp. Cylinder and Skeet

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

HS300

Semi-Automatic Field Shotguns



Walnut



HS Hybrid Operating System is a functional combination of the inertia bolt body with a rotating head, a gas operated piston, modified steel action bar and the recoil action spring . This combination utilizes an optimum amount of combustion gases to cycle both heavy and light loads while reducing recoil.

The chrome lined ventilated rib barrel has a 3" chamber, a lengthened forcing cone and is threaded for the SKB competition choke tube system. The outer finish of the barrel is either a non-reflective matte black chrome or camouflage film fitted with a brass front bead.



Camo

Each shotgun is provided with a set of six different stock shims to assist the shooter in obtaining a personalized fit to the sighting plane. The removable stock shim will adjust for either the stock's cast or drop dimension. The shotgun has a maximum capacity of 4 - 3" shot shells; three in the magazine tube with one in the chamber.



HS300 FIELD SEMI-AUTOMATIC

Gauge	Barrel Length	Manufacturer's Ident. Number	Stock Type	Ejection Port	Approx. Weight	Suggested Retail
12	28"	HS328CFW	Field Walnut	Right Side	6 lbs 15 oz	\$795.00
12	28"	HS328CFWL	Field Walnut	Left Side	6 lbs 15 oz	\$795.00
20	28"	HS308CFW	Field Walnut	Right Side	6 lbs 15 oz	\$795.00
20	26"	HS306CFW	Field Walnut	Right Side	6 lbs 13 oz	\$795.00
12	28"	HS328CFC	Field Camouflage	Right Side	6 lbs 15 oz	\$825.00
12	28"	HS328CFCL	Field Camouflage	Left Side	6 lbs 15 oz	\$825.00

Field Stock Dimensions: Length of Pull: 14 1/2" , Drop at Comb: 1 1/2" , Drop at Heel: 2 1/2"

HS300 Field Choke Tubes: Full, Modified, Imp. Cylinder

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density

GUN CASES

Type	Model Number	Exterior Case Dimensions	Interior Receiver Compartment	Barrel Compartment	Approximate Weight	Suggested Retail
Single	HC-1BBL	37 1/2 x 4 1/2 x 10 7/8	22 1/4 x 2 1/4 x 7 1/8	35 1/2"	11 lbs. 6 oz.	\$239.95
Combo	HC-2BBL	37 1/2 x 4 1/2 x 12 3/4	22 1/4 x 2 1/4 x 7 1/8	35 1/2"	13 lbs. 9 oz.	\$269.95
SXS Combo	HC-SS2BBL	37 1/2 x 3 3/8 x 10 7/8	22 x 2 x 5 1/2	30 1/2"	8 lbs. 6 oz.	\$329.95

Information and specifications are presented for reference only; specification tolerance will affect actual dimensions. Specifications are subject to change without notice. Weights will vary due to wood density. Shotgun not included with case.

THE SINGLE BARREL AND COMBO



These hard cases are a sturdy wood construction, covered with a water resistant black 600 Denier polyester canvas with black vinyl trim. The black felt interior is padded in the receiver and barrel compartments to protect your shotgun.

The receiver compartment features a Velcro wrist strap and removable butt pad block to secure the action. The barrel compartment includes compression foam side walls and barrel blocks to keep the barrels upright and reduce shifting. The length of the barrel compartment was designed to accommodate barrels with extended choke tubes.

Having a separate forend compartment, allows for easier assembly and disassembly of the shotgun and a slimmer and lighter case design. Each case has a heavy duty handle, two combination locks, and two accessory storage compartments.

The single barrel case is designed to fit all the Over & Under models and the Century III Trap single barrel. The combo case is designed to fit all SKB trap combo models.



The Side by Side case is also a sturdy wood construction. The cases are covered with a water resistant green cotton canvas with leather corners. The case has harness leather trunk straps and carry handle, brass combination lock and a solid brass hardware. The case is lined with wool felt with several accessory compartments.



Accessories

Item #	Manufacturer's Description	Suggested Retail
HC-1BBL	Hard Case Fits O/U & Century III models	\$239.95
HC-2BBL	Hard Case Fits Trap Combo Models	\$269.95
HC-SS2BBL	Hard Case Fits SXS Two BBL Set (28 & 410)	\$329.95
SC-50	Soft Gun Case 50" with Pocket & Sling	\$69.95
SC-54	Soft Gun Case 54" with Pocket & Sling	\$69.95
GS52-P	Gun Sock - 52" - Pink	\$10.95
GS52-G	Gun Sock - 52" - Grey	\$10.95
RB	Range Bag (13 L x 8 W x 11 H)	\$89.95
RB-C	Range Bag Compact (13 L x 5 W x 10 H)	\$69.95
RLB-D	Reloaders Bag, Divided Compartment & Belt	\$21.95
RLB-1	Reloaders Bag - 1 Shell Box Holders & Belt	\$25.95
RLB-2	Reloaders Bag - 2 Shell Box Holders & Belt	\$33.95
MHB-0	Mesh Hull Bag - No Belt	\$19.95
MHB-B	Mesh Hull Bag with Shell Box Holder & Belt	\$29.95
CHB	Compact Hip Bag with Shell Box Holder & Belt	\$29.95
SBH	Shell Box Holder	\$14.95
CTZC	Choke Tube Zipper Case with 6 Plastic Vials	\$18.95
PAD	Tailgate or Counter Pad	\$29.95
SKB-Towel	Embroidered Shooter's Towel	\$14.95
Head Band	Embroidered Fleece Headband	\$9.95
Hat - SKB	Exploding Target Hat	\$14.95
New Logo T	Men's White or Grey (S, M, L, or XL)	\$14.95
New Logo T	Men's White or Grey (2XL or 3XL)	\$16.95
New Logo T	Ladies Cut - Pink (XS, S, M, L, or XL)	\$14.95
New Logo T	Ladies Cut - Pink (2XL or 3XL)	\$16.95
SKB-Comp	Hi Viz Competition Lite Pipe Sight Kit	\$34.95
SKB-Spark-III	Hi Viz Spark-III Lite Pipe Sight Kit	\$13.95
ANV-NC15	Anniversary Knife - 3" Lock Back Folder	\$49.95
ANV-NC14	Anniversary Knife - 3.5" Lock Back Folder	\$59.95
X2 Choke Tube	Briley Extended Choke (see chart)	\$34.95
F2 Choke Tube	Briley Flush Fit Choke Tube (see chart)	\$24.95
XTW Choke Tube	Extended Thin Wall Choke Tube (see chart)	\$44.95
FTW Choke Tube	Flush Fit Thin Wall Choke Tube (see chart)	\$34.95



Shotgun Case 50" (SC-50)
Shotgun Case 54" (SC-54)



Range Bag (RB)



Compact Range Bag (RB-C)



Divided Shell Pouch (RLB-D)



Reloaders Bag One Shell Box Holder (RLB-1)



Reloaders Bag Two Shell Box Holders (RLB-2)



Mesh Hull Bag No Belt (MHB-0)



Mesh Hull Bag One Shell Box Holder (MHB-B)



Compact Hip Bag (CHB)



Shell Box Holder (SBH)



Choke Tube Case (CTZC)



Protective Counter Pad (12" x 48") (PAD)

SKB T-SHIRTS COME WITH LARGE BACK PRINT AND A SMALL LEFT CHEST PRINT



White (Men's Cut)
Size: S, M, L, XL, 2XL, 3XL



Gray (Men's Cut)
Size: S, M, L, XL, 2XL, 3XL



Pink (Ladies Cut)
Size: XS, S, M, L, XL, 2XL, 3XL

LIMITED EDITION KNIVES



3" Lock Back
Stag Folder (ANV-NC15)



3 1/2" Lock Back
Stag Folder (ANV-NC14)



SKB "Exploding Target" Hat (HAT-SKB)



Shooters Towel (SKB-Towel)



Gunsocks (GS52-P) (GS52-G)



HI-VIZ
SIGHT SYSTEMS
(SKB-Spark III)

SKB
MEDICAL FIRST AID KIT
(SKB-Comp)

ATR Choke Tubes

Color Band msrp \$44.95 Flush Fit msrp \$34.95



95ATR - COMPETITION 12GA Only
New Top Thread Choke Tubes

Nomenclature	Code	Constriction	CB Manf. Id #	FF Manf. Id #
Trap Full **	TF	0.035	CB12TF	FF12TF
Full **	F	0.030	CB12F	FF12F
Imp Modified **	IM	0.025	CB12IM	FF12IM
Modified	M	0.020	CB12M	FF12M
Light Modified	LM	0.015	CB12LM	FF12LM
Imp Cylinder	IC	0.010	CB12IC	FF12IC
Skeet	SK	0.005	CB12SK	FF12SK
Cylinder	CYL	0.000	CB12CYL	FF12CYL

95ATR COMPETITION Choke Tubes

SXS THIN WALL Choke Tubes

Extended msrp \$44.95
Flush Fit msrp \$34.95



20GA Thin Wall

Nomenclature	Code	Constriction	XTW Manf.#	FTW Manf.#
Full **	F	0.025	XTW20F	FTW20F
Imp Modified **	IM	0.020	XTW20IM	FTW20IM
Modified	M	0.015	XTW20M	FTW20M
Imp Cylinder	IC	0.010	XTW20IC	FTW20IC
Skeet	SK	0.005	XTW20SK	FTW20SK

Current Production SKB Models: 200, 200HR, 250 & 700

410GA Thin Wall - 35mm

Nomenclature	Code	Constriction	XTW Manf.#	FTW Manf.#
Full **	F	0.020	XTW410F	FTW410F
Imp Modified **	IM	0.016	XTW410IM	FTW410IM
Modified	M	0.012	XTW410M	FTW410M
Imp Cylinder	IC	0.008	XTW410IC	FTW410IC
Skeet	SK	0.004	XTW410SK	FTW410SK

Current Production SKB Models: 200, 200HR, 250

12GA Thin Wall

Nomenclature	Code	Constriction	XTW Manf.#	FTW Manf.#
Full **	F	0.030	XTW12F	FTW12F
Imp Modified **	IM	0.025	XTW12IM	FTW12IM
Modified	M	0.020	XTW12M	FTW12M
Imp Cylinder	IC	0.010	XTW12IC	FTW12IC
Skeet	SK	0.005	XTW12SK	FTW12SK

Current Production SKB Models: 200, 200HR, 250 & 700

28GA Thin Wall

Nomenclature	Code	Constriction	XTW Manf.#	FTW Manf.#
Full **	F	0.020	XTW28F	FTW28F
Imp Modified **	IM	0.016	XTW28IM	FTW28IM
Modified	M	0.012	XTW28M	FTW28M
Imp Cylinder	IC	0.008	XTW28IC	FTW28IC
Skeet	SK	0.004	XTW28SK	FTW28SK

Current Production SKB Models: 200, 200HR, 250

410GA Thin Wall - 40mm

Nomenclature	Code	Constriction	XTW Manf.#	FTW Manf.#
Full **	F	0.020	XTWL410F	FTWL410F
Imp Modified **	IM	0.016	XTWL410IM	FTWL410IM
Modified	M	0.012	XTWL410M	FTWL410M
Imp Cylinder	IC	0.008	XTWL410IC	FTWL410IC
Skeet	SK	0.004	XTWL410SK	FTWL410SK

Current Production SKB Models: 200, 200HR, 250

690 FIELD Choke Tubes

Color Band msrp \$44.95 Flush Fit msrp \$34.95



690 Field - 12ga
New Top Thread Choke Tubes

Nomenclature	Code	Constriction	CB Manf. Id #	FF Manf. Id #
Extra Full **	XF	0.035	CB612XF	FF612XF
Full **	F	0.030	CB612F	FF612F
Imp Modified **	IM	0.025	CB612IM	FF612IM
Modified	M	0.020	CB612M	FF612M
Light Modified	LM	0.015	CB612LM	FF612LM
Imp Cylinder	IC	0.010	CB612IC	FF612IC
Skeet	SK	0.005	CB612SK	FF612SK
Cylinder	CYL	0.000	CB612CYL	FF612CYL



690 Field - 28ga
New Top Thread Choke Tubes

Nomenclature	Code	Constriction	CB Manf. Id #	FF Manf. Id #
Extra Full **	XF	0.024	CB28XF	FF28XF
Full **	F	0.020	CB28F	FF28F
Imp Modified **	IM	0.016	CB28IM	FF28IM
Modified	M	0.012	CB28M	FF28M
Imp Cylinder	IC	0.008	CB28IC	FF28IC
Skeet	SK	0.004	CB28SK	FF28SK
Cylinder	CYL	0.000	CB28CYL	FF28CYL



690 Field - 20ga
New Top Thread Choke Tubes

Nomenclature	Code	Constriction	CB Manf. Id #	FF Manf. Id #
Extra Full **	XF	0.028	CB20XF	FF20XF
Full **	F	0.024	CB20F	FF20F
Imp Modified **	IM	0.020	CB20IM	FF20IM
Modified	M	0.016	CB20M	FF20M
Light Modified	LM	0.012	CB20LM	FF20LM
Imp Cylinder	IC	0.008	CB20IC	FF20IC
Skeet	SK	0.004	CB20SK	FF20SK
Cylinder	CYL	0.000	CB20CYL	FF20CYL



690 Field - 410ga
New Top Thread Choke Tubes

Nomenclature	Code	Constriction	CB Manf. Id #	FF Manf. Id #
Extra Full **	XF	0.024	CB410XF	FF410XF
Full **	F	0.020	CB410F	FF410F
Imp Modified **	IM	0.016	CB410IM	FF410IM
Modified	M	0.012	CB410M	FF410M
Imp Cylinder	IC	0.008	CB410IC	FF410IC
Skeet	SK	0.004	CB410SK	FF410SK
Cylinder	CYL	0.000	CB410CYL	FF410CYL

STANDARD & COMPETITION Choke Tubes

Extended msrp \$34.95
Flush Fit msrp \$24.95



12GA Standard

Nomenclature	Code	Rim Notch	Constriction	X2 Manf. Id #	F2 Manf. Id #
Extra Full **	XF	None	0.035	X2S12XF	F2S12XF
Full **	F	1	0.030	X2S12F	F2S12F
Imp Modified **	IM	2	0.025	X2S12IM	F2S12IM
Modified	M	3	0.020	X2S12M	F2S12M
Light Modified	LM	4	0.015	X2S12LM	F2S12LM
Imp Cylinder	IC	5	0.010	X2S12IC	F2S12IC
Skeet	SK	6	0.005	X2S12SK	F2S12SK
Cylinder	CYL	7	0.000	X2S12CYL	F2S12CYL

SKB Models: 505, 605, 885 (NS), 200E, 400, 385, 485, 1300, 1900 & 3000
All Japanese produced Weatherby models



28GA Standard

Nomenclature	Code	Rim Notch	Constriction	X2 Manf. Id #	F2 Manf. Id #
Extra Full **	XF	None	0.024	X2S28XF	F2S28XF
Full **	F	1	0.020	X2S28F	F2S28F
Imp Modified **	IM	2	0.016	X2S28IM	F2S28IM
Modified	M	3	0.012	X2S28M	F2S28M
Imp Cylinder	IC	4	0.008	X2S28IC	F2S28IC
Skeet	SK	5	0.004	X2S28SK	F2S28SK
Cylinder	CYL	6	0.000	X2S28CYL	F2S28CYL



12GA Competition

Nomenclature	Code	Rim Notch	Constriction	X2 Manf. Id #	F2 Manf. Id #
Trap Full **	TF	None	0.035	X2CS12TF	F2CS12TF
Full **	F	1	0.030	X2CS12F	F2CS12F
Imp Modified **	IM	2	0.025	X2CS12IM	F2CS12IM
Modified	M	3	0.020	X2CS12M	F2CS12M
Light Modified	LM	4	0.015	X2CS12LM	F2CS12LM
Imp Cylinder	IC	5	0.010	X2CS12IC	F2CS12IC
Skeet	SK	6	0.005	X2CS12SK	F2CS12SK
Cylinder	CYL	7	0.000	X2CS12CYL	F2CS12CYL

For the Following SKB Models: 585, 685, 785, 885 (AS), GC7, 85TSS & 85TTR
Current Production SKB: IS300, HS300, RS300, Century III, 590, & 90TSS



20GA Standard

Nomenclature	Code	Rim Notch	Constriction	X2 Manf. Id #	F2 Manf. Id #
Extra Full **	XF	None	0.028	X2S20XF	F2S20XF
Full **	F	1	0.024	X2S20F	F2S20F
Imp Modified **	IM	2	0.020	X2S20IM	F2S20IM
Modified	M	3	0.016	X2S20M	F2S20M
Light Modified	LM	4	0.012	X2S20LM	F2S20LM
Imp Cylinder	IC	5	0.008	X2S20IC	F2S20IC
Skeet	SK	6	0.004	X2S20SK	F2S20SK
Cylinder	CYL	7	0.000	X2S20CYL	F2S20CYL



410GA Standard

Nomenclature	Code	Rim Notch	Constriction	X2 Manf. Id #	F2 Manf. Id #
Extra Full **	XF	None	0.024	X2S410XF	F2S410XF
Full **	F	1	0.020	X2S410F	F2S410F
Imp Modified **	IM	2	0.016	X2S410IM	F2S410IM
Modified	M	3	0.012	X2S410M	F2S410M
Imp Cylinder	IC	4	0.008	X2S410IC	F2S410IC
Skeet	SK	5	0.004	X2S410SK	F2S410SK
Cylinder	CYL	6	0.000	X2S410CYL	F2S410CYL

ALL STANDARD SERIES 20, 28 & 410 CHOKES TUBES FIT THE FOLLOWING:
SKB Models; 505, 605, 885, 200E, 400, 385, 485, 1300, 1900 & 3000
585, 685, 785, 885, GC7, 85TSS & 85TTR

All Japanese produced Weatherby models
Current Production SKB: HS300, RS300, 590, & 90TSS
The choke tubes marked with " ** " in all these charts
Are not recommended for use with steel shot